

Communications in Computer and Information Science

The CCIS series is devoted to the publication of peer-reviewed proceedings of conferences and workshops. Its aim is to efficiently disseminate original research results in computer science. All CCIS proceedings are available in electronic form from the SpringerLink digital library, and as printed books, and reach libraries and readers worldwide via Springer's distribution network.

Besides globally relevant meetings with internationally representative program committees guaranteeing a strict peer-reviewing and paper-selection process, conferences run by societies or of high regional or national relevance are also considered for publication. Application-oriented and interdisciplinary conferences are also welcome.

The topical scope of CCIS spans the entire spectrum of computer science ranging from foundational topics in the theory of computing to information and communications science and technology and a broad variety of interdisciplinary application fields.

CCIS proceedings can be published in time for distribution at conferences or as revised proceedings after the event. The publication is free of charge and an Open Access option is available at a fee. The language of publication is exclusively English.


CCIS is abstracted/indexed in DBLP, Google Scholar, EI-Compendex, Mathematical Reviews, SCImago, and Scopus. CCIS volumes are also submitted for inclusion in ISI Proceedings.

To start the evaluation of your proposal for inclusion in the CCIS series, please send an e-mail to ccis@springer.com.

ISSN 1865-0929

ISBN 978-3-662-46741-1



 springer.com



Intan et al. (Eds.)

CCIS
516



Intelligence in the Era of Big Data

ICSIT
2015


Rolly Intan
Chi-Hung Chi
Henry N. Palit
Leo W. Santoso (Eds.)

Communications in Computer and Information Science

516

Intelligence in the Era of Big Data

4th International Conference on Soft Computing,
Intelligent Systems and Information Technology, ICSIT 2015
Bali, Indonesia, March 11–14, 2015, Proceedings

 Springer

Rolly Intan · Chi-Hung Chi
Henry N. Palit · Leo W. Santoso (Eds.)

Intelligence in the Era of Big Data

4th International Conference
on Soft Computing, Intelligent Systems
and Information Technology, ICSIIT 2015
Bali, Indonesia, March 11–14, 2015
Proceedings

 Springer

Editorial Board

Simone Diniz Junqueira Barbosa

*Pontifical Catholic University of Rio de Janeiro (PUC-Rio),
Rio de Janeiro, Brazil*

Phoebe Chen

La Trobe University, Melbourne, Australia

Alfredo Cuzzocrea

ICAR-CNR and University of Calabria, Cosenza, Italy

Xiaoyong Du

Renmin University of China, Beijing, China

Joaquim Filipe

Polytechnic Institute of Setúbal, Setúbal, Portugal

Orhun Kara

TÜBİTAK BİLGEM and Middle East Technical University, Ankara, Turkey

Igor Kotenko

*St. Petersburg Institute for Informatics and Automation of the Russian
Academy of Sciences, St. Petersburg, Russia*

Krishna M. Sivalingam

Indian Institute of Technology Madras, Chennai, India

Dominik Ślęzak

University of Warsaw and Infobright, Warsaw, Poland

Takashi Washio

Osaka University, Osaka, Japan

Xiaokang Yang

Shanghai Jiao Tong University, Shanghai, China

Editors

Rolly Intan
Informatics
Petra Christian University
Surabaya
Indonesia

Henry N. Palit
Informatics
Petra Christian University
Surabaya
Indonesia

Chi-Hung Chi
CSIRO
Hobart
Tasmania
Australia

Leo W. Santoso
Informatics
Petra Christian University
Surabaya
Indonesia

ISSN 1865-0929

ISSN 1865-0937 (electronic)

Communications in Computer and Information Science

ISBN 978-3-662-46741-1

ISBN 978-3-662-46742-8 (eBook)

DOI 10.1007/978-3-662-46742-8

Library of Congress Control Number: 2015934823

Springer Heidelberg New York Dordrecht London

© Springer-Verlag Berlin Heidelberg 2015

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made.

Printed on acid-free paper

Springer-Verlag GmbH Berlin Heidelberg is part of Springer Science+Business Media
(www.springer.com)

Preface

This proceedings volume contains papers presented at the fourth International Conference on Soft Computing, Intelligent System and Information Technology (the 4th ICSIIT) held in Bali, Indonesia, during March 11–14, 2015. The main theme of this international conference is “Intelligence in the Era of Big Data,” and it was organized and hosted by Informatics Engineering Department, Petra Christian University, Surabaya, Indonesia.

The Program Committee received 92 submissions for the conference from across Indonesia and around the world. After peer-review process by at least two reviewers per paper, 53 papers were accepted and included in the proceedings. The papers were divided into 14 groups: fuzzy logic and control system, genetic algorithm and heuristic approaches, artificial intelligence and machine learning, similarity-based models, classification and clustering techniques, intelligent data processing, feature extraction, image recognition, visualization technique, intelligent network, cloud and parallel computing, strategic planning, intelligent applications, and intelligent systems for enterprise government and society.

We would like to thank all Program Committee members for their effort in providing high-quality reviews in a timely manner. We thank all the authors of submitted papers and the authors of selected papers for their collaboration in preparation of the final copy.

Compared to the previous ICSIIT conferences, the number of participants at the 4th ICSIIT 2015 is not only higher, but also the research papers presented at the conference are improved both in quantity and quality. On behalf of the Organizing Committee, once again, we would like to thank all the participants of this conference, who contributed enormously to the success of the conference.

We hope all of you enjoy reading this volume and that you will find it inspiring and stimulating for your research and future work.

February 2015

Rolly Intan
Chi-Hung Chi
Henry N. Palit
Leo W. Santoso

Organization

The International Conference on Soft Computing, Intelligent System and Information Technology (ICSiIT) 2015 (<http://icsiit.petra.ac.id>) took place in Bali, Indonesia, during March 11–14, 2015, hosted by Informatics Department, Petra Christian University.

General Chair

Leo Willyanto Santoso	Petra Christian University, Indonesia
-----------------------	---------------------------------------

Program Chairs

Chen Ding	Ryerson University, Canada
Justinus Andjarwirawan	Petra Christian University, Indonesia
Wei Zhou	CSIRO, Australia

Registration Chairs

Silvia Rostianingsih	Petra Christian University, Indonesia
----------------------	---------------------------------------

Local Arrangement Chairs

Agustinus Noertjahyana	Petra Christian University, Indonesia
------------------------	---------------------------------------

Financial Chairs

Alexander Setiawan	Petra Christian University, Indonesia
--------------------	---------------------------------------

Program Committee

A. Min Tjoa	Vienna University of Technology, Austria
A.V. Senthil Kumar	Hindusthan College of Arts and Science, India
Achmad Nizar Hidayanto	University of Indonesia, Indonesia
Alexander Fridman	Institute for Informatics and Mathematical Modelling, Russia
Arif Anjum	University of Pune, India
Ashraf Elnagar	University of Sharjah, United Arab Emirates
Bruce Spencer	University of New Brunswick, Canada
Byung-Gook Lee	Dongseo University, Korea

Can Wang	CSIRO, Australia
Chi-Hung Chi	CSIRO, Australia
Dengwang Li	Shandong Normal University, China
Eduard Babulak	Maharishi University of Management in Fairfield, USA
Enrique Dominguez	University of Malaga, Spain
Erma Suryani	Sepuluh Nopember Institute of Technology, Indonesia
Felix Pasila	Petra Christian University, Indonesia
Hans Dulimarta	Grand Valley State University, USA
Henry N. Palit	Petra Christian University, Indonesia
Hong Xie	Murdoch University, Australia
Ibrahiem M. M. El Emary	King Abdulaziz University, Saudi Arabia
Ilung Pranata	The University of Newcastle, Australia
Julien Dubois	Université de Bourgogne, France
Kassim S. Mwitondi	Sheffield Hallam University, UK
Kelvin Cheng	National University of Singapore, Singapore
Marian S. Stachowicz	University of Minnesota, USA
Masashi Emoto	Meiji University, Japan
Mehmed Kantardzic	University of Louisville, USA
Moeljono Widjaja	Agency for the Assessment and Application of Technology, Indonesia
Mohd Yunus Bin Nayan	Universiti Teknologi Petronas, Malaysia
Muhammad Aamir Cheema	Monash University, Australia
Noboru Takagi	Toyama Prefectural University, Japan
Nur Iriawan	Sepuluh Nopember Institute of Technology, Indonesia
P.S. Avadhani	Andhra University, India
Pitoyo Hartono	Chukyo University, Japan
Pujianto Yugopuspito	Pelita Harapan University, Indonesia
Raymond Kosala	Binus University, Indonesia
Raymond Wong	University of New South Wales, Australia
Roberto Rojas-Cessa	New Jersey Institute of Technology, USA
Rolly Intan	Petra Christian University, Indonesia
Rudy Setiono	National University of Singapore, Singapore
S. Thabasu Kannan	Pannai College of Engineering and Technology, India
Sankar Kumar Pal	Indian Statistical Institute, India
Saurabh K. Garg	University of Tasmania, Australia
Selpi	Chalmers University of Technology, Sweden
Shafiq Alam Burki	University of Auckland, New Zealand
Shan-Ling Pan	University of New South Wales, Australia
Simon Fong	University of Macau, Macau
Smarajit Bose	Indian Statistical Institute, India

Contents

Invited Paper

On the Relation of Probability, Fuzziness, Rough and Evidence Theory	3
<i>Rolly Intan</i>	

Fuzzy Logic and Control System

A Study of Laundry Tidiness: Laundry State Determination Using Video and 3D Sensors	19
<i>Daiki Hirose, Tsutomu Miyoshi, and Kazuki Maiya</i>	
Direction Control System on a Carrier Robot Using Fuzzy Logic Controller	27
<i>Kevin Ananta Kurniawan, Darmawan Utomo, and Saptadi Nugroho</i>	
Multidimensional Fuzzy Association Rules for Developing Decision Support System at Petra Christian University	37
<i>Yulia, Siget Wibisono, and Rolly Intan</i>	

Genetic Algorithm and Heuristic Approaches

Genetic Algorithm for Scheduling Courses	51
<i>Gregorius Satia Budhi, Kartika Gunadi, and Denny Alexander Wibowo</i>	
Optimization of Auto Equip Function in Role-Playing Game Based on Standard Deviation of Character's Stats Using Genetic Algorithm	64
<i>Kristo Radion Purba</i>	
The Design of Net Energy Balance Optimization Model for Crude Palm Oil Production	76
<i>Jaizuluddin Mahmud, Marimin, Erliza Hambali, Yandra Arkeman, and Agus R. Hoetman</i>	
ACO-LS Algorithm for Solving No-wait Flow Shop Scheduling Problem	89
<i>Ong Andre Wahyu Riyanto and Budi Santosa</i>	
A New Ant-Based Approach for Optimal Service Selection with E2E QoS Constraints	98
<i>Dac-Nhuong Le and Gia Nhu Nguyen</i>	

Artificial Intelligence and Machine Learning

Implementation Discrete Cosine Transform and Radial Basis Function Neural Network in Facial Image Recognition.....	113
<i>Marprin H. Muchri, Samuel Lukas, and David Habsara Hareva</i>	
Implementation of Artificial Intelligence with 3 Different Characters of AI Player on "Monopoly Deal" Computer Game	119
<i>Irene A. Lazarushi, Samuel Lukas, and Patrick Widjaja</i>	
Optimizing Instruction for Learning Computer Programming – A Novel Approach	128
<i>Muhammed Yousoof and Mohd Sapiyan</i>	
Sequential Pattern Mining Application to Support Customer Care "X" Clinic	140
<i>Alexander Setiawan, Adi Wibowo, and Samuel Kurniawan</i>	

Similarity-Based Models

The Comparison of Distance-Based Similarity Measure to Detection of Plagiarism in Indonesian Text	155
<i>Tari Mardiana, Teguh Bharata Adji, and Indriana Hidayah</i>	
Document Searching Engine Using Term Similarity Vector Space Model on English and Indonesian Document	165
<i>Andreas Handojo, Adi Wibowo, and Yovita Ria</i>	
Knowledge Representation for Image Feature Extraction	174
<i>Nyoman Karna, Iping Suwardi, and Nur Maulidevi</i>	
Using Semantic Similarity for Identifying Relevant Page Numbers for Indexed Term of Textual Book.....	183
<i>Daniel Siahaan and Sherly Christina</i>	

Classification and Clustering Techniques

The Data Analysis of Stock Market Using a Frequency Integrated Spherical Hidden Markov Self Organizing Map.....	195
<i>Gen Niina, Tatsuya Chuuto, Hiroshi Dozono, and Kazuhiro Muramatsu</i>	
Attribute Selection Based on Information Gain for Automatic Grouping Student System	205
<i>Oktariani Nurul Pratiwi, Budi Rahardjo, and Suhono Harso Supangkat</i>	

Data Clustering through Particle Swarm Optimization Driven Self-Organizing Maps	212
<i>Tad Gonsalves and Yasuaki Nishimoto</i>	

Intelligent Data Processing

A Search Engine Development Utilizing Unsupervised Learning Approach	223
<i>Mohd Noah Abdul Rahman, Afzaal H. Seyal, Mohd Saiful Omar, and Siti Aminah Maidin</i>	
Handling Uncertainty in Ontology Construction Based on Bayesian Approaches: A Comparative Study	234
<i>Foni Agus Setiawan, Wahyu Catur Wibowo, and Novita Br Ginting</i>	
Applicability of Cyclomatic Complexity on WSDL	247
<i>Sanjay Misra, Luis Fernandez-Sanz, Adewole Adewumi, Broderick Crawford, and Ricardo Soto</i>	

Feature Extraction

Multiclass Fruit Classification of RGB-D Images Using Color and Texture Feature	257
<i>Ema Rachmawati, Iping Supriana, and Masayu Leylia Khodra</i>	
Content-Based Image Retrieval Using Features in Spatial and Frequency Domains	269
<i>Kazuhiro Kobayashi and Qiu Chen</i>	
Feature Extraction for Java Character Recognition	278
<i>Rudy Adipranata, Liliana, Meiliana Indrawijaya, and Gregorius Satia Budhi</i>	
Fast Performance Indonesian Automated License Plate Recognition Algorithm Using Interconnected Image Segmentation	289
<i>Samuel Mahatmaputra Tedjojuwono</i>	

Image Recognition

A Study of Laundry Tidiness: Socks Pairing Using Video and 3D Sensors	303
<i>Kazuki Maiya, Tsutomu Miyoshi, and Daiki Hirose</i>	
Design and Implementation of Skeletonization	314
<i>Kartika Gunadi, Liliana, and Gideon Simon</i>	

XXII Contents

A Computer-Aided Diagnosis System for Vitiligo Assessment: A Segmentation Algorithm	323
<i>Arfika Nurhudatiana</i>	
Face Recognition for Additional Security at Parking Place	332
<i>Semuil Tjiharjadi and William Setiadarma</i>	
Optic Disc Segmentation Based on Red Channel Retinal Fundus Images	348
<i>K.Z. Widhia Oktoberza, Hanung Adi Nugroho, and Teguh Bharata Adji</i>	

Visualization Techniques

Multimedia Design for Learning Media of Majapahit	363
<i>Silvia Rostianingsih, Michael Chang, and Liliana</i>	
Adding a Transparent Object on Image	372
<i>Liliana, Meliana Luwuk, and Djoni Haryadi Setiabudi</i>	
3D-Building Reconstruction Approach Using Semi-global Matching Classified	382
<i>Iqbal Rahmadhian Pamungkas and Iping Supriana Suwardi</i>	

Intelligent Network

Spanning Tree Protocol Simulation Based on Software Defined Network Using Mininet Emulator	395
<i>Indrarini Dyah Irawati and Mohammad Nuruzzamanirridha</i>	
Varnish Web Cache Application Evaluation	404
<i>Justinus Andjarwirawan, Ibnu Gunawan, and Eko Bayu Kusumo</i>	
DACK-XOR: An Opportunistic Network Coding Scheme to Address Intra-flow Contention over Ad Hoc Networks	411
<i>Radha Ranganathan, Kathiravan Kannan, P. Aarthi, and S. LakshmiPriya</i>	
Network Security Situation Prediction: A Review and Discussion	424
<i>Yu-Beng Leau and Selvakumar Manickam</i>	

Cloud and Parallel Computing

Lightweight Virtualization in Cloud Computing for Research	439
<i>Muhamad Fitra Kacamarga, Bens Pardamean, and Hari Wijaya</i>	
A Cloud-Based Retail Management System	446
<i>Adewole Adewumi, Stanley Ogbuchi, and Sanjay Misra</i>	

Towards a Cloud-Based Data Storage Medium for E-learning Systems in Developing Countries	457
<i>Temitope Olokunde and Sanjay Misra</i>	

Fast and Efficient Parallel Computations Using a Cluster of Workstations to Simulate Flood Flows	469
<i>Sudi Mungkasi and J.B. Budi Darmawan</i>	

Strategic Planning

A Simulation Model for Strategic Planning in Asset Management of Electricity Distribution Network	481
<i>Erma Suryani, Rully Agus Hendrawan, Eka Adipraja Philip Faster, and Lily Puspa Dewi</i>	

Enhancing the Student Engagement in an Introductory Programming: A Holistic Approach in Improving the Student Grade in the Informatics Department of the University of Surabaya	493
<i>Budi Hartanto</i>	

Business Process Maturity at Agricultural Commodities Company	505
<i>Lily Puspa Dewi, Adi Wibowo, and Andre Leander</i>	

Innovation Strategy Services Delivery: An Empirical Case Study of Academic Information Systems in Higher Education Institution	514
<i>John Tampil Purba and Rorim Panday</i>	

Intelligent Applications

Public Transport Information System Using Android	529
<i>Agustinus Noertjahyana, Gregorius Satia Budhi, and Agustinus Darmawan Andilolo</i>	

Lecturers and Students Technology Readiness in Implementing Services Delivery of Academic Information System in Higher Education Institution: A Case Study	539
<i>Rorim Panday and John Tampil Purba</i>	

Tool Support for Cascading Style Sheets' Complexity Metrics	551
<i>Adewole Adewumi, Onyeka Emebo, Sanjay Misra, and Luis Fernandez</i>	

Intelligent Systems for Enterprise, Government and Society

Generic Quantitative Assessment Model for Enterprise Resource Planning (ERP) System	563
<i>Olivia and Kridanto Surendro</i>	

XXIV Contents

The Implementation of Customer Relationship Management: Case Study from the Indonesia Retail Industry	572
<i>Leo Willyanto Santoso, Yusak Kurniawan, and Ibnu Gunawan</i>	
The Implementation of Customer Relationship Management and Its Impact on Customer Satisfaction, Case Study on General Trading and Contractor Company	579
<i>Djoni Haryadi Setiabudi, Vennytha Lengkong, and Silvia Rostianingsih</i>	
Towards e-Healthcare Deployment in Nigeria: The Open Issues	588
<i>Jumoke Soyemi, Sanjay Misra, and Omoregbe Nicholas</i>	
Author Index	601

Genetic Algorithm for Scheduling Courses

Gregorius Satia Budhi, Kartika Gunadi, Denny Alexander Wibowo

Petra Christian University, Informatics Department
Siwalankerto 121-131, Surabaya, East Java, Indonesia
e-mail: greg@petra.ac.id, kgunadi@petra.ac.id

Abstract. In the university, college students must be register for their classes, and there still many college student that was confused on how to make a good classes schedule for themselves. Mainly because of many variables and considerations to be made, for examples, they have to consider how hard the classes they are going to take, and also, they still have to consider their exam schedules and also their availability time as well. Genetic Algorithm is one of many methods that can be used to create a schedule. This method determines the best schedule using fitness cost calculation which can compare the quality of one schedule against the other. Then, using crossover, mutation, and elitism selections, we can determine better schedules. Based on the result of the survey held before, 70% of the respondents gave point 4 and 30% of the respondents gave point 5 out of 5 for the quality of the schedule made using this applications.

Keywords: Artificial Intelligence, Genetic Algorithm, Courses Schedule

1 Introduction

Schedule is very important to manage an activity, especially when the activity was carried out in a large organization and held for long-term time or routine. Within the scope of the university, the course schedule also is critical. There are still students who are confused when creating their own class schedules, because a lot of consideration, for example: what subjects can be taken without clashing with another schedule, a student who wants to the day - certain the day No lectures, due to personal reasons or other student affairs, student who wants to take courses that would like to correspond with their fields of specialization, and so forth. These things make them have trouble making a personal course schedule. Through these problems, we conduct research on a system that can help perform automatic scheduling lectures for students by the day and the course desired by the student. The method used for the manufacture of automatic schedule is Genetic Algorithm (GA). The reason is because GA is a method that can find a solution that is both complex problems.

2 Genetic Algorithm

Genetic Algorithm is a method to search an optimal solution for a problem. The method will find a good solution by crossovers a possible solution with another solution to create new solutions. After that method will mutate the new solutions so that they are have parts of solution from the parents but not really same with the parent. The process begin with the creation of random population of valid solutions / chromosomes, then GA will count the fitness costs of each chromosomes in the population. After that two chromosomes will be chose to crossover and produce offspring. Then the offspring will be mutated. This process will be repeated till the stop condition was reached [1].

Given a clearly defined problem to be solved and a binary string representation for candidate solutions, a basic GA can be represented as following major steps [2]:

1. Represent the problem variable domain as a chromosome of a fixed length, choose the size of a chromosome population N , the crossover probability p_c and the mutation probability p_m .
2. Step 2: Define a fitness function to measure the performance, or fitness, of an individual chromosome in the problem domain. The fitness function establishes the basis for selecting chromosomes that will be mated during reproduction.
3. Randomly generate an initial population of chromosomes of size N :

$$x_1; x_2; \dots; x_N \quad (1)$$

4. Calculate the fitness of each individual chromosome:

$$f(x_1); f(x_2); \dots; f(x_N) \quad (2)$$

5. Select a pair of chromosomes for mating from the current population. Parent chromosomes are selected with a probability related to their fitness. Highly fit chromosomes have a higher probability of being selected for mating than less fit chromosomes.
6. Create a pair of offspring chromosomes by applying the genetic operators – crossover and mutation.
7. Place the created offspring chromosomes in the new population.
8. Repeat Step 5 until the size of the new chromosome population becomes equal to the size of the initial population, N .
9. Replace the initial (parent) chromosome population with the new (offspring) population.
10. Go to Step 4, and repeat the process until the termination criterion is satisfied.

2.1 Selection Criteria

The commonly used chromosome selection technique is the roulette wheel selection [3, 4]. It is like spinning a roulette wheel where each chromosome has a segment on the wheel proportional to its fitness. The roulette wheel is spun, and when the arrow comes

to rest on one of the segments, the corresponding chromosome is selected. Each chromosome is given a slice of a circular roulette wheel. The most fits chromosomes occupy the largest areas, whereas the least fits have much smaller segments in the roulette wheel. The area of the slice within the wheel is equal to the chromosome fitness ratio. To select a chromosome for mating, a random number is generated in the interval (0, 100), and the chromosome whose segment spans the random number is selected [2]. For the example you could see in Table 1 and Figure 1.

Table 1. Example of Chromosomes and the fitness (Source: Negnevitsky, 2005).

Chromosome label	Chromosome fitness	Fitness ratio, %
X1	36	16.5
X2	44	20.2
X3	14	6.4
X4	14	6.4
X5	56	25.7
X6	54	24.8




Fig. 1. Example of the slices in roulette wheel selection (Source: Negnevitsky, 2005)

2.2 Reproduction

There are several methods used in the GA Reproduction one of them is crossover. Crossover is the crosses of at least 2 solutions, where through parts crossed, will generate new solutions. Through this crosses GA will add solutions and variations that are useful later in the scoring stage when searching for a better solution [5]. The example of the crossover could be seen in Figure 2.




Fig. 2. Crossover in binary chromosome (Source: Haupt, R.L., Haupt, S.E., 2004)

Besides the crossover, there is another way to complete reproduction, namely mutation. Mutation is a method that converts a portion of the solution. Although altered a little bit, it can create different variations resulting in different solutions and even new solution. One method used in this mutation is shuffle. [5]. Mutation role is to provide a guarantee that the search algorithm is not trapped on a local optimum [6]. The example of the mutation could be seen in Figure 3.

00101100000001 \Rightarrow 00101000000001

Fig. 3. Mutation in a binary chromosome (Source: Haupt, R.L., Haupt, S.E., 2004)

3 Courses Enrolling on Study Plan Registration time

Students will enroll subjects which wants to be taken at the beginning of the semester, during the study plan registration (SPR/PRS). PRS periods are divided into three times, namely the PRS-1, PRS-2 and PRS-3. During the PRS-1, after receiving Study Results Card (SRC/KHS), and get permission to register from faculty trustee, students can enroll subjects that have been opened by the department. For example, the list of courses that are opened by PCU Informatics department could be seen in Figure 4.

HARI	JAM	SAMPAI	NOYAK	NAMA	KLAS
SENIN	07.30	10.30	TF4303	APLIKASI SISTEM PAKAR	
	08.30	11.30	TF4343	TEKNOLOGI WEB	B
	09.30	11.30	TF4205	DASAR SISTEM KOMPUTER	A
	09.30	11.30	TF4259	METODOLOGI PENELITIAN	B
	09.30	11.30	TF4273	BASIS DATA LANJUTAN	C
	13.30	16.30	TF4220	PENG. MANAJEMEN & BISNIS	
	13.30	15.30	TF4211	KALKULUS I	B
	13.30	16.30	TF4225	PAKET PROGRAM APLIKASI	C
	14.30	17.30	TF4241	SISTEM INFORMASI	A
	14.30	17.30	TF4413	E - BUSINESS	B
	15.30	18.30	TF4361	PEMROGRAMAN APLIKASI JAVA	
	15.30	18.30	TF4363	PEMROGRAMAN OPEN SOURCE	
	15.30	18.30	TF4337	SISTEM LOGIKA FUZZY	
	15.30	17.30	TF4211	KALKULUS I	C
	17.30	19.30	TF4211	KALKULUS I	D
	18.30	20.30	TF4273	BASIS DATA LANJUTAN	A
SELASA	07.30	09.30	TF4223	ALJABAR LINIER DAN Matriks	
	07.30	10.30	TF4351	SISTEM INFORMASI GEOGRAFI	
	07.30	10.30	TF4343	TEKNOLOGI WEB	A
	07.30	09.30	TF4204	ALGORITMA DAN PEMROGRAMAN	E
	08.30	11.30	TF4413	GRAFIKA KOMPUTER	

Fig. 4. The list of courses that are opened for one semester

Then in Figure 5 you could see the example of courses that have been taken by students that called the transcript.

Kode MK	Nama Mata Kuliah	SMT	SKS	Nilai
TF4205	DASAR SISTEM KOMPUTER	1-08/09	2	B
DU4161	ETIKA	1-08/09	2	A
TF4216	RANGKAIAN DIGITAL	1-08/09	3	C
TF4218	PENGANTAR MANAJEMEN	1-08/09	2	B
TF4211	KALKULUS I	1-08/09	3	C
TF4204	ALGORITMA DAN PEMROGRAMAN	1-08/09	4	A
DU4167	FILSAFAT AGAMA	1-08/09	2	B+
TF4233	LOGIKA MATEMATIKA	2-08/09	3	B
DU4168	PANCASILA DAN KEWARGANEGARAAN	2-08/09	2	A
TF4235	PEMROGRAMAN BERORIENTASI OBJEK	2-08/09	3	B+

Fig. 5. Student transcript example

Based on the example of courses offered (Figure 4) and student transcript (Figure 5), the list of courses that can be taken by the student in the next semester could be seen in Table 2.

Table 2. The example of courses which could be taken by student base on Figure 4 and 5

Course Code and Name	Class	Type	Prerequisite
TF4251 – Komunikasi Data	A,B,C	Mandatory	K. RD
TF4219 – Struktur Data	A	Mandatory	K. PBO
TF4229 – Basis Data	A	Mandatory	-

For courses with prerequisites "Had attended", if the student has taken the prerequisite courses but did not passed, he could take courses with these prerequisites. But for courses with prerequisites "Should be passed", the courses prerequisites should be passed before the desired courses taken. Courses who had been taken by a student, still could be taken again even after passed, with the aim to improve the credit point.

For courses with 'Elective' type, it can be taken if it meets prerequisites and the minimum number of credits that have been completed by the student is 60 credits. For courses with 'Mandatory' type, it could be taken when the student have met the prerequisites of the courses.

When registering on the PRS, students are given choice of priority 1 and 2. For example, if a student has a value of 20 for priority 1, then the student should only enroll 20 Semester Credit Units (SCU/SKS) with priority 1, and the others are priority 2. The priority 1 is very important because the chance it is likely to be accepted in the class larger than the one with priority 2.

During the PRS-2 students could revise or add more courses to be taken up to a maximum limit of credits. In addition, students could cancel courses which has received in PRS-1. While the PRS-3 is the time to cancel courses that have been received in the PRS-1 and PRS-2.

4 Genetic Algorithm Design

4.1 Chromosome Design

Chromosome is an important factor in the genetic algorithm, in which the design of chromosomes will affect how the crossover implemented. Form of chromosome could be seen in Figure 6.

	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Day 0	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]
Day 1	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]
Day 2	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]
Day 3	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]
Day 4	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]
Day 5	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]	[]

Fig. 6. Chromosome Design

The chromosome has day index starting from zero to the fifth indexes. Where in each day they have hour index starting from zero to the fourteen indexes.

Day index only have six days, because on the day of Sunday is certainly no lectures. As for the hour index in each day, containing fourteen ranging from 07.30 to 22.30 with a time range of 1 hour. For example of chromosomes that have been filled could be seen in Figure 7.

	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Day 0	[2]	[2]	[2]	[0]	[0]	[6]	[6]	[0]	[0]	[0]	[0]	[0]	[0]	[0]	[0]
Day 1	[0]	[0]	[49]	[49]	[0]	[0]	[0]	[0]	[10]	[10]	[0]	[0]	[0]	[0]	[0]
Day 2	[0]	[0]	[0]	[0]	[0]	[0]	[0]	[0]	[0]	[0]	[0]	[0]	[0]	[0]	[0]
Day 3	[0]	[0]	[0]	[0]	[0]	[0]	[19]	[19]	[19]	[0]	[0]	[0]	[0]	[0]	[0]
Day 4	[0]	[33]	[33]	[33]	[0]	[0]	[0]	[0]	[0]	[0]	[0]	[0]	[0]	[0]	[0]
Day 5	[0]	[0]	[0]	[0]	[44]	[44]	[44]	[0]	[0]	[0]	[0]	[0]	[0]	[0]	[0]

Fig. 7. Example of chromosomes that have been filled

The values present in a chromosome are the id of courses that opened in a semester. Complete data from the ids are stored in a database table with the design as shown in Table 3.

Table 3. Id Class information

ID class	49
Course name	Struktur Data
Class	A
SKSk	2
SKSp	1
SKSs	0
SKSr	0
SKS prerequisites	0
Course prerequisites	Pass PBO, Pass AP
Course Start	08.30
Course Finish	10.30
Exam Schedule	Day 3, 10.30
Specialization Course	No

4.2 Crossover and Mutation Design

In this study, crossover design was made with the rule that a slot of a particular course can only be subjected to a cross for all of the time slots of the course, and crossed to all of the time slots of another course in the other chromosome. After that the crossover results need to be checked whether valid or did not. If invalid, then the result was not used in subsequent process. The example could be seen in Figure 8.




Fig. 8. The example of crossover

Whilst the mutation is done by randomly selecting two courses that have the same length of time in the one of crossover result chromosome, the offspring, and then swap their positions.

4.3 Fitness Cost

To determine the quality of the chromosome that is created, fitness cost calculation is required. Here are the fitness cost calculation formulas of a chromosome. We adopt the fitness cost calculation formulas from the similar formulas that was used by researchers in the previous work [7].

- Fitness Cost based on Credit Point Units/SKS (FCSKS)

$$FCSKS = \text{totalCreditPointUnit} * 30 \quad (3)$$

- Fitness Cost based on the semester to be taken (FCSM)

$$FCSM = \sum_{i=1}^m \text{courseSemester}[i] \quad (4)$$

Where:

If the course is mandatory for next semester:

$$\text{courseSemester} = (\text{courseSemester}[i] - \text{semesters}) * (-5)$$

If the course is mandatory for the last semester:

$$\text{courseSemester} = (\text{semesters} - \text{courseSemester}[i]) * (200)$$

If the course is mandatory for the current:

$$\text{courseSemester} = 100$$

m = number of existing courses

- Fitness Cost based on curriculum (FCKUR)

$$FCKUR = \sum_{i=1}^m \text{courseCurriculum}[i] \quad (5)$$

Where:

If the elective courses taken curriculum matches the user specialization:

courseCurriculum = 175

If the elective courses taken curriculum does not match the user specialization:

courseCurriculum = -75

m = number of courses in the chromosome

- Fitness Cost based on the interval between courses (FCJMK):

$$FCJMK = \sum_{i=1}^n \text{dayInterval}[i] \quad (6)$$

Where:

dayInterval = 300 - (interval between courses * 90)

n = number of day

- Fitness Cost based on courses to be taken (FCMKI)

$$FCMKI = \sum_{i=1}^n \text{ValueDesireCourse}[i] \quad (7)$$

Where:

n = number of existing courses on chromosome

If the user wishes 'Want to Take':

ValueDesireCourse = 100

If the user wishes 'Extremely Want to Take':

ValueDesireCourse = 1000

If the user wishes 'Less Want to Take':

ValueDesireCourse = -200

- Fitness Cost based on the time desired by the user (FCWU)

$$FCWU = \sum_{i=1}^n \text{courseDayDesired}[i] \quad (8)$$

$$\text{courseDayDesired} = \sum_{j=1}^k \text{timeValue}[j] \quad (9)$$

Where:

n = number of day

k = 3, on the morning: k = 1, on the afternoon: k = 2, on the night: k = 3

If in accordance with the expected time:

timeValue = number of hours filled * 200

If not in accordance with the expected time:

timeValue = number of hours filled * -200

- Fitness Cost based on the maximum number of courses per day that is desired by the user (FCMMK)
 - If user desirability \geq number of courses,

$$FCMMK = \sum_{i=1}^n \frac{numberOfCourses[i]}{userDesirability[i]} * 300 \quad (10)$$

— If user desirability \geq number of courses

$$FCMMK = \sum_{i=1}^n userDesirability[i] - numberOfCourses[i] * 500 \quad (11)$$

Where:

n = number of day

- Furthermore, the formula to calculate overall fitness cost of a chromosome is as follows:

$$\text{Fitness Cost} = FCSKS * w1 + FCSM * w2 + FCKUR * w3 + FCJMK * w4 + FCMKI * w5 + FCWU * w6 + FCMMK * w7 \quad (12)$$

Where:

w1 to w7 = weight of each fitness cost, value: 0...1.

5 Implementation and experiment results

System workflow could be seen in Figure 9.




Fig. 9. System Workflow

System starts with a login form to identify the user of the application. Furthermore, the user can enter semester to be processed and areas of specialization are taken, as shown in Figure 10.

Fig. 10. Form Login and form setting semester and specialization

Later the user can choose to process the PRS-1 or PRS-2. Next will be displayed to the user some forms in sequence, as shown in Figure 11 to 12. Here the user can enter the latest transcript, day and time he desire and the desirability settings for all courses that could be taken for the next semester.

kodeMK	namaMK	statuslulus
TF4221	PAK	Sudah Lulus
TF4219	SD	Sudah Lulus
TF4241	Sistem Informasi	Sudah Lulus
TF4251	Komdat	Sudah Lulus
TF4216	RD	Sudah Lulus
TF4237	IMK	Sudah Lulus
TF4212	Kal 2	Sudah Lulus
TF4235	PBO	Belum Lulus
TF4229	BD	Sudah Lulus
TF4205	DSK	Sudah Lulus
TF4225	PPA	Sudah Lulus
TF4267	Komal	Sudah Lulus

Fig. 11. Form to insert the latest transcript

Pilih Waktu yang Diinginkan dan Max kuliah per hari :

Input Jam Kuliah

Senin: ☒ Pagi ☒ Siang ☒ Sore Max Kuliah : 2

Selasa: ☒ Pagi ☒ Siang ☒ Sore Max Kuliah : 2

Rabu: ☒ Pagi ☒ Siang ☒ Sore Max Kuliah : 2

Kamis: ☒ Pagi ☒ Siang ☒ Sore Max Kuliah : 2

Jumat: ☒ Pagi ☒ Siang ☒ Sore Max Kuliah : 2

Sabtu: ☒ Pagi ☒ Siang ☒ Sore Max Kuliah : 2

* Pagi : 07.30 - 11.30
 * Siang : 11.30 - 16.30
 * Sore : 16.30 - malam

<- Kembali Selanjutnya ->

Fig. 12. Form to choose preferences days and hours of courses, and the number of courses/day

SKS Yang Sudah Diselesaikan : 101 (Berdasarkan Transkrip yang diinputkan)

SKS Yang diinginkan : 16 Sampai 20

Pilihan: ☐ Bukan Peminatan ☐ DMU ☐ Terseselesaikan

Mata Kuliah Pilihan

no	KodeMK	NamaMK	Kelas	SKS	Dambil?
1	TF4361	Aplikasi Java		3	Mau Diambil
2	TF4351	SG		3	Mau Diambil
3	TF4355	Admin BD		3	Mau Diambil
4	TF4329	Data Warehouse		3	Mau Diambil
5	TF4422	Audit SI		3	Mau Diambil

SKS Matakuliah Pilihan : 0 Sampai 0 Select All Kurang Mau OK

<- Kembali Generate Jadwal

Fig. 13. Form to determine the desirability of all the courses that can be taken

Hereinafter the user can press a button to generate schedules using Genetic Algorithm. Once the process is complete then to the user would be presented 5 best schedules. These 5 best schedules are taken from 5 chromosomes with the highest fitness costs on the last population. The scheduling results form and also the look to be printed (HTML files) could be seen in Figure 14 and Figure 15. In addition, before starting the process of scheduling, user can change the settings of variables required by the GA. Form to change the settings can be seen in Figure 16.

FormHasil

Hasil Saran Penjadwalan Ke - 1 - Kembali ke Form Input

No	Id Kelas	Kode MK	Nama MK	Kelas	SKS	Prioritas
1	10	TF4413	E-Business	B	3	1
2	29	TF4406	KDJK		3	1
3	34	TF4235	PBO	B	3	1
4	55	TF4309	DSS		3	1
5	97	TF4411	PAB Web		3	1

Keterangan Score

Start	630
Jeda	1500
Kurikulum	1225
Waktu	3800
Prioritas	700
Semester	4187
Komposisi	0
max hari kul	1050
Total	9352

Cetak

☐ Select All

☐ Solusi ke - 1

☐ Solusi ke - 2

☐ Solusi ke - 3

☐ Solusi ke - 4

☐ Solusi ke - 5

Simpan HTML

Fig. 14. Form to view 5 best the results of automatic courses scheduling

Daftar Mata Kuliah

No	Kode MK	Nama MK	Kelas	SKS	Prioritas
1	TF4259	Metpen	B	3	1
2	TF4220	PMB	-	3	1
3	TF4351	SIG	-	3	1
4	TF4353	MKK	-	3	1
5	TF4204	AP	D	3	1
6	TF4329	Data Warehouse	-	3	1
7	TF4317	Manpro TI	B	3	2

Juga Mengambil :

KodeMK	NamaMK	SKS
TF4261	Kerja Praktek	2

Jadwal Kuliah

No	Hari	Mulai	Selesai	Nama Matkul	Kelas
1	Senin	09:30	11:30	Metpen - Kuliah	B
2	Senin	13:30	16:30	PMB - Kuliah	-
3	Selasa	07:30	10:30	SIG - Kuliah	-
4	Rabu	07:30	09:30	AP - Responsi	D
5	Rabu	10:30	13:30	MKK - Kuliah	-
6	Rabu	13:30	15:30	AP - Kuliah	D
7	Rabu	15:30	18:30	Data Warehouse - Kuliah	-
8	Kamis	15:30	18:30	Manpro TI - Kuliah	B

Jadwal UTS/UAS

No	Hari	Mulai	Selesai	Nama Matkul	Kelas
1	Ke - 1	10:30	13:30	Metpen	B
2	Ke - 2	16:30	19:30	Data Warehouse	-
3	Ke - 3	07:30	10:30	MKK	-
4	Ke - 3	15:30	18:30	AP	D
5	Ke - 6	07:30	10:30	Manpro TI	B
6	Ke - 7	07:30	10:30	PMB	-
7	Ke - 8	07:30	10:30	SIG	-

Fig. 15. The display of HTML files to print the schedule

FormSetting

Jumlah kromosom dalam populasi: 150 (50 - 500)

Jumlah banyak kromosom max yang di elitism: 10 (1-50)

Jumlah counter apabila hasil elitism sama: 15 (1 - 100)

Jumlah hasil perjadwalan: 5 (<= elitism)

Kemungkinan hasil crossover di mutasi: 45 % (0 - 100)

Jumlah sks untuk Prioritas 1: 20 SKS

Tahun Ajaran : 2011/2012 Semester Genap/Ganjil: Ganjil

Fitness Cost

Seberapa Pentingnya Penilaian Matakuliah Wajib Semester (Berdasarkan Silabus)? 70 %

Seberapa Pentingnya Matakuliah yang Cocok dengan Penjurusan yang Dipilih? 70 %

Seberapa Pentingnya Jeda Waktu yang Sedikit antar Kuliah? 70 %

Seberapa Pentingnya Waktu yang disukai untuk diisi Kuliah? 70 %

Seberapa Pentingnya Keinginan untuk Mata Kuliah disukai terpilih? 70 %

Seberapa Pentingnya Jumlah Kuliah per Hari sesuai yang dipilih? 70 %

Seberapa pentingnya komposisi Jenis Mata Kuliah? 70 %

☐ Cetak proses GA

Simpan Kembali

Fig. 16. Form setting for Genetic Algorithm process

To test the results of the system, especially the results of the courses schedule that is generated automatically, we use several kinds of tests. The first test is testing the effect of the maximum population against the processing time, and the best fitness cost value. For this test, setting the mutation probability is 0.3. The test results could be seen in Table 4.

Table 4. Tests on the maximum population size

Maximum Population	Running Times (millisecond)		Average of Fitness Costs
	Generate Initial Chromosomes	Genetic Algorithm Processes	
50	5962.8	3266.6	4302.4
150	15070.8	17938.4	4782.4
300	23283.2	32652.8	5297.4

From the test results it can be seen that the greater the maximum limit of the population, the longer the process takes time, yet the average value of the best fitness costs also increased. This is because more and more of the population there, will be the more diverse opportunities to generate chromosomes, so that eventually the fitness cost values of the chromosomes will increase.

The second test is the test of the effects of increased mutation probability values allowed on offspring chromosomes. For this test, the maximum population size be set at 150 chromosome. The test results can be seen in Table 5.

Table 5. Tests on the mutation probability values

Mutation Probability	Running Times (millisecond)		Average of Fitness Costs
	Generate Initial Chromosomes	Genetic Algorithm Processes	
0.1	11614	11935	4532.8
0.4	14621.4	12650	4712
0.7	15942.2	19960.6	5176

From the test results it can be seen that the greater the probability of mutation, the longer the time required for the process, but the average fitness value of a chromosome best cost also increased. This is because the higher the chance of mutation, the more diverse the resulting chromosome will be are greater, so that eventually the fitness cost value of the best chromosome will increase.

In addition we also did some other tests, such as testing the maximum number of chromosomes are copied by elitism method from the old population to the new population. We also tested the maximum number of 'elitism counter', this counter to count how many the sequences of populations will produce the same best fitness cost values, before the program stop the process. Of all the tests performed at last we obtained the best values of each setting. These values are used as the default values setting of the system. The amount of the default settings and the testing results using default settings can be seen in Table 6 and Table 7.

Table 6. Default *setting*

Setting Type	Value
Maximum population	150
Max Elitism	15
Elitism Counter	15
Mutation Probability	0.7

Table 7. Testing results using default setting

Number of Tests	Running Times (millisecond)		Scores
	Generate Initial Chromosomes	Genetic Algorithm Processes	
1	23523	34653	5317
2	17116	18932	5317
3	17177	34653	5317
4	18592	32155	5269
5	33025	34090	5317

Average:	21886.6	30896.6	5307.4
----------	---------	---------	--------

Of testing by using the default settings could be seen that the GA produces the best fitness cost value greater compared to other settings that have been tested. Moreover, it can be seen that in general the system will be convergence on a particular chromosome.

The final testing is testing in the form of questionnaires to potential users, in example students majoring in Informatics department of Petra Christian University. The results summary of these questionnaires are as follows: As many as 60% of respondents gave scores of 4 and 40% gave scores of 5, of the scale from 1 (worst) to 5 (best), for ease of use of this application. From these results it can be concluded that the user interface of the application is easy to use. Meanwhile, for the question about the quality of the generated schedules, 70% of respondents gave scores of 4 and 30% gave scores of 5, of scale from 1 (worst) to 5 (best). Therefore, it can be concluded that in general the respondents felt be helped by the application that could generate courses schedule automatically.

6 Conclusion

From the tests it can be concluded that the automatic scheduling system is well made. Processing speed is also good, averaging less than 1 minute. From the test results on the potential users can be concluded that the interface has a good design and user friendly. In addition, the automatically generated class schedules are also correct and in accordance with the expectations of users.

References

1. Mitchell, M.: An Introduction to Genetic Algorithms. United States of America: Massachusetts Institute of Technology. (1996).
2. Negnevitsky, M.: Artificial Intelligence: A Guide to Intelligent Systems 2nd Ed. Pearson Education Limited. (2005)
3. Goldberg, D.E.: Genetic Algorithms in Search, Optimization and Machine Learning. Addison-Wesley, Reading, MA. (1989).
4. Davis, L.: Handbook on Genetic Algorithms. Van Nostrand Reinhold, New York. (1991).
5. Haupt, R.L., Haupt, S.E.: Practical Genetic Algorithms 2nd Ed. United States of America: John Wiley & Sons, Inc. (2004).
6. Holland, J.H.: Adaptation in Natural and Artificial Systems. University of Michigan Press, Ann Arbor. (1975).
7. Budhi, G.S., Handojo, A., Soloment, B.: The Use of compact-Genetic Algorithm (cGA) for Petra Christian University Classroom Scheduling Optimization. In: Proc. National Seminar on Information Technology. (2009).