The Scopus Author Identifier assigns a unique number to confidently matched with an author identifier, it is grouped	groups of documents writter separately. In this case, you	n by the may se	same author via an algorithm the more than 1 entry for the same	at matches e author.	authorship based on a certain criteria. If a docu	ument cannot be
			Print	E-mail		
Anggono, Willyanto	About Scopus Auth	or Identi	fier   View potential author m	atches	Follow this Author Receive emails when this publishes new articles	author
Universitas Kristen Petra, Department of			Other name formats: Anggo	no, W.	Cot sitution slots	
Mechanical Engineering, Surabaya, East Java,			2224		Get citation alerts	
					Add to ORCID	
Author ID: 55561550300					Request author detail corrections	
Documents: 9	Analyz	e author (	output		4	24
Citations: 37 total citations by 16 documents					uts	0
h-index: 4	View h-	graph	, ,		i i i i i i i i i i i i i i i i i i i	tatic
Co-authors: 14						Suc
Subject area: Engineering , Physics and Astronomy View M	fore					0
Documents   Cited by 16 documents   14 co-a	uthors				2012 Years	2016
documents View in search results format			Sort on: Date Cite	d by 🛄	Documents 🔶 Citati	ons
× .				farmer -	Author History	~
Export all Add all to list Set document ale	rt   Set document fer	bd			Publication range: 2012 - Present	
erformance of gasoline/LPG BI-fuel engine of manifold	Setiyo, M., Waluyo, B.,	2016	ARPN Journal of	1	References: 75	
bsolute pressure sensor (MAPS) variations feedback	Anggono, W., Husni, M.		Engineering and Applied	1	Source history:	
Show abalanat			Sciences		Advanced Materials Research AIP Conference Proceedings	View documents
Snow abstract   Related documents		-		unniono.com.e.	International Journal of Engineering and Tech	nology
he influence of CO2 in biogas flammability limit and minar burning velocity in spark ignited premix	Anggono, W., Wardana, LN.G.	2016	AIP Conference	0	View More	View documents
ombustion at various pressures	Lawes, M.,(),		, incountings		Chau Delated AffileSee	
	Hamidi, N., Hayakawa, A.				Snow Related Affiliations	
Show abstract   Related documents	·				million dontorio en	
he effect of nitrogen on biogas flame propagation	Anggono, W.,	2016	AIP Conference	٥		
haracteristic in premix combustion	Suprianto, F.D.,	2010	Proceedings	0		
	Purnomo, K.,					
	Wijaya, T.P.					
Show abstract   Related documents						
iffect of carbon dioxide on flame characteristics in	Suprianto, F.D.,	2016	International Journal of	0		
logas external premix compustion	Tanoto, M.S.C.		Applied Engineering Research			
Show abstract   Related documents						
ehavior of flame propagation in biogas spark ignited	Anagono, W.	2014	Advanced Materials	3		
remix combustion with carbon dioxide inhibitor	Dwiputra Suprianto, F.,	2014	Research	3		
	Wijaya, T.P., Tanoto M.S.C.					
Show abstract   Related documents	10.010, M.O.O.					
ffect of inhibitors on biogas laminar huming valueity	Annone W	2042	Internetie 1	~		
nd flammability limits in spark ignited premix	Wardana, I.N.G.,	2013	International Journal of Engineering and	6		
ombustion	Lawes, M.,		Technology			
Show abstract   Related documents	. wyrioe, N.J.					
aminar burning velocity and flammshills, shared	Appagang 14/	0077	A			
f biogas in spark ignited premix combustion at reduced	Wardana, I., Lawes, M.	2013	Applied Mechanics and Materials	7		
ressure	.(), Wahyudi, S., Hamidi, N					
Show abstract   Related documente	namu, N.					
	•					
haracteristics in spark ignited premix combustion	Anggono, W., Wardana, I.N.G	2013	Journal of Physics: Conference Series	10		
•	Lawes, M.,(),					
	Hamidi, N., Hayakawa, A.					
Show abstract   Related documents						
aminar burning characteristics of biogas air mist main	Anggooo \\\	2010	lowersh of Ar. 11	40		
park ignited premix combustion	Wardana, I.N.G.,	2012	Sciences Research	10		
	Lawes, M., (), Wahuudi S Hamidi N					
Show abstract   Related documents	nanyuu, o., namul, N.					
splay 20 * results per sage						
Picy results per page			Page 1			

1

2 of 3



Home

Scimago Journal & Country Rank

**Journal Rankings** 

Country Rankings

Viz Tools

Enter Journal Title, ISSN or Publisher Name

Help

About Us

### **AIP Conference Proceedings**





10/4/2016 3:00 Pl

1 of 2



### 10/4/2016 3:00 PM

CODATA RECOMMENDED VALUES OF THE FUNDAMENTAL PHYSICAL CONSTANTS: 2014	4IP	Journal of Physical and Chemical Reference Data
AIP Conference Proceedings		
	٣	BUY PRINT BOOKS
HOME BROWSE INFO FOR AUTHORS	🛕 SIGN UP FOR ALE	

AIP | Conference Proceedings Organizing a conference? Enjoy fast, cost-effective publication of your meeting's key research!

AIP Conference Proceedings report findings presented at many of the most important scientific meetings around the world. Published proceedings are valuable as topical status reports providing quick access to information before it appears in the traditional journal literature.

Today, AIP Conference Proceedings contain over 100,000 articles published in 1,700+ proceedings, and is growing by 100 volumes every year. This substantial body of scientific literature is testament to our 40-year history as a world-class publishing partner, recognized internationally and trusted by conference organizers world-wide. Whether you are planning a small specialist workshop or organizing the largest international conference contact us, or read these testimonials, to find out why so many organizers publish with AIP Conference Proceedings.

### FORTHCOMING TITLES For more information regarding our schedule of forthcoming proceedings SEE MORE

### Most Read

### JAN 13 2017

Cesium pentazolate: A new nitrogen-rich energetic material

### APR 13 2016

Green synthesis of nanoparticles: Their advantages and disadvantages

### Most Recent

FEB 17 2015

AIP C	onference	Proceedings:	X	-
		Contracting to Annaly the State of the		

1698 (2016) ~ 1703 (2015) ~ 1702 (2015) ~ 1697 (2015) ~ 1699 (2015) ~ 1700 (2015) ~ 1692 (2015) ~ 1695 (2015) ~ 1693 (2015) v 1691 (2015) ~ 1689 (2015) 1694 (2015)

### () aip.scitation.org/tor/apc/1718/17size=208.windowStart=208.expanded=1718 80% C Q Search ☆ 自 ♣ -1 Free . March 2016 Size dependence lattice thermal conductivity for Si nanofilm Hawkar T. Taha. and Abdulrahman Kh. Alassafee AIP Conference Proceedings 7718, 090005 (2016); http://doi.org/101063/14943344 PDF ADD TO FAVORITES SHARE EXPORT CITATION SHOW ABSTRACT PHYSICS AND RENEWABLE ENERGY Free . March 2016 The effect of nitrogen on biogas flame propagation characteristic in premix combustion Willyanto Anggono, Fandi D. Suprianto, Tan Ivan Hartanto, Kenny Pumomo, and Tubagus P. Wijaya AIP Conference Proceedings 1718, 100001 (2016); http://doi.org/10.1063/1.4943345 SHOW ABSTRACT PDF ADD TO FAVORITES SHARE EXPORT CITATION

-

1- .

### Preface: 5th International Conference and Workshop on Basic and Applied Sciences (5th ICOWOBAS) 2015

Citation: AIP Conference Proceedings **1718**, 010001 (2016); doi: 10.1063/1.4943308 View online: http://dx.doi.org/10.1063/1.4943308 View Table of Contents: http://aip.scitation.org/toc/apc/1718/1 Published by the American Institute of Physics

### Preface: 5th International Conference and Workshop on Basic and Applied Sciences.

Foreword from Chairman of 5<sup>th</sup> ICOWOBAS 2015

Ladies and Gentleman,

The 5<sup>th</sup> International Conference and Workshops on the Basic and Applied Sciences (ICOWOBAS) is organized of existing collaborations between Airlangga University, Universiti Teknologi Malaysia and Salahaddin-Hawler University (Erbil, Iraqi Kurdistan) in order to promote the development of sciences and their prospect of application in industry and medical devices. The program of this activity are the scientific program involves the presentation of the paper and poster in the area of chemistry, biology, physics, mathematics and their applications. It also conducts the workshop program was presented the current issues in optical instrumentation. Thus invited many participants as academic researchers, scientists, industrial professionals, government officers, students and other participants. The meeting intends to bring together researcher, scientists and scholars to exchange and share their experiences, new ideas, research novelties in related fields and discuss the practical challenges and the solutions adopted.

The AIP proceedings hold the full papers presented at the 5<sup>th</sup> ICOWOBAS. The conference took place in Surabaya (Indonesia) at the Garuda Mukti Room, Kampus C Universitas Airlangga, October 16<sup>th</sup> - 17<sup>th</sup>, 2015, and the workshop was conducted at the Faculty of Science and Technology, Airlangga University, October 15<sup>th</sup>, 2015.

The conference included: Prof. Dr. Retna Apsari (Universitas Airlangga, Indonesia) as invited speaker. In total, we received 152 abstracts for oral and 29 posters, and 46 full paper selected in AIP proceeding. As the acceptance rates illustrates the competition is stiff, and the accepted submission reflected high rates of reviewer enthusiasm. By design, these papers have been through peer-review process and they are almost accepted.

ICOWOBAS is a lot of work. We could not have done it without help from many people. We would especially like to thank: Scientific board of ICOWOBAS, for inviting us to chair the meeting; The Rector of Airlangga University, for supporting us to conduct the conference; our colleagues in the Faculty of Science and Technology, Airlangga University, for their support in the conference; the local committee, for organizing and handling the conference; the many reviewers, for providing professional reviews; our sponsor: Vitalong C and DGHE through Airlangga University funding.

Surabaya, February 2016

Dr. Moh. Yasin

MENU

SIGN IN

### **Scitation**

### Contact

### **AIP Publishing**

1305 Walt Whitman Road Suite 300 Melville, NY 11747-4300 +1 516-576-2200 (M-F, 8:30 am - 5:00 pm U.S. Eastern)

Directions

Customer Service: help@scitation.org

Institutional Sales: sales@aip.org

Rights and Permissions: rights@aip.org

Press: press@aip.org

LIVE SUPPORT Offline - Click to email

Live Chat Software

by Velaro

### \* Request Type:

Customer Service Query C Technical Support C Editorial Feedback

\* Name

\* Email

### \* Account Number

Journal:

Select a journal

Q

### Committees: 5th International Conference and Workshop on Basic and Applied Sciences (5th ICOWOBAS) 2015

Citation: AIP Conference Proceedings **1718**, 010002 (2016); doi: 10.1063/1.4943309 View online: http://dx.doi.org/10.1063/1.4943309 View Table of Contents: http://aip.scitation.org/toc/apc/1718/1 Published by the American Institute of Physics

### **Committees**

### Scientific committees:

1.	Prof. Dr. Stephen G. Pyne	(Unversity of Wollongong, Australia)
2.	Prof. Dr. Sugeng Triwahyono	(Universiti Teknologi Malaysia, Mala
3.	Prof. Dr. Sulaiman W. Harun	(University of Malaya, Malaysia)
4.	Assoc. Prof. Dr. Yhosiaki Takaya	(Meijo University, Japan)
5.	Prof. Dr. Retna Apsari	(Universitas Airlangga, Indonesia)
6.	Dr. Fatmawati, M.Si.	(Universitas Airlangga, Indonesia)
7.	Prof. Dr. Afaf Baktir, MS.	(Universitas Airlangga, Indonesia)
8.	Prof. Dr. Suhariningsih	(Universitas Airlangga, Indonesia)
9.	Prof. Dr. Ir. Agoes Soegianto, DEA.	(Universitas Airlangga, Indonesia)
10.	Prof. Dr. Bambang Irawan, M.Sc.	(Universitas Airlangga, Indonesia)
11.	Dr. Y. Sri Wulan Manuhara, M. Si.	(Universitas Airlangga, Indonesia)
12.	Dr. Pratiwi Pudjiastuti, M.Si	(Universitas Airlangga, Indonesia)
13.	Dr. Muji Harsini, M.Si	(Universitas Airlangga, Indonesia)
14.	Dr. Miswanto, M.Si.	(Universitas Airlangga, Indonesia)
15.	Dr. Nur Chamidah, M.Si.	(Universitas Airlangga, Indonesia)
16.	Dr. Windarto, M.Si.	(Universitas Airlangga, Indonesia)
17.	Dr. Mochamad Zakki Fahmi	(Universitas Airlangga, Indonesia)

### **Organizing Committees:**

- 1. Dr. Moh. Yasin
- 2. Prof. Dr. Hery Purnobasuki
- 3. Dr. Eridani, M.Si.
- 4. Dr. Hewa Y Abdullan
- 5. Prof. Dr. Wan Aini Ibrahim

- siti Teknologi Malaysia, Malaysia) sity of Malaya, Malaysia) **University**, Japan) sitas Airlangga, Indonesia) sitas Airlangga, Indonesia) sitas Airlangga, Indonesia) itas Airlangga, Indonesia) itas Airlangga, Indonesia) sitas Airlangga, Indonesia) itas Airlangga, Indonesia) itas Airlangga, Indonesia) sitas Airlangga, Indonesia) sitas Airlangga, Indonesia) sitas Airlangga, Indonesia) sitas Airlangga, Indonesia) (Universitas Airlangga, Indonesia)
- (Universitas Airlangga, Indonesia) (Universitas Airlangga, Indonesia) (Universitas Airlangga, Indonesia) (Salahaddin-Hawler University, Erbil, Iraqi Kurdistan) (Universiti Teknologi Malaysia, Malaysia)

5th International Conference and Workshop on Basic and Applied Sciences (ICOWOBAS 2015) AIP Conf. Proc. 1718, 010002-1-010002-1; doi: 10.1063/1.4943309 © 2016 AIP Publishing LLC 978-0-7354-1364-1/\$30.00

010002-1



# CERTIFICATE

Fifth International Conference and Workshops on Basic and Applied Sciences 2015

This certificate is awarded to:

## Willyanto Anggono

in recognition of his / her contribution as a

### **Oral Presenter**

in the Fifth International Conference and Workshops on Basic and Applied Sciences - ICOWOBAS 2015 on October 16<sup>th</sup>~17<sup>th</sup>, 2015, Kampus C UNAIR Surabaya, East Java, Indonesia.

Supported and organized by Universitas Airlangga, <mark>Universiti Teknologi Malaysia and</mark> Salahaddin University-Erbil.

Dean of the Faculty of Science and Technology Universitys Airlangga

Program Chair

Prof. Win Darmanto, M.Si., Ph.D.

UNAIR OUTM

Dr.Moh. Yasin, M.Si.



### The effect of nitrogen on biogas flame propagation characteristic in premix combustion

Willyanto Anggono, Fandi D. Suprianto, Tan Ivan Hartanto, Kenny Purnomo, and Tubagus P. Wijaya

Citation: AIP Conference Proceedings **1718**, 100001 (2016); doi: 10.1063/1.4943345 View online: http://dx.doi.org/10.1063/1.4943345 View Table of Contents: http://scitation.aip.org/content/aip/proceeding/aipcp/1718?ver=pdfcov Published by the AIP Publishing

Articles you may be interested in Turbulent premixed combustion in V-shaped flames: Characteristics of flame front Phys. Fluids **25**, 055107 (2013); 10.1063/1.4807073

Microwave plasma-assisted premixed flame combustion Appl. Phys. Lett. **89**, 141501 (2006); 10.1063/1.2358213

Effects of initial radius on the propagation of premixed flame kernels in a turbulent environment Phys. Fluids **18**, 055102 (2006); 10.1063/1.2196092

Combustion Noise from a Turbulent Premixed Methane Flame J. Acoust. Soc. Am. **64**, 1734 (1978); 10.1121/1.2033258

Combustion noise from a turbulent premixed methane flame J. Acoust. Soc. Am. **61**, S25 (1977); 10.1121/1.2015504

### The Effect of Nitrogen on Biogas Flame Propagation Characteristic in Premix Combustion

### Willyanto Anggono<sup>1,a)</sup>, Fandi D Suprianto<sup>2</sup>, Tan Ivan Hartanto<sup>3</sup>, Kenny Purnomo<sup>4</sup> and Tubagus P Wijaya<sup>5</sup>

1,2,3,4,5 Mechanical Engineering Department, Petra Christian University, Surabaya, Indonesia

<sup>a)</sup>Corresponding author: willy@petra.ac.id

Abstract Biogas is one of alternative energy and categorized as renewable energy. The main sources of biogas come from animal waste, garbage, and household waste that are organic waste. Primarily, over 50% of this energy contains methane (CH<sub>4</sub>). The other substances or inhibitors are nitrogen and carbon dioxide. Previously, carbon dioxide effect on biogas combustion is already experimented. The result shows that carbon dioxide reduces the flame propagation speed of biogas combustion. Then, nitrogen as an inhibitor obviously also brings some effects to the biogas combustion, flame propagation speed, and flame characteristics. Spark ignited cylinder is used for the premixed biogas combustion research. An acrylic glass is used as the material of this transparent cylinder chamber. The cylinder is filled with methane (CH<sub>4</sub>), oxygen (O<sub>2</sub>), and nitrogen (N<sub>2</sub>) with particular percentage. In this experiment, the nitrogen composition are set to 0%, 5%, 10%, 20%, 30%, 40%, and 50%. The result shows that the flame propagation speed is reduced in regard to the increased level of nitrogen. It can also be implied that nitrogen can decrease the biogas combustion rate.

Keywords: Biogas, flame propagation, nitrogen, premix combustion, sustainable energy.

### **INTRODUCTION**

Biogas as a source of alternative energy is categorized as renewable energy. Biogas consists of several chemical substances such as flammable methane gas (CH<sub>4</sub>), carbon dioxide (CO<sub>2</sub>), and nitrogen (N<sub>2</sub>) [1-8]. Nitrogen in this compound behaves as an inhibitor. Inhibitors are resulting in reducing the laminar burning velocity [1-5].

This research is conducted to see the effects of flame propagation speed, and flame characteristics of biogas combustion. Flame characteristics are useful to create several biogas combustion applications particularly for internal combustion. One of the flame characteristics is laminar burning velocity. The laminar burning velocity directly affects the pressure development. Hence, it is used to understand the combustion process in the internal combustion engine for reducing the emissions. The experiment is conducted in both room temperature and atmospheric condition using stoichiometric standards. Stoichiometric standard is a state where the fuel is ideally and completely burnt. This experiment is conducted at known rates of pressure, temperature, and volume so that ideal gas can be assumed to this experiment. Then, molar mass of each gas is used to calculate the mass ratio [9-13].

Flame propagation plays a crucial role in the success of combustion ignition. For example, the data of flame speed is used to determine the internal combustion chamber material and other parts that are connected to the chamber. Theoretically, during the methane explosion, the biogas combustion products compress the medium in front of the flame front surface also create a compression wave caused by the chemical reaction, the flame propagates very quick. As the result, the density, pressure and temperature sharply rises to form a detonation wave [14-15].

5th International Conference and Workshop on Basic and Applied Sciences (ICOWOBAS 2015) AIP Conf. Proc. 1718, 100001-1–100001-5; doi: 10.1063/1.4943345 © 2016 AIP Publishing LLC 978-0-7354-1364-1/\$30.00

### 100001-1

### EXPERIMENTAL SETUP AND METHODS

The combustion chamber from transparent acrylic cylinder with 300 mm of height and 70 mm of outer diameter was used in this experiment. The thickness of this acrylic cylinder is 5 mm thus the inner diameter is 60 mm. The schematic diagram of the combustion bomb system is shown in Figure 1.



FIGURE 1. Experimental setup diagram

The combustion chamber is filled with premixed fuel-air with various nitrogen contents in biogas. This experiment is conducted in room temperature, atmospheric condition and stoichiometric standard ( $\phi$ =1). High speed camera was used to record the all combustion process. Then, the video is converted to obtain the picture files so that the flame propagation speed differences can be measured.

### **RESULT AND DISCUSSION**

The biogas combustion experiment had already been done by the presence of specific nitrogen inhibitor as stated before. These pictures have differences each other related to the nitrogen composition. In figure 2, there are 2 pictures for each nitrogen composition. Those 2 pictures show the first and second frame of the video which the combustion occurs.

From the pictures in figure 2, it can be seen that picture 1 is the pure methane combustion result without nitrogen inhibitor on it. Then, picture 7 is biogas combustion result that contains the most nitrogen inhibitor. Undoubtedly, it also showed that there is flame length different gradient from picture 1 to 7. Picture 1 have the biggest biogas flame length difference but on the other hand, picture 7 have the shortest biogas flame length difference which contains 50% of nitrogen inhibitor. The higher nitrogen (N2) inhibitor compositions in biogas combustion, the shorter biogas flame length difference result.



FIGURE 2. Biogas flame propagation

TABLE 1. Biogas flame propagation speed						
Picture Number	N2 (%)	Frame 1 (mm)	Frame 2 (mm)	Frame 2 – Frame 1 (mm)	Flame Diffusion Speed (m/s)	
1	0	37.25	260.74	223.49	6.77	
2	5	29.56	241.37	211.81	6.42	
3	10	100.88	298.87	197.99	6.00	
4	20	71.46	257.82	186.36	5.65	
5	30	44.70	200.52	155.82	4.72	
6	40	53.79	184.10	130.31	3.95	
7	50	26.87	111.33	84.46	2.56	

The results of biogas combustion flame are measured for every nitrogen ( $N_2$ ) composition and the length of the biogas flame can be obtained. The flame recording time is also determined at the same time which is in the first and second frame after the flame appears in the video. The biogas flame propagation speed that had already been experimented is shown in Table 1. First, the 0% biogas addition delivers the fastest flame propagation speed which is 6.77 m/s. Then, flame propagation speed is reduced based on the nitrogen inhibitor enhancement to the biogas combustion. The flame propagation speed of 5%, 10%, 20%, 30%, and 40% nitrogen inhibitors are 6.42 m/s, 6.00 m/s, 5.65 m/s, 4.72 m/s, and 3.95 m/s respectively. Eventually, the latest flame propagation speed is 2.56 m/s which have 50% of nitrogen inhibitor in the reactant.



FIGURE 3. The effects of nitrogen inhibitor on flame propagation speed

Figure 3 shows that trend of flame propagation speed is declining corresponding to the addition of nitrogen inhibitor. Nitrogen as biogas inhibitor has the ability to reduce the oxidation chemical reaction during the combustion. The existence of nitrogen here also reduces the amount of methane as the primary fuel so that the flame propagation speed is hampered and becomes slower. Furthermore, the reactive compounds in this reaction are also reduced with the nitrogen addition.

### CONCLUSION

The biogas combustion which contain specific methane (CH<sub>4</sub>), oxygen (O<sub>2</sub>), and nitrogen (N<sub>2</sub>) had already been done in spark ignited combustion chamber. The transparent acrylic chamber is used to represent combustion process in internal combustion engine. The nitrogen inhibitor is ranged from 0% to 50% using stoichiometric standard ( $\phi$ =1). The flame propagation speed with 0% of nitrogen inhibitor has 6.77 m/s of propagation speed. Contrarily, the flame propagation speed of the most nitrogen inhibitor (50%) is 2.56 m/s. The result indicates that nitrogen inhibitor in biogas reduces combustion rate. The more nitrogen concentration in the chemical reaction proportion also cuts down the methane (CH<sub>4</sub>) fuel amount. If the combustion rate decreased, the thermodynamics efficiency of internal combustion engine application would decline as well. Hence, flame propagation speeds play a crucial role in the success of combustion ignition.

### ACKNOWLEDGMENTS

Thanks to Direktorat Jendral Pendidikan Tinggi Kementrian Pendidikan Nasional Republik Indonesia (Hibah Penelitian Fundamental 2014-2015 and Hibah Iptek bagi Mayarakat 2015) and Petra Christian University Indonesia which have supported this research.

### REFERENCES

- 1. W. Anggono, et al., Advanced Materials Research 1044-1045, 251-254 (2014).
- 2. W. Anggono, et al., International Journal of Engineering and Technology 5, 4980-4987 (2014).
- 3. W. Anggono, et.al., Journal of Physics: Conference Series 423, 1-7 (2013).
- 4. W. Anggono, et al., Applied Mechanics and Materials 376, 79-85 (2013).
- 5. W. Anggono, et al., Journal of Applied Sciences Research 8, 4126-4132 (2012).
- 6. W. Anggono, et al., Experimental and numerical simulation on biogas flame propagation characteristic in spark ignition premixed combustion, 3rd, International Conference on Engineering and ICT, 2012, pp. 290-294.
- 7. T. Bond, et al., Energy for Sustainable Development 15, 347–354 (2011).
- 8. N. Ilminnafik, et al., International Journal of Academic Research 3, 705-708 (2011).
- 9. L. Gillespie, et al., Aspects of laminar and turbulent burning velocity relevant to SI engines, SAE Paper Series, 2000.
- 10. X. J. Gu, et al., Combustion and Flame 121, 41-58 (2000).

- 11. D. Bradley, et al., Combustion and Flame 115, 126–144 (1998).
- 12. C. Serrano, et al., International Journal of Hydrogen Energy 33, 851-862 (2008).
- 13. S. R. Turns, An introduction to combustion: concepts and applications, McGraw-Hill, 2000.
- 14. C. Heeger, et al., Proceedings of the Combustion Institute 32, 2957–2964 (2009).
- 15. Q. Ma, et al., Journal of Loss Prevention in the Process Industries 34, 30-38 (2015).