

[All issues](#) ▶ Volume 258 (2019)

[◀ Previous issue](#)

[Table of Contents](#)

[Next issue ▶](#)

Free Access to the whole issue

MATEC Web of Conferences

Volume 258 (2019)

International Conference on Sustainable Civil Engineering Structures and Construction Materials (SCESCM 2018)

Yogyakarta, Indonesia, September 5-7, 2018

A. Awaludin, T. Matsumoto, S. Pessiki, H. Jonkers, S. Siswosukarto, A. Fajar Setiawan and K. Nur Rahma Putri
(Eds.)

Export the citation of the selected articles [Export](#)

[Select all](#)

Open Access

Statement of Peer review

Published online: 25 January 2019

PDF (95.5 KB)

Open Access

About the conference

Published online: 25 January 2019

and, on some pages, cookies from social networks. [More information and setup](#)

∨ [Green Construction Materials and Technologies, Environmental Impact and Green Design, Local and Recycled Materials](#)

∨ [Construction Management, Construction Method and System, Optimization and Innovation in Structural Design](#)

∨ [Forensic Engineering, Structural Health Monitoring System, Assessment and Retrofitting, Disaster Mitigation and Restoration](#)

∨ [Hybrid and Composite Structures, Smart Materials and Structures, Special Structures](#)

∨ [Structural Dynamics and Earthquake Engineering, Structures in Severe Environment, Structural Analysis](#)

- Green Construction Materials and Technologies, Environmental Impact and Green Design, Local and Recycled Materials

[Open Access](#)

Sustainable cementitious materials: The effect of fly ash percentage as a part replacement of portland cement composite (PCC) and curing temperature on the early age strength of fly ash concrete 01001

Gidion Turuallo and Harun Mallisa

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801001>

[PDF \(1.451 MB\)](#) | [References](#)

[Open Access](#)

The effect of density and height of vegetation in open channel on the Manning's coefficient 01002

Maimun Rizalihadi

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801002>

[PDF \(1.721 MB\)](#) | [References](#)

[Open Access](#)

The effect of laterite stone as filler on marshall stability hot mix asphalt AC-WC 01003

Istiar, Tri Joko Wahyu Adi, Sutikno, Rahmat, Martheana Kencanawati and Ilham Siara

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801003>

[PDF \(1.800 MB\)](#) | [References](#)

[Open Access](#)

and, on some pages, cookies from social networks. [More information and setup](#)

Madi Hermadi and Willy Pravianto

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801004>

PDF (1.718 MB) | [References](#)

Open Access

The Influence of Rice Husk on the Physical Properties of Portland Pozzoland Cement at the Cement Industry Scale 01005

Agus Maryoto and Gathot Heri Sudibyo

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801005>

PDF (1.640 MB) | [References](#)

Open Access

The influence of the usage of Idpe plastic waste as fine aggregate in light concrete bricks 01006

Nursyamsi Nursyamsi, Ivan Indrawan and Prasetyo Ramadhan

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801006>

PDF (1.759 MB) | [References](#)

Open Access

The pull-out test on knit bamboo reinforcement embedded into concrete beam 01007

Devi Nuralinah

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801007>

PDF (1.885 MB) | [References](#)

Open Access

The sustainability of public transport operation based on financial point of view 01008

Arif Budiarto

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801008>

PDF (1.430 MB) | [References](#)

Open Access

and, on some pages, cookies from social networks. [More information and setup](#)

Remigildus Cornelis, Henricus Priyosulistyo, Iman Satyarno and Rochmadi

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801009>

PDF (1.911 MB) | [References](#)

Open Access

A mockup unit of the an-eco budget bamboo chalet: design and cost estimation analysis 01010

Hazrina Mansor, Nursuzila M. A. A. Wahab, Yazmin Sahol Hamid and Mohd Khairul Kamarudin

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801010>

PDF (2.164 MB) | [References](#)

Open Access

A study into flexural, compressive and tensile strength of coir-concrete as sustainable building material 01011

Rilya Rumbayan, Sudarno and Adriana Ticoalu

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801011>

PDF (1.895 MB) | [References](#)

Open Access

Adhesion characteristics of geopolymer mortar to concrete and rebars 01012

Sanjay Pareek, Hiroo Kashima, Ippei Maruyama and Yoshikazu Araki

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801012>

PDF (2.507 MB) | [References](#)

Open Access

Application of bio-based material for concrete repair: case study leakage on parallel concrete slab 01013

Prima Yane Putri, Isao Ujike and Keiyu Kawai

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801013>

PDF (2.262 MB) | [References](#)

Open Access

and, on some pages, cookies from social networks. [More information and setup](#)

Noorfaizah Hamzah, Nur 'Ain Mat Yusof and Muhammad Ihsan Haziq Mohd Rahimi

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801014>

PDF (2.011 MB) | [References](#)

Open Access

Concrete using sawdust as partial replacement of sand : Is it strong and does not endanger health? 01015

Nurul Huda Suliman, Amir Atif Abdul Razak, Hazrina Mansor, Anizahyati Alisibramulisi and Norliyati Mohd Amin

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801015>

PDF (1.974 MB) | [References](#)

Open Access

Construction cleared land impact on air quality deterioration: quantification of soil borne dustfall and suspended particulate generation 01016

Arief Sabdo Yuwono, Iskandar, Muhammad Fauzan, Ely Gustika Buana, Agung Abdul Ra'up and Ety Herwati

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801016>

PDF (1.978 MB) | [References](#)

Open Access

Design and FE Modeling of UPVC Corrugated Hollow Roofing Sheet 01017

Djoko Setyanto

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801017>

PDF (2.087 MB) | [References](#)

Open Access

Evaluation of Pervious Concrete Utilizing Recycled HDPE as Partial Replacement of Coarse Aggregate with Acrylic as Additive 01018

Neslyn Lopez, Emilia Collado, Lois Alexandra Diacos and Harold Dave Morente

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801018>

PDF (1.981 MB) | [References](#)

Fundamental factors on the behaviour of bagasse ash stabilized organic soil 01019

John Tri Hatmoko and Hendra Suryadharma

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801019>

PDF (1.862 MB) | [References](#)

Open Access

Influence of polypropylene fiber on early strength of self-compacting concrete 01020

Rahmi Karolina and Abdiansyah Putra Siregar

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801020>

PDF (2.138 MB) | [References](#)

Open Access

Phytoremediation of heavy metal from leachate using *imperata cylindrica* 01021

Khairul Anam Mokhtar and Ramlah Mohd Tajuddin

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801021>

PDF (1.632 MB) | [References](#)

Open Access

Preservation of durian timber and coconut timber with soursop leaf extract 01022

Sri Handayani, Endah Kanti Pangestuti and Ninda Adhitya Dharma

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801022>

PDF (1.803 MB) | [References](#)

Open Access

Review of creep modelling for predicting of long-term behavior of glued-laminated bamboo structures 01023

Ngudiyono, Bambang Suhendro, Ali Awaludin and Andreas Triwiyono

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801023>

PDF (1.619 MB) | [References](#)

Open Access

and, on some pages, cookies from social networks. [More information and setup](#)

Teddy Tambunan, Mohd. Irwan Juki and Norzila Othman

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925801024>

PDF (2.306 MB) | [References](#)

- Construction Management, Construction Method and System, Optimization and Innovation in Structural Design

[Open Access](#)

Construction Management, Construction Method and System, Optimization and Innovation in Structural Design 02001

Doddy Prayogo

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925802001>

PDF (1.792 MB) | [References](#)

[Open Access](#)

Cross section and geometry optimization of steel truss arch bridges based on internal forces 02002

Malik Mushthofa, Akhmad Aminullah and Musliikh

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925802002>

PDF (2.110 MB) | [References](#)

[Open Access](#)

Development of work breakdown structure (WBS) dictionary for the construction works of lower structure steel bridge 02003

Yusuf Latief, Dina Nurdiani and Leni Sagita Riantini Supriadi

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925802003>

PDF (1.867 MB) | [References](#)

[Open Access](#)

Informal housing construction workers' perceptions toward the improvement of effective leadership and performance 02004

Maranatha Wijayaningtyas and Kukuh Lukiyanto

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925802004>

Open Access

Identification of Stakeholders to Establishing Construction Safety Culture in Indonesia 02005

Yusuf Latief, Akhmad Suraji, Leni Sagita and Rossy Armyn Machfudiyanto

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925802005>

PDF (1.787 MB) | [References](#)

Open Access

Investigating Building Information Modelling (BIM) Adoption in Indonesia Construction Industry 02006

Jati Utomo Dwi Hatmoko, Yulian Fundra, Mochamad Agung Wibowo and Zhabrinna

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925802006>

PDF (2.003 MB) | [References](#)

Open Access

Investigating causal factors of road damage: a case study 02007

Jati Utomo Dwi Hatmoko, Bagus Hario Setiadji and Mohammad Agung Wibowo

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925802007>

PDF (1.562 MB) | [References](#)

Open Access

Material quantity estimation modelling of bridge sub- structure using regression analysis 02008

M Khazin Alhusni, Andreas Triwiyono and Inggar Septhia Irawati

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925802008>

PDF (1.857 MB) | [References](#)

Open Access

Optimization of Reinforced Concrete Column Using Android- based Mobile Application 02009

Johan Lautan Wijaya Nusantara, Akhmad Aminullah and Andreas Triwiyono

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925802009>

Open Access

Optimizing the prediction accuracy of load-settlement behavior of single pile using a self-learning data mining approach 02010

Doddy Prayogo and Yudas Tadeus Teddy Susanto

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925802010>

PDF (1.833 MB) | [References](#)

Open Access

Optimum seismic performance estimation of integrated multiple steel pipes bridge pier connected by shear panel damper with ANN method 02011

Angga S. Fajar and Akhmad Aminullah

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925802011>

PDF (2.496 MB) | [References](#)

Open Access

Progressive Collapse Assessment: A review of the current energy-based Alternate Load Path (ALP) method 02012

Nur Ezzaryn Asnawi Subki, Hazrina Mansor, Yazmin Sahol Hamid and Gerard Parke

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925802012>

PDF (1.913 MB) | [References](#)

Open Access

Public tendering process for construction projects: problem identifications, analysis, and proposed solutions 02013

Eryana Indah Kusumarukmi and Tri Joko Wahyu Adi

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925802013>

PDF (1.328 MB) | [References](#)

Open Access

Reinforced Concrete (RC) beam design application for android based on SNI 2847:2013 (CEMA) 02014

Sarah Eden, Akhmad Aminullah and Andreas Triwiyono

Published online: 25 January 2019

Open Access

Simple innovative comparison of costs between tied-arch bridge and cable-stayed bridge 02015

Järvenpää Esko and Quach Thanh Tung

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/matecconf/201925802015>

PDF (2.124 MB) | [References](#)

Open Access

Study on life cycle costing: a case of building for private high school in Jakarta 02016

Peter F Kaming and Ogy Ade Yahya

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/matecconf/201925802016>

PDF (1.777 MB) | [References](#)

Open Access

The execution of infrastructure project life-cycle 02017

Debby Willar, Estrellita V. Y. Waney and Novatus Senduk

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/matecconf/201925802017>

PDF (1.597 MB) | [References](#)

Open Access

The sustainability of human resource planning for construction projects 02018

Adegbenga Raphael Ashiru and Adebimpe Lucia Ashiru

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/matecconf/201925802018>

PDF (1.576 MB) | [References](#)

Open Access

A design concept of fuzzy decision support system for construction workers safety monitoring 02019

Lila Ayu Ratna Winanda, Achmad Arifin, Fauzan Arrofiqi, Trijoko Wahyu Adi and Nadjadji Anwar

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/matecconf/201925802019>

PDF (2.138 MB) | [References](#)

and, on some pages, cookies from social networks. [More information and setup](#)

Agency cost estimation on flexible and rigid pavement 02020

Fajar Sri Handayani, Florentina Pungky Pramesti, Mochamad Agung Wibowo and Ary Setyawan

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925802020>

PDF (1.585 MB) | [References](#)

Open Access

Analysis of accident in Indonesian construction projects 02021

Toriq Ghuzdewan and Petrus Damanik

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925802021>

PDF (1.499 MB) | [References](#)

Open Access

Analysis Factors Affecting the Outcomes of Skilled Construction Workers Training in the Region of Central Sulawesi Province 02022

Nirmalawatf, Mastura Labombang and Adnan Fadjar

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925802022>

PDF (1.477 MB) | [References](#)

Open Access

Analysis of price fairness toward work quality and user satisfaction for architectural network 02023

Amalia N. Farini and Arief S.B. Nugroho

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925802023>

PDF (1.730 MB) | [References](#)

Open Access

Comparing safety climate in infrastructure and building projects in Indonesia 02024

Riza Yosia Sunindijo, Martin Loosemore, Fatma Lestari, Yuni Kusminanti, Baiduri Widanarko,

Cynthia Febrina and Fiori Amelia

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925802024>

PDF (1.611 MB) | [References](#)

and, on some pages, cookies from social networks. [More information and setup](#)

Computer-Integrated Manufacturing System for Membrane Structures 02025

Kazuo Yokobori and Tomo Miura

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925802025>

PDF (2.078 MB) | [References](#)

Open Access

Construction project productivity assesment model and its implementation in Indonesia construction industry 02026

Rintih Prastianing Atas Kasih and Tri Joko Wahyu Adi

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925802026>

PDF (2.028 MB) | [References](#)

Open Access

Cost prediction model based on system dynamics in water resource project 02027

Hirijanto, I Wayan Mundra and Addy Utomo

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925802027>

PDF (1.612 MB) | [References](#)

- Forensic Engineering, Structural Health Monitoring System, Assessment and Retrofitting, Disaster Mitigation and Restoration

Open Access

Analysis and experimental usage of CFRP wrap type on flexural strength of concrete beam 03001

Johannes Tarigan, Andrew Pakpahan, Medis Surbakti and Nursyamsi Nursyamsi

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925803001>

PDF (2.320 MB) | [References](#)

Open Access

Analysis and experiments of the effect of reinforcement of wood beam using carbon fiber reinforced polymer against bending strength 03002

Torang Sitorus and Silvy Desharma

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925803002>

Open Access

Analysis of building and its components condition assessment case study of dormitory buildings 03003

Sahaduta Linggar, Akhmad Aminullah and Andreas Triwiyono

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925803003>

PDF (1.508 MB) | [References](#)

Open Access

Apartment project risk assessment under market uncertainty; a case study in Wonokromo, Surabaya 03004

Aditya Sutantio, I Putu Artama Wiguna and Adi Tri Joko Wahyu

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925803004>

PDF (1.868 MB) | [References](#)

Open Access

Application of 2D spatial imaging method for identification of a fault lines and subsurface landslide at "Taman Unnes", Semarang, Indonesia 03005

Lashari Lashari, Rini Kusumawardani, Togani Cahyadi Upomo, Supriyadi Supriyadi and Ajiwirani Mugiayulhaq

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925803005>

PDF (1.790 MB) | [References](#)

Open Access

Assessment system of condition of typical building infrastructure using fuzzy analitical hierarchy procces (FAHP) method 03006

Firman Javiri, Akhmad Aminullah and Andreas Triwiyono

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925803006>

PDF (1.893 MB) | [References](#)

Open Access

Assessment of Reinforced Concrete Building for Disaster Reduction Strategy in Padang City, West Sumatra, Indonesia 03007

Eka Juliafad and Annisa Prita Melinda

[Open Access](#)

Evaluation of various GIS-based methods for the analysis of road traffic accident hotspot 03008

M. M. ZahranEl-Said, Tan Soon Jiann, Nurul Amirah 'Atiqah Binti Mohamad 'Asri Putra, Eng Hie Angel Tan, Yok Hoe Yap and Ena Kartina Abdul Rahman

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925803008>

PDF (2.570 MB) | [References](#)

[Open Access](#)

Delamination mechanism of GFRP sheet bonded on the reinforced concrete beams 03009

Rudy Djameluddin, Hijriah, Rita Irmawati, Faharuddin and Rossy T. Wahyuningsih

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925803009>

PDF (2.308 MB) | [References](#)

[Open Access](#)

Design Criterion of Reinforcement on Thick Soft Clay Foundations of Traditional Construction Method in Indonesia 03010

Suyuti Nurdin, Kazuhide Sawada and Shuji Moriguchi

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925803010>

PDF (1.711 MB) | [References](#)

[Open Access](#)

Establishing factors of building vulnerability towards tsunami hazard 03011

Leli Honesti, Muhd Zaimi Abd Majid, Nazwar Djali and Meli Muchlian

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925803011>

PDF (1.701 MB) | [References](#)

[Open Access](#)

Evacuation egress in high rise building: Review of the current design evacuation solution 03012

and, on some pages, cookies from social networks. [More information and setup](#)

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925803012>

PDF (2.018 MB) | [References](#)

Open Access

Experimental and numerical investigations on overall buckling of steel pipe truss with circular cutout on the compression element 03013

Miftahul Iman, Bambang Suhendro, Henricus Priyosulistyo and Muslikh

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925803013>

PDF (2.081 MB) | [References](#)

Open Access

Flood-induced Bridge Failures in Papua New Guinea 03014

Gibson Ali Holemba and Takashi Matsumoto

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925803014>

PDF (2.165 MB) | [References](#)

Open Access

Investigating the Mechanism of Shear Fatigue in Reinforced Concrete Beams subjected to Pulsating and Moving Loads using Digital Image Correlation 03015

Benny Suryanto, George Staniforth, Jaehwan Kim, Esayas Gebreyouhannes, Nobuhiro Chijiwa, Chikako Fujiyama and Peter K. Woodward

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925803015>

PDF (3.105 MB) | [References](#)

Open Access

Modelling the performance of a corroded pipe section repaired with three-parts epoxy grout and with three-parts epoxy grout plus nanofiller 03016

Siti Norasyikin Hj Kariya and Pang Jen Lim

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925803016>

PDF (1.665 MB) | [References](#)

Open Access

and, on some pages, cookies from social networks. [More information and setup](#)

Siti Aisyah, Akhmad Aminullah and H. Muslikh

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925803017>

PDF (1.743 MB) | [References](#)

Open Access

Seismic Performance Evaluation of a Multistory RC Building in Padang City 03018

Jafril Tanjung, Maidiawati and Fajar Nugroho

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925803018>

PDF (2.226 MB) | [References](#)

Open Access

Study of Pavement Condition Index (PCI) relationship with International Roughness Index (IRI) on Flexible Pavement. 03019

Rijal Psalmen Hasibuan and Medis Sejahtera Surbakti

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925803019>

PDF (1.903 MB) | [References](#)

Open Access

The effect of tsunami loads on Pasar Raya Inpres Block III building in Padang City based on FEMA P-646 03020

Fauzan, Febrin Anas Ismail, Nurpadila Siregar and Zev Al Jauhari

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925803020>

PDF (1.799 MB) | [References](#)

- Hybrid and Composite Structures, Smart Materials and Structures, Special Structures

Open Access

Analytical Seismic Fragility Curves for Reinforced Concrete Wall pier using Shape Memory Alloys considering maximum drift 04001

Nursafarina Ahmad, Azmi Ibrahim and Shahria Alam

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925804001>

PDF (2.448 MB) | [References](#)

and, on some pages, cookies from social networks. [More information and setup](#)

Beam-to-Beam Connection of Precast Concrete Structures: State of the Art 04002

Kristiyanto Hery, Triwiyono Andreas, Muslikh and Saputra Ashar

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925804002>

PDF (2.856 MB) | [References](#)

Open Access

Effect of Kenaf MCC composition on Thin Film Composite membrane for NaCl Rejection 04003

Azman Ismail, Ramlah Mohd Tajuddin, Hamizah Mohktar and Ahmad Fauzi Ismail

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925804003>

PDF (1.762 MB) | [References](#)

Open Access

Effects of horizontal web reinforcement on cyclic behavior of RC squat walls 04004

Leonardus S.B. Wibowo and Min-Yuan Cheng

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925804004>

PDF (2.486 MB) | [References](#)

Open Access

Effects of Using Limestone as a Filler and Starbit E-55 Asphalt as a Binder on the Performance of AC-WC Mixture 04005

Faizul Chasanah and Fajariesta Arta Putra

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925804005>

PDF (1.858 MB) | [References](#)

Open Access

Improvement of shear capacity for precast segmental box girder dry joints by steel fiber and glass fiber 04006

Watanachai Smittakorn, Pattraporn Manavithayarak and Patra Sukmoung

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925804006>

PDF (1.931 MB) | [References](#)

and, on some pages, cookies from social networks. [More information and setup](#)

Inelastic behavior of reinforced concrete cantilever beam with embedded steel truss in flexural plastic hinge under cyclic loading 04007

Fatmawati Amir, Iman Satyarno and Djoko Sulistyono

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925804007>

PDF (2.716 MB) | [References](#)

Open Access

Investigation of brick masonry with using of bad quality of bricks and reinforced concrete frame 04008

Andreas Triwiyono and I Gusti Lanang Bagus Eratodi

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925804008>

PDF (2.015 MB) | [References](#)

Open Access

Novel soft members in double-layer space trusses 04009

Yazmin Sahol Hamid, Gerry Parke and Nur Farzana Mohd Mahdi

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925804009>

PDF (1.813 MB) | [References](#)

Open Access

Shear capacity of reinforced concrete beams strengthened with web side bonded CFRP sheets 04010

Rendy Thamrin, Zaidir and Sabril Haris

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925804010>

PDF (2.332 MB) | [References](#)

Open Access

The effect of coarse aggregate hardness on the fracture toughness and compressive strength of concrete 04011

Atur P. N. Siregar, Emma L. Pasaribu and I Wayan Suarnita

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925804011>

PDF (1.677 MB) | [References](#)

The experiment is about post-tensioning behaviours of fiber-reinforced CFRPS
04012

Ikuma Ishizawa, Takashi Matsumoto and Kenta Kondo

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925804012>

PDF (1.503 MB) | [References](#)

- Structural Dynamics and Earthquake Engineering, Structures in Severe Environment, Structural Analysis

[Open Access](#)

An Analysis of elastic and inelastic lateral torsional buckling of web-tapered I beams using the finite element method 05001

Paulus Karta Wijaya, Cecilia Lauw Giok Swan and Ghassani Sadrina Noor

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805001>

PDF (1.639 MB) | [References](#)

[Open Access](#)

An Investigation on Mechanical Properties and Damping Behaviour of Hardened Mortar with Rubber Tire Crumbs (RTC) 05002

Restu Faizah, Henricus Priyosulistyo and Akhmad Aminullah

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805002>

PDF (1.748 MB) | [References](#)

[Open Access](#)

Analytical study of viscous damper parameters at a simple reinforced concrete frame 05003

Yusep Ramdani and Iman Satyarno

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805003>

PDF (1.770 MB) | [References](#)

[Open Access](#)

Analysis of behavior of slope models for collapsing from stability by shaking table tests under 1G field 05004

Susumu Nakamura

Published online: 25 January 2019

Open Access

Analysis study the used of Tuned Mass Damper (TMD) on an existing train bridge due to high speed train with moving mass load approach 05005

Wivia Octarena Nugroho, Dina Rubiana Widarda and Oryza Herdha Dwyana

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805005>

PDF (2.115 MB) | [References](#)

Open Access

Application of Self Mass Damper in multi-story concrete building 05006

Dina Rubiana Widarda and Maria Yvonne Hidajat

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805006>

PDF (3.515 MB) | [References](#)

Open Access

Behavior of earthquake-resistant structure elements using polypropylene fiber and high strength reinforcing bars 05007

Maulana Derry Imansyah, Iswandi Imran, Kurniawan S. Kamaruddin, Aris Aryanto and Muhammad Riyansyah

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805007>

PDF (4.057 MB) | [References](#)

Open Access

Behavior of wood beam connection using staples subjected to in-plane moment 05008

Farida Lenggani and Bambang Suryoatmono

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805008>

PDF (2.223 MB) | [References](#)

Open Access

Behaviour of Reinforced Concrete Frames with Central Opening Masonry Infill under Lateral Reversed Cyclic Loading. 05009

Maidiawati, Jafril Tanjung, Yulia Hayatfi and Hamdeni Medriosa

Published online: 25 January 2019

Open Access

Buckling behaviour of laminated glass panel in compression 05010

Mohd Khairul Kamarudin, Nurul Hariyanti Mohd Rais, Mustafasanie M. Yusoff and Gerard A.R. Parke

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805010>

PDF (1.710 MB) | [References](#)

Open Access

Damage mechanism of existing RC slabs with reinforcing steel plate 05011

Kenta Namba, Chikako Fujiyama and Tsutomu Niina

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805011>

PDF (2.432 MB) | [References](#)

Open Access

Degradation of submerged/wet concrete under cyclic compression and cyclic shear 05012

Chikako Fujiyama, Yasuhiro Koda and Noriaki Sento

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805012>

PDF (2.384 MB) | [References](#)

Open Access

Displacement analysis of dam based on material parameters using numerical simulation and monitoring instrumentation 05013

Cita Sari Undayani, Windu Partono and Sri Prabandiyani Retno Wardani

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805013>

PDF (1.722 MB) | [References](#)

Open Access

Displacement-based design of Reinforced Concrete Special Moment Frame (RC-SMF) with Vertical Irregularity 05014

A F M Salman Akhter and Yoyong Arfiadi

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805014>

Open Access

Durability of pulverised fuel ash (PFA) concrete exposed to acidic and alkali conditions
05015

Saiful Baharin Duraman and Md. Fadhil Hakim Haji Omar

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805015>

PDF (1.564 MB) | [References](#)

Open Access

Dynamic interaction between elastic plate and transversely isotropic poroelastic
medium 05016

Suraparb Keawsawasvong and Teerapong Senjuntichai

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805016>

PDF (1.639 MB) | [References](#)

Open Access

Dynamic response of long-span bridges subjected to nonuniform excitation: a state-of-
the-art review 05017

Seplika Yadi, Bambang Suhendro, Henricus Priyosulistyo and Akhmad Aminullah

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805017>

PDF (1.702 MB) | [References](#)

Open Access

Finite element analysis and parametric study of EW ECS composite columns with
double H-shaped steel 05018

Fauzan, Ruddy Kurniawan and Zev Al Jauhari

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805018>

PDF (3.517 MB) | [References](#)

Open Access

Finite element modeling of masonry wall with mortar 1pc : 4 lime : 10 sand under
lateral force 05019

Danna Darmayadi and Iman Satyarno

Published online: 25 January 2019

Open Access

Fundamental study on spontaneous corrugation pattern on dry sand due to moving vehicle 05020

Aiko Ikeda, Kai Hashimoto, Teeranai Srimahachota, Hao Zheng and Shunji Kanie

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805020>

PDF (1.821 MB) | [References](#)

Open Access

Image analysis on the flexural behaviors of RC beams with artificial damage and the effects of repair 05021

Kota Matsue, Takashi Matsumoto, Ko Kakuma and Hiroaki Nishi

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805021>

PDF (2.267 MB) | [References](#)

Open Access

Improving seismic behaviour of irregular building through double column and console beam application 05022

Ririt Aprilin Sumarsono and Muhammad Aji Fajari

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805022>

PDF (1.843 MB) | [References](#)

Open Access

Influence of environmental temperature and moisture conditions on fatigue resistance of concrete 05023

Yasuhiro Koda, Shohei Minakawa and Ichiro Iwaki

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805023>

PDF (1.727 MB) | [References](#)

Open Access

Measurement of RC slab surface shape and investigation of local water stagnation 05024

Yuko Yasuda, Ko Kakuma, Yoshitaka Shiroto and Takashi Matsumoto

Open Access

Nonlinear finite element and fiber element analysis of concrete filled square steel tubular (cfst) under static loading 05025

Mahmud Kori Effendi and Nor Hayati Abdul Hamid

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805025>

PDF (1.815 MB) | [References](#)

Open Access

Numerical study of inelastic buckling behavior of rectangular steel plates with circular openings under shear forces 05026

Rajawali M Akbar and Bambang Suryoatmono

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805026>

PDF (2.506 MB) | [References](#)

Open Access

On the capacity of high, moderate and low earthquake frequency content to cause global drift ratio at level-2 of structural performance 05027

Widodo Pawirodikromo

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805027>

PDF (1.646 MB) | [References](#)

Open Access

Performance of an existing reinforced concrete building designed in accordance to older Indonesian codes (pptgiug 1983 and sksni t-15-1991-03): case study for a hotel in Balikpapan 05028

Pamuda Pudjisuryadi, Elian Davin Mulyadi, Ferry and Benjamin Lumantarna

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805028>

PDF (1.739 MB) | [References](#)

Open Access

and, on some pages, cookies from social networks. [More information and setup](#)

Windu Partono, Yulita Ami Priastiw, Nuroji, Indrastono Dwi Atmanto, Bambang Pardoyo, Trinita Octaviani Gultom and Yanuar Tampubolon

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805029>

PDF (1.923 MB) | [References](#)

Open Access

The attenuation coefficient of barite concrete subjected to gamma-ray radiation 05030

Gogot Setyo Budi, Hurijanto Koentjoro, Joshua Wijaya and Evan Filbert Sikomena

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805030>

PDF (1.849 MB) | [References](#)

Open Access

Two nodes cusp geometry beam element by using condensed IGA 05031

Buntara Sthenly Gan and Ay Lie Han

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805031>

PDF (1.791 MB) | [References](#)

Open Access

The effect of water binder ratio on strength development of class C fly ash geopolymer mortar prepared by dry geopolymer powder 05032

Arie Wardhono

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805032>

PDF (1.443 MB) | [References](#)

Open Access

Risk assessment for forest fire in Brunei Darussalam 05033

Shams Shahriar, Zahran El-Said M. M., Said Safwanah N. M., Hui Kho J., Naderah N. D. H. M. F. Lee and N. H. H. Hasim

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805033>

PDF (1.764 MB) | [References](#)

Open Access

By using this website, you agree that EDP Sciences may store web audience measurement cookies

OK

and, on some pages, cookies from social networks. [More information and setup](#)

Naomi Pratiwi and Paulus Karta Wijaya

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805034>

[PDF \(2.188 MB\)](#) | [References](#)

Open Access

Effects of Surface Roughness on the Behavior of Interface between Old and New Deck Slabs Under Concentrated Load 05035

Fakhruddin, Junichiro Niwa, Rudy Djamaluddin and Rita Irmawaty

Published online: 25 January 2019

DOI: <https://doi.org/10.1051/mateconf/201925805035>

[PDF \(2.457 MB\)](#) | [References](#)

MATEC Web of Conferences

eISSN: 2261-236X



[Mentions légales](#)

[Contacts](#)

[Privacy policy](#)

A Vision4Press website

Certificate No. SCESCM/PPR-087 /2018

Certificate of Appreciation

is awarded to

Pamuda Pudjisuryadi

in recognition of valuable contribution as

Paper Presenter

in the 4th International Conference on Sustainable Civil Engineering Structures and Construction Materials
September 5-7 2018, Yogyakarta, Indonesia

Performance of an existing reinforced concrete building designed in accordance to older Indonesian codes (PPTGIUG 1983 and Sksni t-15-1991-03): case study for a hotel in Balikpapan

Pamuda Pudjisuryadi¹, Elian Davin Mulyadi^{1,*}, Ferry¹ and Benjamin Lumantarna¹

¹Petra Christian University, Civil Engineering Department, 60236 Siwalankerto 121-131, Indonesia

Abstract. As a high seismic hazard country, Indonesia periodically updates its seismic and structural concrete codes. The current seismic and structural concrete codes of Indonesia are the SNI 1726-2012 and the SNI 2847-2013, respectively. Since every update usually demands higher requirement, existing buildings that were designed using older codes should be evaluated. This study investigates 9-storey hotel building in Balikpapan, Indonesia, which was designed using the PPTGIUG 1983 code and will be evaluated according to the current code. Non-linear direct integration time history analysis was conducted to analyse the building performance. The seismic load used was a spectrum consistent ground acceleration generated from El Centro 18 May 1940 North-South component in accordance to the current code. The result shows that the existing building has good performance. The drift ratio of the building does not exceed 0.5% which is very satisfactory according to performance level set by FEMA 356. Maximum individual damage index in beam element was recorded as high as 0.0426 which is well below the serviceability limit state according to ACMC.

1 Introduction

Indonesian first seismic hazard map was the PMI 1970, which divided Indonesia into only three seismic zones [1]. The seismic map has undergone several updates, including PPTGIUG 1983 [2], SNI 1726-2002, and the current SNI 1726-2012 [3]. The updates were made in view of the occurrence of larger earthquake events than previously estimated and the development of new analytical methods that could result in better seismic mapping [4].

Changes in the seismic hazard map might result in increase of PGA (Peak Ground Acceleration) which consequently increases the earthquake design load. As consequence of this earthquake design load increase, existing buildings designed with older seismic codes are in need of evaluation. The performance of those buildings subjected by higher load demand should be investigated to determine if they need any strengthening.

In this research, a 9-storey hotel building in Balikpapan, Indonesia which was designed using older Indonesian seismic code (PPTGIUG 1983) and older Indonesian concrete code (SKSNI T-15-1991-03 [5]) was chosen to be investigated. The building performance in resisting maximum considered earthquake according to SNI 1726-2012 was assessed. Story drifts and member

damage indices were used to determine the building performance levels based on FEMA 356 [6] and ACMC [7], respectively.

2 PPTGIUG 1983 and SNI 1726-2012

The design seismic load in PPTGIUG 1983 was based on earthquake with 200-year return period, while SNI 1726-2012 was based on 2/3 of Maximum Considered Earthquake (MCE), which is earthquake with 2500-year return period. The factor of 2/3 is taken as a margin, when at the time the structure was subjected to design earthquake (2/3 of earthquake with 2500-year return period), there would be no major damages and could be reused with a number of necessary improvements. Meanwhile, when the structure was subjected to maximum considered earthquake (earthquake with 2500-year return period), major damages were permitted, but the structure should not collapse [6].

Comparison of elastic design response spectra for Balikpapan city, with soft soil site class based on PPTGIUG 1983 and SNI 1726-2012 can be seen in Figure 1. It can be seen that the elastic response spectrum based on SNI 1726-2012 is larger than that of the PPTGIUG 1983. Further, to take into account the ductility and over

* Corresponding author: eliandavin@gmail.com

strength factor in special moment resisting frame (SMRF), those elastic design response spectra are reduced to nominal design response spectra which can be seen in Figure 2.




Fig. 1. Elastic Design Response Spectra of Balikpapan City (Soft Soil) According to PPTGIUG 1983 and SNI 1726-2012

It can be seen that the nominal design response spectra based on SNI 1726-2012 is smaller than that of PPTGIUG 1983. This is due to the different ductility and over strength factors used in both codes to reduce the elastic design response spectra. The seismic reduction factors of 7 and 4 are used in SNI 1726-2012 and PPTGIUG 1983, respectively. Differences of these factors related to relevant structural concrete codes. The structural concrete codes that correspond to PPTGIUG 1983 and SNI 1726-2012 are the SKSNI T-15-1991-03 and SNI 2847-2013 [8], respectively.




Fig. 2. Nominal Design Response Spectra (SMRF) of Balikpapan City (Soft Soil) According to PPTGIUG 1983 and SNI 1726-2012

3 SKSNI T-15-1991-03 and SNI 2847-2013

There are some differences between Indonesian structural concrete codes SKSNI T-15-1991-03 and SNI 2847-2013, in term of the Capacity Design provisions in SMRF Design. One significant difference between the two is the minimum requirement of the ratio of total nominal strength in columns with respect to that in beams adjoining to a connection. In SNI 2847-2013 [8], this ratio is equal to 1.2 as shown in Equation 1. In SKSNI T-15-1991-03 [5], this ratio can be determined from Equation 2. By converting the ultimate moment of the columns to nominal moment and substitute appropriate value of

dynamic magnification factor and over strength factor, it was found that the ratio was about 1.7 [9].

$$\sum M_{n,k} = 1.2 \times \sum M_{n,b} \quad (1)$$

where:

$M_{n,k}$ = Nominal Flexural Strength of Columns
 $M_{n,b}$ = Nominal Flexural Strength of Beams

$$\sum M_{u,k} = 0.7 \times \omega_d \times \sum M_{kap,b} \quad (2)$$

where:

$M_{u,k}$ = Ultimate Flexural Strength of Columns
 ω_d = Dynamic Magnification Factor (1.3)
 $M_{kap,b}$ = Flexure Capacity of Beams

$$M_{kap,b} = \phi_0 \times M_{nak,b} \quad (3)$$

where:

ϕ_0 = Over Strength Factor
 $M_{nak,b}$ = Nominal Flexure Strength of Beams

However, the SNI 2847-2013 specifies much stringent provision for column stirrups. Minimum stirrups A_{sh} (Equations 4 and 5) should be provided to ensure adequate curvature capacity in yielding regions. This is intended to maintain the axial load strength of columns if concrete cover spalls. There is also a difference in the requirements of the stirrups for beams, where SNI 2847-2013 also provides slightly more stringent requirements than SKSNI T-15-1991-03.

$$A_{sh} = 0.3 \times (s \times b_c \times f_c' / f_{yt}) \times [(A_g / A_{ch}) - 1] \quad (4)$$

$$A_{sh} = 0.09 \times (s \times b_c \times f_c' / f_{yt}) \quad (5)$$

where:

s = Centre to Centre Stirrups Spacing
 b_c = Cross Sectional Dimension of Column Core
 f_{yt} = Specified Yield Strength of Stirrups
 A_g = Gross Area of Column Section
 A_{ch} = Core Area of Column Section

With those updates in both seismic and structural concrete codes, assessment of any buildings designed based on older codes should be conducted. In this study, a hotel in Balikpapan City – Indonesia which was designed by using the older codes (PPTGIUG 1983 and SKSNI T-15-1991-03) is chosen to be investigated.

4 Considered Building

The structure of the 9-storey hotel consists of special moment resisting frame and shear wall systems. The typical structural plan view of the building can be seen in Figure 3. The shear wall positions are marked in Figure 3. SAP2000 structural analysis software was used to model and analyse the structure. The 3D model of the considered building can be seen in Figure 4. Non-linear direct integration time history analysis was conducted to analyse the building performance. The seismic load used was a spectrum consistent ground acceleration generated from

El Centro 18 May 1940 North-South component in accordance to the new code. The original ground acceleration is shown in Figure 5, while the modified ground acceleration (which response spectra was matched to that of SNI 1726-2012) is shown in Figure 6.




Fig. 3. Typical Structural Plan View of the Hotel




Fig. 4. 3D Model of the Considered Building




Fig. 5. Original Ground Acceleration




Fig. 6. Modified Ground Acceleration

In both ends of beam elements, non-linearity is modelled for bending and shear of their major axis. While in both ends of column and shear wall elements, non-linearity is modelled for shear in both axis as well as biaxial bending interaction. The moment-curvature and shear force-displacement for the beams and columns were obtained by using CUMBIA [10].

5 Analysis and Result

The displacement of the building subjected to previously mentioned ground accelerations (matched to response spectrum of elastic design earthquake and MCE of SNI 1726-2012) in both directions can be seen in Figures 7 and 8. It should be noted that the displacement profiles seen in the figures are not the real deformed shape, since the presented values are the maximum displacement during 30 seconds of full time history analysis that may not occur in the same time on each story.




Fig. 7. Displacement in X Direction




Fig. 8. Displacement in Y Direction

One of the more common parameters to assess the performance of the structure is to use the drift ratio, which in this study uses performance level limits based on FEMA 356. The largest drift ratio during time history analysis of each floor due to elastic design earthquake and maximum considered earthquake in x and y directions can be seen in Figures 9 and 10.




Fig. 10. Drift Ratio in Y Direction

The performance level of the building according to FEMA 356 can be seen in Table 1. The performance levels “OL”, “IO”, “LS”, and “CP” in Table 1 refer to Operational Level, Immediate Occupancy, Life Safety, and Collapse Prevention, respectively.




Fig. 9. Drift Ratio in X Direction

Table 1. Performance Level of the Building According to FEMA 356.

Earthquake Level		Performance level			
		OL	IO	LS	CP
Design Earthquake (2/3 MCE)	X-dir.	-	0.263	-	-
	Y-dir.	-	0.362	-	-
Max. Considered Earthquake (MCE)	X-dir.	-	0.335	-	-
	Y-dir.	-	0.448	-	-
Max. Drift Ratio (%)		0.0	0.0-0.5	0.5-1.0	1.0-2.0

It can be seen that the performance of the structure is very good. Based on the maximum drift ratio, the structure is still at Immediate Occupancy Level while Collapse Prevention Performance Level is still considered satisfactory for building subjected to earthquake with 2500-year return period.

Beside of drift ratio, other parameter that can be used to determine the performance of buildings is the member damage index. In this study, the damage index is determined by Equation 6 [11].

$$DI = (\mu_m - 1) / (\mu_u - 1) \quad (6)$$

where:

- DI = Damage Index
- μ_m = Maximum Ductility
- μ_u = Ultimate Ductility

It is observed that the beam members experienced more severe damage than the column elements and shear wall elements. The maximum member damage indices of the building are presented in Table 2.

Table 2. Performance Level of the Building According to ACMC.

Earthquake Level		Performance level			
		O	SLS	DCLS	S
Design Earthquake (2/3 MCE)	X-dir.	0.022	-	-	-
	Y-dir.	0.027	-	-	-
Max. Considered Earthquake (MCE)	X-dir.	0.043	-	-	-
	Y-dir.	0.041	-	-	-
Max. Damage Index (%)		<0.1	0.1-0.25	0.25-0.40	0.40-1.00

Classification of the performance from the damage indices occurred is based on the Asian Concrete Model Code [7]. The performance levels “O”, “SLS”, “DCLS”, and “S” in Table 2 refer to Operational, Serviceability Limit State, Damage Control Limit State, and Safety, respectively. It can be seen that the performance of the building is very good, that it is still at the operational level for both elastic design earthquake (2/3 MCE) and maximum considered earthquake (2500-year return period).

Figures 11 and 12 show typical damages (plastic hinges location) of the building due to elastic design earthquake in X and Y directions, respectively. While Figures 13 and 14 show the plastic damages of the building due to maximum considered earthquake (MCE) in X and Y directions, respectively.




Fig. 11. Plastic Hinges Location of Frame 2 due to Design Earthquake in X Direction




Fig. 12. Plastic Hinges Location of Frame F due to Design Earthquake in Y Direction




Fig. 13. Plastic Hinges Location of Frame 2 due to MCE in X Direction




Fig. 14. Plastic Hinges Location of Frame F due to MCE in Y Direction

6 Conclusions

Based on the analysis that has been done on the existing building structure of a 9-storey hotel in Balikpapan, some conclusions can be obtained as follows:

1. The hotel building which was designed as SMRF according to older seismic and structural concrete codes (PPTGIUG 1983 and SKSNI T-15-1991-03) has shown very good performance against higher load demand specified by the newer seismic code (SNI 1726-2012).

2. Due to the design earthquake (2/3 MCE) and maximum considered earthquake (MCE, 2500-year return period) according to SNI 1726-2012, the hotel building shows maximum drift ratio below 0.5% and maximum damage index below 0.1. The performance is classified as Immediate Occupancy Level (according to FEMA 356) and Operational Level (according to ACMC 2001) which is very satisfactory.

References

1. Lumantarna, B. (2008). Perkembangan Peraturan Pembebanan dan Perencanaan Bangunan Tahan Gempa, <http://portfolio.petra.ac.id/user_files/73-001/makalah-makasar-sika.doc>
2. Tim Penyusun. *Peraturan Perencanaan Tahan Gempa Indonesia untuk Gedung 1983*, Departemen Pekerjaan Umum, Bandung, Indonesia. (1983)
3. Badan Standarisasi Nasional. *Tata Cara Perencanaan Ketahanan Gempa untuk Struktur Bangunan Gedung Non Gedung*, SNI 1726-2012, Badan Standarisasi Nasional, Jakarta, Indonesia. (2012)
4. Irsyam, M. et al. (2010). Ringkasan Hasil Studi Tim Revisi Peta Gempa Indonesia 2010, http://www.preventionweb.net/files/14654_AIFDR.pdf (2010)
5. SKSNI T-15. *Tata Cara Perhitungan Struktur Beton untuk Bangunan Gedung*, SKSNI T-15-1991-03, Yayasan LPMB, Bandung, Indonesia. (1991)
6. FEMA 356. *NEHRP Guidelines for the Seismic Rehabilitation of Buildings*, Federal Emergency Management Agency, Washington D.C., United States. (2000)
7. ACMC. *Asian Concrete Model Code Level 1&2 Documents*, International Committee on Concrete Model Code, Tokyo, Japan. (2001)
8. Badan Standarisasi Nasional. *Persyaratan Beton Struktural untuk Bangunan Gedung*, SNI 2847-2013, Badan Standarisasi Nasional, Jakarta, Indonesia. (2013)
9. Lumantarna, B. et al. *Seismic Performance of Special Moment Resisting Frames Designed in Accordance to the Indonesian Concrete and Earthquake Codes*. MDCMS, *Proceedings of the First International Conference on Modern Design, Construction, and Maintenance of Structures*, Hanoi, Vietnam, 10-11 December 2007. (2007)
10. Montejo, L.A. CUMBIA, Department of Civil, Construction, and Environmental Engineering North California State University, North California, United States. (2007)
11. Powell, G.H. and Allahabadi, R.. *Seismic Damage Prediction by Deterministic Methods: Concept and Procedure*. Earthquake Engineering and Structural Dynamics. **16**.719-734 (1988)