IOPSCIENCE Q Journals ▼ Books Publishing Support ② Login ▼

IOP Conference Series: Materials Science and Engineering



With the ability to publish proceedings from events of any size, IOP Conference Series: Materials Science and Engineering provides a comprehensive solution for materials science and engineering conferences

a RSS • Sign up for new issue notifications



<u>View forthcoming volumes</u> accepted for publication.

If you would like more information regarding *IOP Conference Series: Materials Science and Engineering* please visit <u>conferenceseries.iop.org</u>, and if you are interested in publishing a proceedings with IOP Conference Series please visit our page for <u>conference organizers</u>.

Conference organizers can use our online form and we will get in touch with a quote and further details.

Most read	Open all abstracts
Most cited	OPEN ACCESS
Latest articles	Two-dimensional flow movement in the area of protective regulatory structures Dilshod Bazarov et al 2020 IOP Conf. Ser.: Mater. Sci. Eng. 890 012162
	+ Open abstract View article PDF
	OPEN ACCESS
	Dynamics of the hydraulic and alluvial regime of the lower reaches of the Amudarya after the commissioning of the Takhiatash and Tuyamuyun hydrosystems
	Bazarov Dilshod et al 2021 IOP Conf. Ser.: Mater. Sci. Eng. 1030 012110
	+ Open abstract View article PDF
	OPEN ACCESS Operational efficiency of water damless intake Dilshod Bazarov et al 2020 IOP Conf. Ser.: Mater. Sci. Eng. 869 072051
	+ Open abstract ■ View article PDF
	OPEN ACCESS Mathematical modelling of bottom deformations in the kinematic wave approximation Anatoly Krutov et al 2021 IOP Conf. Ser.: Mater. Sci. Eng. 1030 012147
	+ Open abstract View article PDF
	OPEN ACCESS Results of a numerical study of currents in the vicinity of a damless water intake Anatoly Krutov et al 2021 IOP Conf. Ser.: Mater. Sci. Eng. 1030 012121
	+ Open abstract ■ View article PDF

JOURNAL LINKS

Journal home

Journal scope
Information for organizers
Information for authors

Contact us

Reprint services from Curran

JOURNAL HISTORY

Associates

2009-present IOP Conference Series: Materials Science and Engineering doi:10.1088/issn.1757-899X Online ISSN: 1757-899X Print ISSN: 1757-8981

IOPSCIENCE Journals Books About IOPscience Contact us Developing countries access IOP Publishing open access policy

IOP Publishing © Copyright 2021 IOP Publishing Terms & conditions Disclaimer Privacy & cookie policy

☐ Publishing □ Terms & conditions □ Disclaimer □ Privacy & cookie policy ☐ □ Privacy ☐

This site uses cookies. By continuing to use this site you agree to our use of cookies.

PAPER • OPEN ACCESS

Committee

To cite this article: 2018 IOP Conf. Ser.: Mater. Sci. Eng. 417 011002

View the <u>article online</u> for updates and enhancements.



IOP ebooks™

Bringing you innovative digital publishing with leading voices to create your essential collection of books in STEM research.

Start exploring the collection - download the first chapter of every title for free.

Committee

Conference Committee Chairs

Prof. Kazuo Umemura, Tokyo University of Science, Japan

Prof. Shih-Chieh Lin, National Tsing-Hua University, Taiwan

Prof. Sabri Cetin, University of Illinois at Chicago, USA

Program Committee Chairs

Prof. Arunachala Kannan, Arizona State University, USA

Assoc. Prof. Guocheng Lv, China University of Geosciences, China

International Technical Committees

Prof. Jian-Gang Guo, Tianjin University, China

Prof. Livija Cveticanin, Faculty of Technical Sciences, Serbia

Prof. Zhuo Wang, Harbin Engineering University, China

Prof. Belkacem OULD BOUAMAMA, Lille University, France

Prof. Jung-Min Yang, Kyungpook National University, South Korea

Prof. Dr. Evgenia Kirillova, RheinMain University of Applied Sciences, Germany

Prof. S.M Sapuan, Universiti Putra malaysia, Malaysia

Prof. Ch. Sanjay, GITAM University Hyderabad, India

Assoc.Prof.Shu-San Gan, Petra Christian University, Indonesia

Assoc. Prof. Li-Jun Zhou, Tianjin University of Technology and Education, China

Assoc. Prof. Kuo-Chih Chuang, Zhejiang University, China

Assoc. Prof. Willyanto Anggono, Petra Christian University, Indonesia

Assoc. Prof. Hamdan Haji Ya, Universiti Teknologi PETRONAS (UTP), Malaysia

Assoc. Prof. Kaykhosrow Khojier, Islamic Azad University, Iran

Assoc. Prof. Hilton Ahmad, Tun Hussein Onn University of Malaysia

Assoc. Prof. Rajkumar Durairaj, Universiti Tunku Abdul Rahman

Assoc. Prof. Megat Ahmad Kamal Megat Hanafiah, Universitit Teknologi MARA Cawangan Pahang

Assoc. Prof. Saravanan Pichiah, Indian Institute of Technology, India

Asst. Prof. Chih-Ling Huang, Kaohsiung Medical University, Taiwan

Dr. Sammy V. Militante, University of Antique, Philippines

Dr. S Krishnakumar, Defence Research and Development Organisation, India

Dr. Grzegorz Ilewicz, University of Bielsko-Biała, POLAND

Dr. Zheng Wei, Beijing University of Chemical Technology, China

Dr. Reza Rashidi, State University of New York, Alfred State College, USA

Dr.Sumit Desai, Veermata Jijabai Technological Institute, India

Maria Shevtsova, RheinMain University of Applied Sciences, Germany

Uğur Arabacı, Gazi University, Ankara, Turkey

Ervina Efzan Mhd Noor, Multimedia University, Malaysia

Atilla Altintas, Chalmers University of Technology, Sweden

Khadijah Khalid, Universitit Teknologi MARA Cawangan Pahang, Malaysia

Table of contents

Volume 417


September 2018

◆ Previous issue

Next issue ▶

5th International Conference on Mechanics and Mechatronics Research (ICMMR 2018)19–21 July 2018, Tokyo, Japan

View all abstracts



Longyun Zhang, Shu	ucai Li, Shangyang Ya	ang and Qiangyong Zhang	
◆ View abstract	View article	PDF	
OPEN ACCESS			012004
Development of a	Support Bump for	Increasing the Energy Absorption of a Jounce Bump	
C H Lee, M J Han, T	W Park, S J Lee and	J S Park	
→ View abstract	View article	PDF	
OPEN ACCESS			012005
Optimization for W	elding Parameters	of Magnetic Media Box based on Orthogonal Experiment	
Zhiyong Wang, Xuar	n Sun and Dehui Sun		
+ View abstract	View article	PDF	
OPEN ACCESS			012006
An Efficient Nume Regime	rical Model for Squ	eeze Film Air Damping of Microplates in the Free Molecular	
Cunhao Lu and Pu L	-i		
◆ View abstract	View article	PDF	
OPEN ACCESS			012007
Combustion Chara Particle Size and F		r of <i>Pterocarpus indicus</i> Leaves Waste Briquette at Various	
Willyanto Anggono,	Fandi D. Suprianto, (Gabriel Jeremy Gotama, Sutrisno and Jovian Evander	
+ View abstract	View article	PDF	
Intelligent robot	design and implen	nentation	
OPEN ACCESS			012008
Research on the D	eicing Robot and N	Motion Characteristic of the Four Divisions High-Voltage Line	
Bo Zhang, Qiao-chu	Wang and Tao Wang		
+ View abstract	View article	PDF	
OPEN ACCESS			012009
Research on Impa	ct and Steering Me	echanism of the Puncturing Mud Robot	
Zhuo Wang, Qiao-ch	iu Wang and Tao Wa	ng	
+ View abstract	View article	PDF	
OPEN ACCESS			012010
Modeling and Vali from Elephant Trui		tinuum Robot Backbone Design With Variable Stiffness Inspired	
Azamat Yeshmukha	metov, Zholdas Buri	bayev, Yedilkhan Amirgaliyev and Rahul R Ramakrishnan	
→ View abstract	View article	PDF	
OPEN ACCESS			012011

Héctor Terán, Osca	ar Artega, Eduardo Cá	irdenas, Marcelo Ortiz, Victor H Andaluz and Miguel Carvajal	
+ View abstract	View article	PDF	
OPEN ACCESS			012012
Workspace Meas	urement and Calib	ration of a Parallel RCM Craniotomy Surgery Robot	
Mohammadreza D	ehghani, Majid M Mo	ghaddam and Pourya Torabi	
+ View abstract	View article	PDF	
OPEN ACCESS			012013
CVCER: Robot to	Learn Basics of Cor	mputer Vision and Cryptography	
A Yeleussinov, T Is	lamgozhayev, M Saty	mbekov and A Kozhagul	
→ View abstract	View article	PDF	
OPEN ACCESS			012014
Design and Imple Lindawani Siregar	ementation of Hard	ware's Firefighting Legged Robot	
+ View abstract	View article	[™] PDF	
Power Machiner	y and System Anal	vsis	
OPEN ACCESS	,	,	012015
	sponse Simulation I	Research on a Certain Type of Ammunition Transport Vehicle	012013
	npeng, An Zhentao ar	•	
+ View abstract	View article	PDF	
OPEN ACCESS			012016
The Process of Er	ngine Reliability Fuz	zy Prediction	
Chuan Zhang, Sha	okun Wang, Qiang Zh	nang and Zhongzheng Liu	
→ View abstract	View article	PDF	
OPEN ACCESS			012017
Finite Element Mo	odel of Multi-Body I	Brake Quarter Car for Braking Analysis	
M J Han, C H Lee,	ΓW Park, SP Jung an	nd Y I Lee	
+ View abstract	View article	PDF	
OPEN ACCESS			012018
Sound Reconstru	iction of an Overdet	ermined Mixture in a Mini Plant: An Experimental Study	
Anindita Adikaputr		nto, Yupit Sudianto and Aulia Siti Aisjah	
◆ View abstract	View article	[™] PDF	
OPEN ACCESS			012019
Design Considera	ations for Automate	d Crane Assignment	

http://iopscience.iop.org/issue/1757-899X/417/1

Seung-Jun Lee, Yang Koo Lee and Daesub Yoon

The Effect of Product Quality on the Pricing of New and Remanufactured Short Life-cycle Product

OPEN ACCESS

012027

+ View abstract	
OPEN ACCESS	012028
Test Technology in General Assembly of Large Sa	tellites
Rongxin Yan, Yong Wang, Wei Sun, Mian Chen and Za	ihua Yang
+ View abstract ■ View article ▶ PDF	
Applied mechanics	
OPEN ACCESS	012029
A Liquid Spring with High-static-low-dynamic Stif	fness
Zhanyong Li and Qian Chen	
+ View abstract ☑ View article ☑ PDF	
OPEN ACCESS	012030
Preferential Brownian Motion Induced by a Fluid	with Inhomogeneous Temperature
Qucheng Li and Deming Nie	
+ View abstract ☑ View article ☑ PDF	
OPEN ACCESS	012031
Research Study on Mechanics Mechanism of Roa	adbed Grouting for Shallow Buried Tunnel
Shangyang Yang and Longyun Zhang	
+ View abstract ■ View article ▶ PDF	
Mechanical Systems and Electronic Engineering	ng
OPEN ACCESS	012032
Automatic Book Scanner	
N Bano, M Aziz, U Ghani, M Taha and H Ahmed	
+ View abstract ☑ View article ☑ PDF	
OPEN ACCESS	012033
Bond Graphs as Mechatronic Approach for Supe System	rvision Design of Multisource Renewable Energy
Belkacem Ould Bouamama, Ibrahim Abdalah and Anr	ne-Lise Gehin
+ View abstract ▼ View article ▶ PDF	
OPEN ACCESS	012034
An Intelligent Exhaust Gas Processing System for	Desktop 3D Printer
Ligang Cai, Shunlei Li, Qiang Cheng, Zhifeng Liu, Wei	Cui and Huirong Fu
+ View abstract ∑ View article PDF	
OPEN ACCESS	012035

2018	IOP Confe	rence Series: Materials Science and Engineering, Volume 417, 2018 - IOPscience	e:e
Investigation on I	nfluence of Geome	try on Performance of a Cavity-less Pressure Sensor	
Kevin Amith Mathia	as and S M Kulkarni		
◆ View abstract	View article	PDF	
OPEN ACCESS			01203
Effect of Hole-uni	formity of Shrouds	on Vortex Shedding Suppression behind a Circular Cylinder	
A M Azmi, H Jamil a	and T. Zhou		
◆ View abstract	View article	PDF	
OPEN ACCESS			01203
Heating lines Arra	angement Method o	of Hull Complex Surface Based on Interpolation Principle*	
Shuai Wang, Kaifa	Zhou, Jiacan Sun, Yif	fan Yu and Zhixiang Wang	
◆ View abstract	View article	PDF	
Medical Electro	nic Technology and	d Engineering	
OPEN ACCESS			012038
Finite Element An	alysis on Loosen Te	eeth using Fibrous Periodontal Splint Restoration	
Chengshui Ding, Xu	ue Shi, Yang Song, Lu	ılu Qiu, Xinyue Li and Chunqiu Zhang	
◆ View abstract	View article	PDF	
OPEN ACCESS			012039
Energy Dissipated	d in Tapping Mode <i>i</i>	Atomic Force Microscopes due to Humidity	
Xiaoting Zheng, Yai	n Sun and Zheng We	i	
◆ View abstract	View article	PDF	
OPEN ACCESS			01204
MEMS Capacitive	e Sensor for Wound	Monitoring Applications	
Trystan Duell, Max	Muehlbauer, Timothy	y Seitzinger, James Westfall and Reza Rashidi	
◆ View abstract	View article	PDF	
OPEN ACCESS			01204
3D Printed Micro	Check Valve for Bio	omedical Applications	
Abdou Mbaye, Colt	on Kreamer, Lukas Z	ink, Mitchell Fredenburg and Reza Rashidi	
◆ View abstract	View article	PDF	
OPEN ACCESS			01204
Design, Modeling	and Simulation of	a Reconfigurable Wheelchair with Stand-sit-sleep Facilities	
Sumit Desai, Shanl	kar Mantha, Vikas Ph	alle and Sangram Patil	
◆ View abstract	View article	PDF	
JOURNAL LINKS			
Journal home			

Information for organizers

Information for authors

Search for published proceedings


Contact us

Reprint services from Curran Associates



IOP Conference Series: Materials Science and Engineering


Discontinued in Scopus as of 2021




SCOPE

The open access IOP Conference Series provides a fast, versatile and cost-effective proceedings publication service for your conference. Key publishing subject areas include: physics, materials science, environmental science, bioscience, engineering, computational science and mathematics.

 \bigcirc Join the conversation about this journal





Metrics based on Scopus® data as of April 2021



Vikas Magdum 3 months ago

Respected sir,

From which volume IOP conference Series material science and Engineering is discontinued from Scopus.

But after using following link it shown as indexed from 2007-present

2018 5th International Conference on Mechanics and Mechatronics Research (ICMMR 2018)



CERTIFICATE OF PRESENTATION

Shu-San Gan

Petra Christian University, Indonesia

Paper Title: The Effect of Product Quality on the Pricing of New and Remanufactured Short Life-cycle Product

For your excellent oral presentation at the conference and your significant contribution to the success of 2018 5th International Conference on Mechanics and Mechatronics Research (ICMMR 2018), Tokyo, Japan, July 19-21, 2018.

ID Number: ICMMR2018-229

Wei

Session Chair



Certificate Number: 18A01597

Conference Committee
ICMMR2018

PAPER • OPEN ACCESS

The Effect of Product Quality on the Pricing of New and Remanufactured Short Life-cycle Product

To cite this article: Shu-San Gan et al 2018 IOP Conf. Ser.: Mater. Sci. Eng. 417 012027

View the <u>article online</u> for updates and enhancements.



IOP ebooks™

Bringing you innovative digital publishing with leading voices to create your essential collection of books in STEM research.

Start exploring the collection - download the first chapter of every title for free.

The Effect of Product Quality on the Pricing of New and Remanufactured Short Life-cycle Product

Shu-San Gan*, Didik Wahjudi, Yopi Yusuf Tanoto

Mechanical Engineering Department, Petra Christian University, Surabaya, Indonesia

gshusan@petra.ac.id

Abstract. Remanufacturing is one of the recovery process that has become significant among many attempts to mitigate the landfill exhaustion, especially from mountain of wastes that come from short life-cycle products disposal. However, remanufactured product are often perceived to have lower quality compared to the new one. There are misconception about remanufactured product and lack of knowledge about its characteristics. On the other hand, several studies show that price and product quality have positive relationship. This paper investigates the effect of product's perceived quality on the pricing decision, to maximize the profit of the retailer and the manufacturer. We develop pricing decision model for new and remanufactured short life-cycle product in a closed-loop supply chain consists of a manufacturer and a retailer, where the manufacturer is a Stackleberg leader. We find that lower product's perceived quality would decrease the retail and wholesale prices of new and remanufactured products, but does not affect the new product's sales volume significantly. Also, the speed of change of demand influences the optimum total profit.

1. Introduction

Due to the rapid development in technology and research innovation, products' life-cycle has become shorter, especially for technology-based product such as electronics products. The period between launching a product and the introduction of newer model, newer design, or addition of new features has become shorter, and this has convinced customers to buy new product even though the previous one is still perfectly functioning. Usually, in the introduction phase, the product's demand would increase significantly, but when newer product or model is introduced, it would decrease rapidly. The demand characteristics of short life-cycle product is totally different from durable product. Therefore it is important to develop demand function that could capture the dynamics.

Recently, there are numerous attempt to study closed-loop supply chain, which is a study that is not only considering forward chain but also the reverse chain. In the reverse chain, a used product is collected and sent for a recovery process and then put back to the market with higher value than its discarded stage. This approach could extend product's useful life and slower the disposal rate. There are several recovery processes i.e. repair, refurbishing, and remanufacturing [1]; and remanufacturing is considered to be the ultimate form of recycling [2]. Remanufacturing is a process of transforming used product into "like-new" condition, where the value added during manufacturing is recaptured [3]. Several studies show that one of the critical factors to ensure successful remanufacturing is durability of the product. A short life-cycle product is also suitable for remanufacturing, and doing so could be beneficial for the environment and yet maintaining profitability [4].

Pricing decision is one of the important tasks in attempting to gain economic benefit from remanufacturing practices. Atasu et al. [5] point out that remanufacturing could become an effective marketing strategy, where manufacturer perform price discrimination to protect its market share. Also,

Published under licence by IOP Publishing Ltd

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

a proper pricing strategy developed based on the market composition could avoid cannibalization effect i.e. remanufactured product cannibalizes the sales of new product [6]. Similarly, Souza [7, 8] shows that adding remanufactured product to the market alongside with the new product could expand the market, but on the other hand it could result in cannibalization, hence it is very critical to correctly decide the prices. Pricing decision model for remanufactured product has been widely studied. Regardless of remanufacturing product's key feature which is a product as good as the new one, remanufactured product is often perceived to have lower quality compared to the new product [9, 10]. Several pricing models accommodate this situation by differentiating the price of new and remanufactured products [6, 11, 12, 13, 14]. Gaur et al. [14] identify main drivers for purchase intentions through grounded theory-based interview, and indicate that price, brand, product quality, and service quality are the underlying factors behind customers' decision to purchase remanufactured products over new ones. van Weelden et al. [15] conducting in-depth interviews with consumers of remanufactured and new mobile phones, identify that misconception of remanufactured products, lack of awareness, lack of availability, and lack of the thrill of newness as the barriers for remanufactured mobile phones to be considered in the consideration phase. Wahjudi et al. [16] shows that product knowledge and purchase attitude have positive correlation with purchase intention. In this paper we would investigate the effect of product's perceived quality on the pricing of new and remanufactured short life-cycle products.

2. Optimization Modelling

We consider a closed-loop supply chain that consists of two members of the supply chain, i.e. retailer and manufacturer, under the selling horizon. Initially, manufacturer performs the production of new products, and customers can buy them via a retailer. After a particular period of time, customers start to sell end-of-use products to the manufacturer. The used product is then remanufactured and sent to the retailer. Now, customer have the option to purchase a new or remanufactured product. Therefore, during the selling horizon, both retailer and manufacturer sells new and remanufactured products with different time boundaries as in [12].

The pricing decision model is developed under a Stackelberg power structure, where manufacturer acts as the leader. We use the whole selling periods as the planning horizon. The model is developed based on backward induction. Retailer finds her optimum retail prices dependent on the wholesale prices. The manufacturer is then decide the wholesale prices to maximize her profit, after knowing retailer's move. In this model, we consider a single item short life-cycle product, which is typically prone to obsolescence in function and/or desirability. This type of product would have brief introduction, growth, and maturity phases, before declining. Product demand is constructed to cover the time frames according to the given time boundaries, and to allow price-dependent relation. Remanufactured short life-cycle product is often considered to be inferior to its new counterpart and customers' willingness to pay is typically lower for remanufactured short life-cycle product [17]. Therefore, a remanufactured product usually is more sensitive to price changes, or is having higher price sensitivity index.

The governing demand functions, for new and remanufactured product, are formulated as in [12]:

The governing demand functions, for new and remandiactured product, are formulated
$$d_n(t) = \begin{cases} d_{n1}(t) = \frac{U}{1+ke^{-\lambda Ut}}; & 0 \le t \le \mu \text{ where } k = \frac{U}{d_0 - 1} \\ d_{n2}(t) = \frac{U}{\lambda U(t - \mu) + \delta}; & \mu \le t \le t_3; \text{ where } \delta = 1 + ke^{-\lambda U\mu} \end{cases}$$

$$d_r(t) = \begin{cases} d_{r1}(t) = \frac{V}{1+ke^{-\eta V(t - t_1)}}; & t_1 \le t \le t_3; \text{ where } h = \frac{V}{d_{r0} - 1} \\ d_{r2}(t) = \frac{V}{\eta V(t - t_3) + \varepsilon} & ; & t_3 \le t \le T; \text{ where } \varepsilon = 1 + ke^{-\eta V(t_3 - t_1)} \end{cases}$$

$$(2)$$

$$d_r(t) = \begin{cases} d_{r1}(t) = \frac{V}{1 + he^{-\eta V(t - t_1)}}; \ t_1 \le t \le t_3 \ ; \text{where} \ h = \frac{V}{d_{r0} - 1} \\ d_{r2}(t) = \frac{V}{\eta V(t - t_2) + \varepsilon} \quad ; \ t_3 \le t \le T \ ; \text{where} \ \varepsilon = 1 + he^{-\eta V(t_3 - t_1)} \end{cases}$$
 (2)

 $d_n(t)$ is the demand pattern for new product and $d_r(t)$ is for remanufactured products. Total demand volumes during the selling horizon can be determined by integrating the demand functions

$$D_n = \int_0^{\mu} \frac{u}{1 + ke^{-\lambda U t}} dt + \int_{\mu}^{t_3} \frac{u}{\lambda U(t - \mu) + \delta} dt = \frac{1}{\lambda} \ln \left(\frac{\delta}{(1 + k)e^{-\lambda U \mu}} \right) + \frac{1}{\lambda} \ln \left(\frac{\lambda U(t_3 - \mu) + \delta}{\delta} \right)$$
(3)

$$D_r = \int_{t_1}^{t_3} \frac{v}{1 + he^{-\eta V(t-t_1)}} dt + \int_{t_3}^T \frac{v}{\eta V(t-t_2) + \varepsilon} dt = \frac{1}{\eta} \ln \left(\frac{\varepsilon}{(1+h)e^{-\eta V(t_3 - t_1)}} \right) + \frac{1}{\eta} \ln \left(\frac{\eta V(T-t_3) + \varepsilon}{\varepsilon} \right)$$
(4)

We introduce a product quality factor (q), and "remanufactured product's quality coefficient" (b) to the pricing model to study its impact to the overall pricing decision. Product quality factor is considered inversely proportional to the customers' perceived quality. It means, the lower the product's perceived quality, the higher the factor value. We use product quality factor as a price coefficient in the demand function, with P_m as the maximum price, therefore

Demand of new product =
$$D_n \left(1 - g \frac{P_n}{P_{max}} \right)$$
 (5)

Demand of remanufactured product =
$$D_r \left(1 - bg \frac{P_r}{P_p} \right)$$
 (6)

Under a symmetrical information setting, both retailer and manufacturer share the demand information. Retailer finds her optimum retail prices (P_n for new product, and P_r for remanufactured product) that maximize her profit. Based on retailer's optimum prices, manufacturer is then find the wholesale prices (P_{nw}, P_{rw}) that maximize manufacturer's profit. Considering that product has short life-cycle, we assume remanufacturing process is only applied to used product that is originated from new product, hence remanufacturing is only applied one time during the whole product's life.

Since this study is focusing on the effect of product's perceived quality to the pricing decision, we do not make an attempt to show detailed derivation of production and operational costs, and instead treat those costs as given parameters, which consist of unit manufacturing cost for new product (c_n) , and unit manufacturing cost (c_r) . Unit manufacturing cost includes raw material, manufacturing cost, etc. Unit remanufacturing cost includes cores' acquisition, collecting cost, remanufacturing cost, etc.

2.1. Retailer's Optimization

Retailer's optimization model is constructed to find retail prices that maximize retailer's profit.

$$\max_{P_{n}, P_{r}} \Pi_{R} = D_{n} \left(1 - g \frac{P_{n}}{P_{m}} \right) \cdot (P_{n} - P_{nw}) + D_{r} \left(1 - b g \frac{P_{r}}{P_{n}} \right) \cdot (P_{r} - P_{rw})$$
(7)

 Π_R is concave with respect to retail prices, therefore optimum prices can be found by solving the first

derivative conditions, represented by
$$\frac{2D_n g}{P_m} P_n^{*3} - \left(\frac{D_n}{P_m} (P_m + g P_{nw}) + \frac{D_r}{4bg}\right) P_n^{*2} + \frac{D_r}{4} b g P_{rw}^2 = 0 \qquad (8)$$

$$P_r^* = \frac{1}{2} \left(\frac{P_n^*}{bg} + P_{rw}\right) \qquad (9)$$

$$P_r^* = \frac{1}{2} \left(\frac{P_n^*}{bg} + P_{rw} \right) \tag{9}$$

2.2. Manufacturer's Optimization

$$\max_{P_{nw}, P_{rw}} \Pi_{M} = D_{n} \left(1 - g \frac{P_{n}^{*}}{P_{m}} \right) \cdot (P_{nw} - c_{n}) + D_{r} \left(1 - b g \frac{P_{r}^{*}}{P_{n}^{*}} \right) \cdot (P_{rw} - c_{r})$$
subject to (8), (9), and

$$0 \le P_{nw} \le P_n \le P_m , \ 0 \le P_{rw} \le P_r \le P_n,$$

$$P_{rw} \le P_{nw}, P_{rw} \ge c_r, P_{nw} \ge c_n$$

$$P_{rw} \leq P_{rw}, P_{rw} \geq c_r, P_{rw} \geq c_r$$

Due to the optimization problem's complexity, we use a computational approach and use Matlab to find the optimum prices.

3. Results and Discussions

We use a numerical example to show the optimization results as well as the effect of product quality. The parameters are adopted from [12]. Demand capacity parameters for new product are U =1,000, $D_0 = 90$, and demand capacity parameters for remanufactured product are V = 500, $D_{r0} = 50$. The speed of change in demands are $\lambda = 0.05$, $\eta = 0.05$. Selling horizon is divided into four time frames where $t_1=1$, $\mu=2$, $t_3=3$, and T=4. The unit manufacturing cost for new product $c_n=2,500$, unit remanufacturing cost c_r =1,800, maximum price is P_m =12,000. The product quality factor and remanufactured product's quality coefficient will be varied to study their effects on the pricing decision. The decision variables are P_n , P_r and P_{nw} , P_{rw} which represent the retail price of new product, retail price of remanufactured product, wholesale price of new product, and wholesale price of remanufactured product.

3.1. The effect of product's perceived quality

In order to observe the effect of product's perceived quality to the price, product quality factor (g) and remanufactured product's quality coefficient (b) values are varied as follows: g = [1,1.1,1.2,1.3], b = [1,1.1,1.2]. The optimization results can be seen in Table 1.

Table 1. Numerical example's result – product's perceived quality

b	g	Pn*	Pr*	Pnw*	Prw*	Profit M	Profit R	Total Profit	sales 1	sales 2
1	1	10,010.05	8,283.40	7,160.40	6,556.75	2,405,395.59	1,263,036.99	3,668,432.58	336.71	175.79
1	1.1	9,112.54	6,938.78	6,638.91	5,593.44	2,011,823.96	1,049,809.35	3,061,633.31	334.39	165.50
1	1.2	8,369.89	5,917.85	6,201.97	4,860.80	1,698,048.66	880,820.62	2,578,869.28	330.99	154.45
1	1.3	7,745.09	5,124.07	5,830.49	4,290.38	1,443,561.69	744,586.82	2,188,148.51	326.80	142.61
1.1	1	9,966.70	7,553.90	7,174.29	6,047.16	2,327,957.35	1,216,073.10	3,544,030.44	344.05	169.47
1.1	1.1	9,076.21	6,336.90	6,650.05	5,172.81	1,949,223.29	1,011,791.62	2,961,014.92	341.15	158.16
1.1	1.2	8,338.80	5,412.45	6,211.00	4,507.63	1,646,954.87	849,788.35	2,496,743.22	337.30	145.97
1.1	1.3	7,718.00	4,693.40	5,837.84	3,989.59	1,401,688.11	719,176.58	2,120,864.69	332.76	132.89
1.2	1	9,930.44	6,949.53	7,185.58	5,623.69	2,265,131.33	1,177,681.12	3,442,812.45	350.18	163.28
1.2	1.1	9,045.73	5,838.00	6,659.06	4,823.18	1,898,708.75	980,903.15	2,879,611.90	346.82	150.92
1.2	1.2	8,312.63	4,993.34	6,218.24	4,214.03	1,606,056.41	824,792.39	2,430,848.80	342.62	137.58
1.2	1.3	7,695.10	4,336.13	5,843.66	3,739.52	1,368,556.27	698,954.22	2,067,510.49	337.80	123.26

The results show that the higher the product quality factor (which means the lower product's perceived quality in the market), the lower profit of both retailer and manufacturer. The effect is significantly recognized in the lower prices, both new and remanufactured, wholesale and retail prices. Interestingly, the new product's sales quantity is least affected. It is also observed that despite the shared prices decrease, the percentage of relative decrease is bigger for remanufactured products prices compared to new products'. The average relative decreases are 8.17%, 6.64%, 14.66%, 12.94% for new retail price, new wholesale price, remanufactured retail price, and remanufactured wholesale price. On the other hand, the relative decrease of profit is almost the same for manufacturer and retailer, i.e. 15.55% and 16.06% respectively.

The effect of remanufactured product's quality coefficient can be seen in Table 1 as well. The remanufactured prices are the ones most affected, with relative decreases 8.40% and 7.39% for retail and wholesale prices, on average. As for new product retail price, the relative decrease is relatively small, which is 0.40%. However, new product wholesale price is unexpectedly increasing even though the relative increase is very small i.e. 0.18%. Also, the sales of new product is increasing with average relative increase as much as 1.98%.

Table 2. Sensitivity analysis for demand's speed of change

	Tubic 2. Schish vity undrysis for definance 3 speed of change										
lmb	nu	g	Pn*	Pr*	Pnw*	Prw*	Profit M	Profit R	Total Profit	sales 1	sales 2
0.01	0.01	1	9,947.48	7,544.21	7,178.86	6,045.26	2,267,507.28	1,182,401.60	3,449,908.87	341.92	157.29
0.01	0.01	1.1	9,061.04	6,330.04	6,653.34	5,171.62	1,901,415.72	985,390.07	2,886,805.79	338.64	146.79
0.01	0.01	1.2	8,326.74	5,407.52	6,213.35	4,506.90	1,608,782.46	828,910.09	2,437,692.55	334.48	135.48
0.01	0.01	1.3	7,708.40	4,689.83	5,839.50	3,989.16	1,370,988.95	702,562.22	2,073,551.17	329.68	123.34
0.05	0.05	1	9,966.70	7,553.90	7,174.29	6,047.16	2,327,957.35	1,216,073.10	3,544,030.44	344.05	169.47
0.05	0.05	1.1	9,076.21	6,336.90	6,650.05	5,172.81	1,949,223.29	1,011,791.62	2,961,014.92	341.15	158.16
0.05	0.05	1.2	8,338.80	5,412.45	6,211.00	4,507.63	1,646,954.87	849,788.35	2,496,743.22	337.30	145.97
0.05	0.05	1.3	7,718.00	4,693.40	5,837.84	3,989.59	1,401,688.11	719,176.58	2,120,864.69	332.76	132.89
0.1	0.1	1	9,967.19	7,554.14	7,174.18	6,047.21	2,318,950.58	1,211,421.47	3,530,372.04	342.54	169.02
0.1	0.1	1.1	9,076.59	6,337.08	6,649.97	5,172.84	1,941,609.01	1,007,880.25	2,949,489.26	339.67	157.73
0.1	0.1	1.2	8,339.11	5,412.58	6,210.94	4,507.64	1,640,463.78	846,469.56	2,486,933.34	335.84	145.58
0.1	0.1	1.3	7,718.24	4,693.49	5,837.80	3,989.60	1,396,117.35	716,340.54	2,112,457.89	331.33	132.54
0.2	0.2	1	9,966.87	7,553.98	7,174.25	6,047.17	2,309,829.83	1,206,621.89	3,516,451.72	341.31	168.22
0.2	0.2	1.1	9,076.34	6,336.96	6,650.02	5,172.82	1,934,019.82	1,003,914.03	2,937,933.85	338.44	156.99
0.2	0.2	1.2	8,338.91	5,412.49	6,210.98	4,507.63	1,634,089.16	843,160.54	2,477,249.70	334.62	144.89
0.2	0.2	1.3	7,550.52	4,508.70	5,736.54	3,856.41	1,326,646.52	679,581.67	2,006,228.19	328.66	127.85

3.2. Sensitivity analysis for demand's speed of change

In order to study the effect of demand's speed of change, λ and η , we varied λ , $\eta = [0.01,0.05,0.1,0.2]$. Table 2 shows the optimization results. The highest profit is attained at 0.05. This result shows that increasing speed of change in demand does not always increasing the profit. The lower the product's perceived quality, which means the higher product quality factor, the sales quantity is decreasing as well as the profits. While the first three values (0.05, 0.01, 0.1) show decreasing rate along with lower product's perceived quality, the last value, 0.2, shows an exception. The percentage of decrease is 8.93% when product quality factor is increasing from 1 to 1.2, then 8.12% from 1.1 to 1.2, and 9.45% from 1.2 to 1.3. It appears that for higher speed of change the effect of product quality becomes more significant.

4. Conclusion

This paper studies the effect of product quality on the pricing decision of new and remanufactured short life-cycle products in a closed-loop supply chain. We develop a pricing decision model involving product quality factor (which is inversely proportional to the product's perceived quality), and the optimization is conducted under Stackelberg pricing game with manufacturer as the leader. The results show that lower product's perceived quality could increase price sensitivity and hence decrease the sales quantity and the profits. The speed of change in demand influence pricing decision, when it reach a higher value, the effect of product quantity becomes more significant.

References

- [1] Thierry M, Salomon M, Nunen J A E E van and Wassenhove L N Van 1995 Strategic issues in product recovery management *Calif. Manage. Rev.* 37 114–35
- [2] Steinhilper R 1998 Remanufacturing The Ultimate Form of Recycling (Fraunhofer IRB Verlag)
- [3] Lund R T and Hauser W M 2010 Remanufacturing An American Perspective 5th International Conference on Responsive Manufacturing Green Manufacturing (ICRM 2010), Ningbo, China, 11-13 January 2010. (Institution of Engineering and Technology) pp 1–6
- [4] Gan S-S, Pujawan I N and Suparno 2014 Remanufacturing of Short Life-cycle Products *Oper. Supply Chain Manag.* 7 13–22
- [5] Atasu A, Sarvary M and Wassenhove L N Van 2008 Remanufacturing as a marketing strategy *Manage*. *Sci.* 54 1731–46
- [6] Atasu A, Guide V D R J and Wassenhove L N Van 2010 So what if remanufacturing cannibalizes my new product sales? *Calif. Manage. Rev.* 52 56–76
- [7] Souza G C 2013 Closed-Loop Supply Chains : A Critical Review and Future Research *Decis. Sci.* 44 7–38
- [8] Souza G C 2009 Remanufacturing in Closed-Loop Supply Chains Prod. Invent. Manag. J. 45 56–66
- [9] Agrawal V V., Atasu A and Van Ittersum K 2015 Remanufacturing, third-party competition, and consumers' perceived value of new products
- [10] Wu C 2013 OEM product design in a price competition with remanufactured product *Omega* 41 287–98
- [11] Wu C 2012 Product-design and pricing strategies with remanufacturing Eur. J. Oper. Res. 222 204–15
- [12] Gan S-S, Pujawan I N, Suparno and Widodo B 2015 Pricing decision model for new and remanufactured short-life cycle products with time-dependent demand *Oper. Res. Perspect.* 2 1–12
- [13] Gan S-S, Pujawan I N, Suparno and Widodo B 2017 Pricing decision for new and remanufactured product in a closed-loop supply chain with separate sales-channel *Int. J. Prod. Econ.* 190 120–32
- [14] Jighyasu Gaur, Mehdi Amini, Pratyush Banerjee, Ritu Gupta 2015 Drivers of consumer purchase intentions for remanufactured products *Qual. Mark. Res. An Int. J.* 18 30–47
- [15] Van Weelden E, Mugge R and Bakker C 2016 Paving the way towards circular consumption: Exploring consumer acceptance of refurbished mobile phones in the Dutch market *J. Clean. Prod.* 113 743–54
- [16] Wahjudi D, Gan S-S, Anggono J and Tanoto Y Y 2017 Factors Affecting Purchase Intention of Remanufactured Short Life-Cycle Products *International Conference on Management and Enterpreneurship*
- [17] Guide V D R J and Li J 2010 The Potential for Cannibalization of New Products Sales by Remanufactured Products *Decis. Sci.* 41 547–72