

ISSN 1757-8981

IOP Conference Series

Materials Science and Engineering

2nd International Conference
on Robotics and Mechantronics

517

VOLUME 517 – 2019

8–11 November 2018
Singapore

EDITOR
Meng Joe Goh

The open access journal for conference proceedings
iopscience.org/jpcs

IOP Publishing

Preface

011001

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Preface](#)

[Open abstract](#), [Preface View article](#), [Preface PDF](#), [Preface](#)

011002

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Peer review declaration](#)

[Open abstract](#), [Peer review declaration View article](#), [Peer review declaration PDF](#), [Peer review declaration](#)

Design, Structure and Control

012001

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Contact pressure analysis of acetabular cup surface with dimple addition on total hip arthroplasty using finite element method](#)

[Muhammad Imam Ammarullah](#), [Amir Putra Md Saad](#), [Ardiyansyah Syahrom](#) and [Hasan Basri](#)

[Open abstract](#), [Contact pressure analysis of acetabular cup surface with dimple addition on total hip arthroplasty using finite element method View article](#), [Contact pressure analysis of acetabular cup surface with dimple addition on total hip arthroplasty using finite element method PDF](#), [Contact pressure analysis of acetabular cup surface with dimple addition on total hip arthroplasty using finite element method](#)

012002

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Control of object prediction using smart optimized water indication \(sonic\) algorithm for flood detection](#)

[Satryo Budi Utomo](#), [Januar Fery Irawan](#), [Widhi Winata Sakti](#) and [Fiqqih Faizah](#)

[Open abstract](#), [Control of object prediction using smart optimized water indication \(sonic\) algorithm for flood detection View article](#), [Control of object prediction using smart optimized water indication \(sonic\) algorithm for flood detection PDF](#), [Control of object prediction using smart optimized water indication \(sonic\) algorithm for flood detection](#)

012003

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Energy absorption and deformation pattern analysis of carbon fibre reinforced composite crash box under frontal load model](#)

[Prayoga Bintang Primawan](#), [Moch. Agus Choiron](#) and [Anindito Purnowidodo](#)

[Open abstract](#), [Energy absorption and deformation pattern analysis of carbon fibre reinforced composite crash box under frontal load model View article](#), [Energy absorption and deformation pattern analysis of carbon fibre reinforced composite crash box under frontal load model PDF](#), [Energy absorption and deformation pattern analysis of carbon fibre reinforced composite crash box under frontal load model](#)

012004

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Stress analysis bottom plate block B-03 on patrol ship construction using finite element methods](#)

[Samuel Febriary Khristyson](#), [Jamari](#) and [Athanasius Priharyoto Bayuseno](#)

[Open abstract](#), [Stress analysis bottom plate block B-03 on patrol ship construction using finite element methods](#) [View article](#), [Stress analysis bottom plate block B-03 on patrol ship construction using finite element methods](#) [PDF](#), [Stress analysis bottom plate block B-03 on patrol ship construction using finite element methods](#)

012005

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Dimensional optimization of clutch disc with simulation of stress analysis \(Study cases : clutch disc Hino FM 260Ti\)](#)

Ninuk Jonoadji, Sutrisno, Ian Hardianto Siahaan, Melvin Emil Simanjuntak, Melvin Bismark Hamonangan Sitorus and Michael Suryajaya

[Open abstract](#), [Dimensional optimization of clutch disc with simulation of stress analysis \(Study cases : clutch disc Hino FM 260Ti\)](#) [View article](#), [Dimensional optimization of clutch disc with simulation of stress analysis \(Study cases : clutch disc Hino FM 260Ti\)](#) [PDF](#), [Dimensional optimization of clutch disc with simulation of stress analysis \(Study cases : clutch disc Hino FM 260Ti\)](#)

012006

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Application of semi reverse innovative design for a boot's shoes orthotic for children with club foot](#)

P.W. Anggoro, Y.K. Nugrahanto, A.A. Anthony, Jamari, A.P. Bayuseno and M. Tauviqirrahman

[Open abstract](#), [Application of semi reverse innovative design for a boot's shoes orthotic for children with club foot](#) [View article](#), [Application of semi reverse innovative design for a boot's shoes orthotic for children with club foot](#) [PDF](#), [Application of semi reverse innovative design for a boot's shoes orthotic for children with club foot](#)

012007

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Sustainability design of press machine for waste plastic bottle with electric motor](#)

Ian Hardianto Siahaan and Oegik Soegihardjo

[Open abstract](#), [Sustainability design of press machine for waste plastic bottle with electric motor](#) [View article](#), [Sustainability design of press machine for waste plastic bottle with electric motor](#) [PDF](#), [Sustainability design of press machine for waste plastic bottle with electric motor](#)

012008

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Finite element method for stress analysis in the frame holder of generator translation and rotation motion on vertical direction mechanism for sea wave power plant](#)

Y. Suhartini, A. Indriani, Hendra, Rispani and Hernadewita

[Open abstract](#), [Finite element method for stress analysis in the frame holder of generator translation and rotation motion on vertical direction mechanism for sea wave power plant](#) [View article](#), [Finite element method for stress analysis in the frame holder of generator translation and rotation motion on vertical direction mechanism for sea wave power plant](#) [PDF](#), [Finite element method for stress analysis in the frame holder of generator translation and rotation motion on vertical direction mechanism for sea wave power plant](#)

012009

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Interpolation algorithm in designing of feed-forward robust precision control motion](#)

Mochammad Rusli, Moch Agus Choiron and Muhammad Aziz Muslim

[Open abstract](#), [Interpolation algorithm in designing of feed-forward robust precision control motion](#) [View article](#), [Interpolation algorithm in designing of feed-forward robust precision control motion](#) [PDF](#), [Interpolation algorithm in designing of feed-forward robust precision control motion](#)

012010

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Influence of asymmetric factor on spur gears to dynamic bending stress](#)

Agus Sigit Pramono and Mohamad Zainulloh Rizal

[Open abstract](#), [Influence of asymmetric factor on spur gears to dynamic bending stress View article](#), [Influence of asymmetric factor on spur gears to dynamic bending stress PDF](#), [Influence of asymmetric factor on spur gears to dynamic bending stress](#)

012011

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Deformation pattern and energy absorption of polylactic acid \(PLA\) carbon crash box under quasi static loading](#)

Redyarsa Dharma Bintara and Moch. Agus Choiron

[Open abstract](#), [Deformation pattern and energy absorption of polylactic acid \(PLA\) carbon crash box under quasi static loading View article](#), [Deformation pattern and energy absorption of polylactic acid \(PLA\) carbon crash box under quasi static loading PDF](#), [Deformation pattern and energy absorption of polylactic acid \(PLA\) carbon crash box under quasi static loading](#)

012012

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Identification of damage in a ship hull sandwich plate by natural frequency](#)

Rizky Chandra Ariesta, Achmad Zubaydi, Abdi Ismail, Tuswan and Mohammad Zircham Al-Syachri

[Open abstract](#), [Identification of damage in a ship hull sandwich plate by natural frequency View article](#), [Identification of damage in a ship hull sandwich plate by natural frequency PDF](#), [Identification of damage in a ship hull sandwich plate by natural frequency](#)

012013

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Fatigue simulation with pedalling load and vertical load for city bike frame following British standard EN 14764](#)

Alief Wikarta and Edwin Togi Wahyudi Tambun

[Open abstract](#), [Fatigue simulation with pedalling load and vertical load for city bike frame following British standard EN 14764 View article](#), [Fatigue simulation with pedalling load and vertical load for city bike frame following British standard EN 14764 PDF](#), [Fatigue simulation with pedalling load and vertical load for city bike frame following British standard EN 14764](#)

012014

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Kijang LGX camshaft's failure analysis using the finite element method approach](#)

Riduwan Prasetya and Andoko

[Open abstract](#), [Kijang LGX camshaft's failure analysis using the finite element method approach View article](#), [Kijang LGX camshaft's failure analysis using the finite element method approach PDF](#), [Kijang LGX camshaft's failure analysis using the finite element method approach](#)

012015

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Leaf spring type simulation with finite element method approach](#)

Pradhana Kurniawan, Andoko Andoko and Putu Wijaya Sunu

[Open abstract](#), [Leaf spring type simulation with finite element method approach View article](#), [Leaf spring type simulation with finite element method approach PDF](#), [Leaf spring type simulation with finite element method approach](#)

012016

THE FOLLOWING ARTICLE IS OPEN ACCESS

Coil spring type analysis using the finite element method

Rifqi Ryandi Dwi Ananto and Andoko

[Open abstract](#), [Coil spring type analysis using the finite element method](#) [View article](#), [Coil spring type analysis using the finite element method PDF](#), [Coil spring type analysis using the finite element method](#)

012017

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Simulation on the spindle of a five-axis multifunctional CNC machine using finite element method](#)

Dhanang R. Pradica, Andoko and Didin Zakariya Lubis

[Open abstract](#), [Simulation on the spindle of a five-axis multifunctional CNC machine using finite element method](#) [View article](#), [Simulation on the spindle of a five-axis multifunctional CNC machine using finite element method PDF](#), [Simulation on the spindle of a five-axis multifunctional CNC machine using finite element method](#)

012018

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Simulation of melt temperature on quality of Pepsodent toothbrush products in injection molding process using Ansys software](#)

Arief Susetyo and Andoko

[Open abstract](#), [Simulation of melt temperature on quality of Pepsodent toothbrush products in injection molding process using Ansys software](#) [View article](#), [Simulation of melt temperature on quality of Pepsodent toothbrush products in injection molding process using Ansys software PDF](#), [Simulation of melt temperature on quality of Pepsodent toothbrush products in injection molding process using Ansys software](#)

012019

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Effect of coolant temperature on product quality on injection molding machines using Autodesk Moldflow adviser software](#)

Akhmad Wildan and Andoko Andoko

[Open abstract](#), [Effect of coolant temperature on product quality on injection molding machines using Autodesk Moldflow adviser software](#) [View article](#), [Effect of coolant temperature on product quality on injection molding machines using Autodesk Moldflow adviser software PDF](#), [Effect of coolant temperature on product quality on injection molding machines using Autodesk Moldflow adviser software](#)

012020

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Analysis of low cycle fatigue in titanium materials 15-3-3-3](#)

Yugo Nusa Wiryasanjani and Andoko Andoko

[Open abstract](#), [Analysis of low cycle fatigue in titanium materials 15-3-3-3](#) [View article](#), [Analysis of low cycle fatigue in titanium materials 15-3-3-3 PDF](#), [Analysis of low cycle fatigue in titanium materials 15-3-3-3](#)

012021

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Failure analysis of railway freight car axle with finite method element](#)

Raymond Philander Jead and Andoko Andoko

[Open abstract](#), [Failure analysis of railway freight car axle with finite method element](#) [View article](#), [Failure analysis of railway freight car axle with finite method element PDF](#), [Failure analysis of railway freight car axle with finite method element](#)

012022

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Effect of shape mode and crack length on stress distribution in fiber metal laminates](#)

Khairul Anam, Ari Wahjudi, Anindito Purnowidodo, Agung Sugeng Widodo and Teguh Talibo

[Open abstract](#), [Effect of shape mode and crack length on stress distribution in fiber metal laminates](#) [View article](#), [Effect of shape mode and crack length on stress distribution in fiber metal laminates PDF](#), [Effect of shape mode and crack length on stress distribution in fiber metal laminates](#)

012023

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Automatic baby incubator system with fuzzy-PID controller](#)

Satryo Budi Utomo, Januar Fery Irawan, Arizal Mujibtamala, Mochamad Irwan Nari and Rosida Amalia

[Open abstract](#), [Automatic baby incubator system with fuzzy-PID controller](#) [View article](#), [Automatic baby incubator system with fuzzy-PID controller PDF](#), [Automatic baby incubator system with fuzzy-PID controller](#)

012024

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Design of a single-phase flux radial generator with opposite poles \(U-S\) using permanent Neodymium magnet \(NdFeB\)](#)

Satryo Budi Utomo, Januar Fery Irawan, Widyono Hadi and Dendy Sandrolis Amam

[Open abstract](#), [Design of a single-phase flux radial generator with opposite poles \(U-S\) using permanent Neodymium magnet \(NdFeB\)](#) [View article](#), [Design of a single-phase flux radial generator with opposite poles \(U-S\) using permanent Neodymium magnet \(NdFeB\) PDF](#), [Design of a single-phase flux radial generator with opposite poles \(U-S\) using permanent Neodymium magnet \(NdFeB\)](#)

012025

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Strength consideration on car body of light rail transit making from aluminum extrusion](#)

Achmad Syaifudin, Egy Meirarizka Nurfadillah, Abdul Rohman Farid and Agus Windharto

[Open abstract](#), [Strength consideration on car body of light rail transit making from aluminum extrusion](#) [View article](#), [Strength consideration on car body of light rail transit making from aluminum extrusion PDF](#), [Strength consideration on car body of light rail transit making from aluminum extrusion](#)

012026

THE FOLLOWING ARTICLE IS OPEN ACCESS

[A strength analysis of conventional and sandwich plate deck using finite element method](#)

Abdi Ismail, Achmad Zubaydi, Bambang Pisceca, Ervan Panangian, Rizky Chandra Ariesta and Tuswan Tuswan

[Open abstract](#), [A strength analysis of conventional and sandwich plate deck using finite element method](#) [View article](#), [A strength analysis of conventional and sandwich plate deck using finite element method PDF](#), [A strength analysis of conventional and sandwich plate deck using finite element method](#)

012027

THE FOLLOWING ARTICLE IS OPEN ACCESS

[A comparative study of conventional and sandwich plate side-shell using finite element method](#)

Abdi Ismail, Achmad Zubaydi, Bambang Pisceca, Ervan Panangian, Rizky Chandra Ariesta and Tuswan Tuswan

[Open abstract](#), [A comparative study of conventional and sandwich plate side-shell using finite element method](#) [View article](#), [A comparative study of conventional and sandwich plate side-shell](#)

using finite element method PDF, A comparative study of conventional and sandwich plate side-shell using finite element method

Energy Conversion

012028

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Design and development of air powered car using air motor engine](#)

Bambang Setyono

[Open abstract](#), [Design and development of air powered car using air motor engine](#) [View article](#), [Design and development of air powered car using air motor engine PDF](#), [Design and development of air powered car using air motor engine](#)

012029

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Parametric study of gas-solid flow characteristic by using integration computational fluid dynamics and dynamic simulation](#)

Candra Damis Widiawaty, Ahmad Indra Siswantara, Budiarto, Asyari Daryus, Gun Gun Ramdhan Gunadi, Hariyotejo Pujowidodo, Muhammad Hilman Gumelar Syaefi and Tanwir Ahmad Farhan

[Open abstract](#), [Parametric study of gas-solid flow characteristic by using integration computational fluid dynamics and dynamic simulation](#) [View article](#), [Parametric study of gas-solid flow characteristic by using integration computational fluid dynamics and dynamic simulation PDF](#), [Parametric study of gas-solid flow characteristic by using integration computational fluid dynamics and dynamic simulation](#)

012030

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[The influence of foil-shaped center bulb geometry into catamaran fishing vessels resistance](#)

Muhammad Iqbal, Untung Budiarto, Kamal Zidan Hidayat, Hanif Hisyam Hernanta and Andi Trimulyono

[Open abstract](#), [The influence of foil-shaped center bulb geometry into catamaran fishing vessels resistance](#) [View article](#), [The influence of foil-shaped center bulb geometry into catamaran fishing vessels resistance PDF](#), [The influence of foil-shaped center bulb geometry into catamaran fishing vessels resistance](#)

012031

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Vortex development analysis effects of the use of winglets on Airfoil E562 in unmanned aerial vehicles](#)

S.P. Setyo Hariyadi, Sutardi and Wawan Aries Widodo

[Open abstract](#), [Vortex development analysis effects of the use of winglets on Airfoil E562 in unmanned aerial vehicles](#) [View article](#), [Vortex development analysis effects of the use of winglets on Airfoil E562 in unmanned aerial vehicles PDF](#), [Vortex development analysis effects of the use of winglets on Airfoil E562 in unmanned aerial vehicles](#)

012032

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Analysis of the effect of addition of stern flaps on the performance of 60 m fast boat](#)

Parlindungan Manik, Good Rindo, Hartono Yudo and Ebin Ezer Sinaga

[Open abstract](#), [Analysis of the effect of addition of stern flaps on the performance of 60 m fast boat](#) [View article](#), [Analysis of the effect of addition of stern flaps on the performance of 60 m fast boat PDF](#), [Analysis of the effect of addition of stern flaps on the performance of 60 m fast boat](#)

012033

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Experimental study of thermoelectric cooler box using heat sink with u-shape heat pipe and methanol working fluid](#)

Adi Winarta, I Made Rasta, Luh Putu Ike Midiani, I Wayan Adi Subagia and Anak Agung Ngurah Gde Sapteka

[Open abstract](#), [Experimental study of thermoelectric cooler box using heat sink with u-shape heat pipe and methanol working fluid](#) [View article](#), [Experimental study of thermoelectric cooler box using heat sink with u-shape heat pipe and methanol working fluid PDF](#), [Experimental study of thermoelectric cooler box using heat sink with u-shape heat pipe and methanol working fluid](#)

012034

THE FOLLOWING ARTICLE IS OPEN ACCESS

[The effect of molecular dynamic energy of photocatalysts on hydrogen production](#)

Yepy Komaril Sofi'i, Eko Siswanto, Winarto and I Nyoman Gede Wardana

[Open abstract](#), [The effect of molecular dynamic energy of photocatalysts on hydrogen production](#) [View article](#), [The effect of molecular dynamic energy of photocatalysts on hydrogen production PDF](#), [The effect of molecular dynamic energy of photocatalysts on hydrogen production](#)

012035

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Application of wavy absorber plate in solar dryer for higher drying speed in solar food dryer](#)

M. Syafwansyah Effendi, Ahmad Hendrawan and M. Khafidz Arifin

[Open abstract](#), [Application of wavy absorber plate in solar dryer for higher drying speed in solar food dryer](#) [View article](#), [Application of wavy absorber plate in solar dryer for higher drying speed in solar food dryer PDF](#), [Application of wavy absorber plate in solar dryer for higher drying speed in solar food dryer](#)

012036

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Robust protein based organic electrocatalyst for hydrogen production through instant noodle wastewater electrolysis](#)

N Willy Satrio, Winarto, Sugiono and ING Wardana

[Open abstract](#), [Robust protein based organic electrocatalyst for hydrogen production through instant noodle wastewater electrolysis](#) [View article](#), [Robust protein based organic electrocatalyst for hydrogen production through instant noodle wastewater electrolysis PDF](#), [Robust protein based organic electrocatalyst for hydrogen production through instant noodle wastewater electrolysis](#)

012037

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Design of the three-phase axial flux generator with eight permanent Neodymium magnets for charging battery 12 Volt](#)

Satryo Budi Utomo, Januar Fery Irawan, Widyono Hadi, N. Indah and Aldhea

[Open abstract](#), [Design of the three-phase axial flux generator with eight permanent Neodymium magnets for charging battery 12 Volt](#) [View article](#), [Design of the three-phase axial flux generator with eight permanent Neodymium magnets for charging battery 12 Volt PDF](#), [Design of the three-phase axial flux generator with eight permanent Neodymium magnets for charging battery 12 Volt](#)

012038

THE FOLLOWING ARTICLE IS OPEN ACCESS

[The effect of sweet orange peel addition into premium gasoline on fuel consumption and flue gas emissions](#)

Musyaroh, Widya Wijayanti and Mega Nur Sasongko

Open abstract, The effect of sweet orange peel addition into premium gasoline on fuel consumption and flue gas emissions View article, The effect of sweet orange peel addition into premium gasoline on fuel consumption and flue gas emissions PDF, The effect of sweet orange peel addition into premium gasoline on fuel consumption and flue gas emissions

012039

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Droplet combustion behavior of crude palm oil-carbon nanoparticles blends](#)

Ena Marlina, Hendry Y. Nanlohy, I Gusti Ketut Puja and Helen Riupassa

Open abstract, Droplet combustion behavior of crude palm oil-carbon nanoparticles blends View article, Droplet combustion behavior of crude palm oil-carbon nanoparticles blends PDF, Droplet combustion behavior of crude palm oil-carbon nanoparticles blends

012040

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Hemicellulose and hexenuronic acid removal selectivity to give boosting effect to ECF bleaching](#)

Trismawati, Hendry Y. Nanlohy, A Zainal, D. Wikanaji and Muji Setiyo

Open abstract, Hemicellulose and hexenuronic acid removal selectivity to give boosting effect to ECF bleaching View article, Hemicellulose and hexenuronic acid removal selectivity to give boosting effect to ECF bleaching PDF, Hemicellulose and hexenuronic acid removal selectivity to give boosting effect to ECF bleaching

012041

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Experimental investigation of the area ratio of double-layer blades as obstacle blades on swirling savonius rotor performance](#)

Indra Herlamba Siregar, Moch Effendy and A R Akhmad Hafizh

Open abstract, Experimental investigation of the area ratio of double-layer blades as obstacle blades on swirling savonius rotor performance View article, Experimental investigation of the area ratio of double-layer blades as obstacle blades on swirling savonius rotor performance PDF, Experimental investigation of the area ratio of double-layer blades as obstacle blades on swirling savonius rotor performance

012042

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Shrouded wind turbine for low wind speed](#)

Muhammad Nasrul and Illa Rizianiza

Open abstract, Shrouded wind turbine for low wind speed View article, Shrouded wind turbine for low wind speed PDF, Shrouded wind turbine for low wind speed

012043

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Evaluation of single stage centrifugal pump performance 103-P-509B after 26300 hours of use](#)

Eflita Yohanna, Khoiri Rozi, Mohamad Endy Yulianto, Hafiz Rachmad Fikri and Anggi Muliyanawan

Open abstract, Evaluation of single stage centrifugal pump performance 103-P-509B after 26300 hours of use View article, Evaluation of single stage centrifugal pump performance 103-P-509B after 26300 hours of use PDF, Evaluation of single stage centrifugal pump performance 103-P-509B after 26300 hours of use

012044

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Analysis of supercapacitor as a battery substitute in motorcycle](#)

Windra Irdianto, Imam Muda Nauri and Moh. Nursalim

[Open abstract](#), [Analysis of supercapacitor as a battery substitute in motorcycle](#) [View article](#), [Analysis of supercapacitor as a battery substitute in motorcycle](#) [PDF](#), [Analysis of supercapacitor as a battery substitute in motorcycle](#)

012045

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Characterization of heat transfer on concentric tube heat exchanger using ethylene glycol/TiO₂ nanofluid](#)

Herry Irawansyah, Abdul Ghofur, Rachmat Subagyo, Mastiadi Tamjidillah, Bagus Harits

Pratama, Bakti Suroso and Budi Santoso Wibowo

[Open abstract](#), [Characterization of heat transfer on concentric tube heat exchanger using ethylene glycol/TiO₂ nanofluid](#) [View article](#), [Characterization of heat transfer on concentric tube heat exchanger using ethylene glycol/TiO₂ nanofluid](#) [PDF](#), [Characterization of heat transfer on concentric tube heat exchanger using ethylene glycol/TiO₂ nanofluid](#)

012046

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Co-combustion characteristics of low-rank coal mixed with candlenut shell by using Thermogravimetry analysis - differential thermal analysis](#)

Daud Patabang, Jeri T. Siang and Basri

[Open abstract](#), [Co-combustion characteristics of low-rank coal mixed with candlenut shell by using Thermogravimetry analysis - differential thermal analysis](#) [View article](#), [Co-combustion characteristics of low-rank coal mixed with candlenut shell by using Thermogravimetry analysis - differential thermal analysis](#) [PDF](#), [Co-combustion characteristics of low-rank coal mixed with candlenut shell by using Thermogravimetry analysis - differential thermal analysis](#)

012047

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Gas-solid two phase flow simulation in rectangular riser](#)

Is Bunyamin Suryo, Tri Yogi Yuwono and Uwe Schnell

[Open abstract](#), [Gas-solid two phase flow simulation in rectangular riser](#) [View article](#), [Gas-solid two phase flow simulation in rectangular riser](#) [PDF](#), [Gas-solid two phase flow simulation in rectangular riser](#)

012048

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Modelling of load variation effect on the steam power plant heat rate and performance using Gatecycle](#)

Nurdin Hasananto, Djarot B Darmadi and Lilis Yuliati

[Open abstract](#), [Modelling of load variation effect on the steam power plant heat rate and performance using Gatecycle](#) [View article](#), [Modelling of load variation effect on the steam power plant heat rate and performance using Gatecycle](#) [PDF](#), [Modelling of load variation effect on the steam power plant heat rate and performance using Gatecycle](#)

012049

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Performance evaluation of vertical axis hydrokinetic turbine \(VAHT\) helical blade using duct system for low current speed application](#)

Zain Amarta and Abdi Ismail

[Open abstract](#), [Performance evaluation of vertical axis hydrokinetic turbine \(VAHT\) helical blade using duct system for low current speed application](#) [View article](#), [Performance evaluation of vertical axis hydrokinetic turbine \(VAHT\) helical blade using duct system for low current speed](#)

application PDF, Performance evaluation of vertical axis hydrokinetic turbine (VAHT) helical blade using duct system for low current speed application

012050

THE FOLLOWING ARTICLE IS OPEN ACCESS

Evaluation of ohmic heating for sterilization of berry-like fruit juice of mulberry (*Morus nigra*), bignay (*Antidesma bunius*), and jambolana (*Syzygium cumini*)

Gemala Hardinasinta, S. Salengke, Mursalim and Junaedi Muhidong

Open abstract, Evaluation of ohmic heating for sterilization of berry-like fruit juice of mulberry (*Morus nigra*), bignay (*Antidesma bunius*), and jambolana (*Syzygium cumini*) View

article, Evaluation of ohmic heating for sterilization of berry-like fruit juice of mulberry (*Morus nigra*), bignay (*Antidesma bunius*), and jambolana (*Syzygium cumini*) PDF, Evaluation of ohmic heating for sterilization of berry-like fruit juice of mulberry (*Morus nigra*), bignay (*Antidesma bunius*), and jambolana (*Syzygium cumini*)

012051

THE FOLLOWING ARTICLE IS OPEN ACCESS

Development of IoT to regulate burning in FCC regenerators

Tanwir Ahmad Farhan, Ahmad Indra Siswнатara, Budiарso, Candra Damis Widiawati, Abdullah Robbani, M. Hilman Gumelar Syafei, Hariyotejo Pujowidodo and Gun Gun Ramdhan Gunadi

Open abstract, Development of IoT to regulate burning in FCC regenerators View

article, Development of IoT to regulate burning in FCC regenerators PDF, Development of IoT to regulate burning in FCC regenerators

012052

THE FOLLOWING ARTICLE IS OPEN ACCESS

Effect of performance generator set 1.5 PK 4 stroke with variations in load and type of spark plugs

Permana Andi Paristiawan, Bantu Hotsan Simanullang and Saefudin

Open abstract, Effect of performance generator set 1.5 PK 4 stroke with variations in load and type of spark plugs View article, Effect of performance generator set 1.5 PK 4 stroke with variations in

load and type of spark plugs PDF, Effect of performance generator set 1.5 PK 4 stroke with variations in load and type of spark plugs

012053

THE FOLLOWING ARTICLE IS OPEN ACCESS

Design of 6S8P axial flux permanent magnet brushless DC motor with double-sided rotor

Satryo Budi Utomo, Januar Fery Irawan, Widyono Hadi and BA Sastiko

Open abstract, Design of 6S8P axial flux permanent magnet brushless DC motor with double-sided rotor View article, Design of 6S8P axial flux permanent magnet brushless DC motor with double-

sided rotor PDF, Design of 6S8P axial flux permanent magnet brushless DC motor with double-sided rotor

012054

THE FOLLOWING ARTICLE IS OPEN ACCESS

The use of direct deposition electrospinning process in ZnO nanofiber fabrication as double layer (TiO₂/ZnO) DSSC: variation of solution flow rate

Singgih Dwi Prasetyo, Syamsul Hadi and Zainal Arifin

Open abstract, The use of direct deposition electrospinning process in ZnO nanofiber fabrication as double layer (TiO₂/ZnO) DSSC: variation of solution flow rate View article, The use of direct

deposition electrospinning process in ZnO nanofiber fabrication as double layer (TiO₂/ZnO) DSSC: variation of solution flow rate PDF, The use of direct deposition electrospinning process in ZnO nanofiber fabrication as double layer (TiO₂/ZnO) DSSC: variation of solution flow rate

012055

THE FOLLOWING ARTICLE IS OPEN ACCESS

The influence the applied of social restrictions large scale covid-19 the use of the motor vehicle and industry fuel oil consumption and the air quality in the Surabaya City

Muhaji, Wayan Susila, Aris Ansori, Mohammad Effendy and Heru Arizal

Open abstract, The influence the applied of social restrictions large scale covid-19 the use of the motor vehicle and industry fuel oil consumption and the air quality in the Surabaya City View article, The influence the applied of social restrictions large scale covid-19 the use of the motor vehicle and industry fuel oil consumption and the air quality in the Surabaya City PDF, The influence the applied of social restrictions large scale covid-19 the use of the motor vehicle and industry fuel oil consumption and the air quality in the Surabaya City

012056

THE FOLLOWING ARTICLE IS OPEN ACCESS

Optimization of manganese ferrite/distilled water parameter design on heat exchanger using RSM and CFD

Avita Ayu Permanasari, Muhammad Taufiq Affandi, Sukarni, Poppy Puspitasari and Mirza Abdillah

Open abstract, Optimization of manganese ferrite/distilled water parameter design on heat exchanger using RSM and CFD View article, Optimization of manganese ferrite/distilled water parameter design on heat exchanger using RSM and CFD PDF, Optimization of manganese ferrite/distilled water parameter design on heat exchanger using RSM and CFD

012057

THE FOLLOWING ARTICLE IS OPEN ACCESS

Nanofluid NiO-H₂O on heat exchanger using Taguchi optimization and numerical simulation

Nesy Cahya Ramadhanty, Avita Ayu Permanasari, Poppy Puspitasari, Sukarni and Moch Agus Choiron

Open abstract, Nanofluid NiO-H₂O on heat exchanger using Taguchi optimization and numerical simulation View article, Nanofluid NiO-H₂O on heat exchanger using Taguchi optimization and numerical simulation PDF, Nanofluid NiO-H₂O on heat exchanger using Taguchi optimization and numerical simulation

012058

THE FOLLOWING ARTICLE IS OPEN ACCESS

Two-phase SPH for sloshing simulation in prismatic tank

Andi Trimulyono, Deddy Chrismianto, Samuel and Muhammad Iqbal

Open abstract, Two-phase SPH for sloshing simulation in prismatic tank View article, Two-phase SPH for sloshing simulation in prismatic tank PDF, Two-phase SPH for sloshing simulation in prismatic tank

012059

THE FOLLOWING ARTICLE IS OPEN ACCESS

Study of catalyst support utilization on ZnO-based solid catalyst to its activity at transesterification of Kesambi (*Schleichera oleosa*) oil

Nyoman Puspa Asri, Rahaju Saraswati, Herman Hindarso, Suprpto, Yustia Wulandari Mirzayanti and Rachmad Ramadhan Yogaswara

Open abstract, Study of catalyst support utilization on ZnO-based solid catalyst to its activity at transesterification of Kesambi (*Schleichera oleosa*) oil View article, Study of catalyst support utilization on ZnO-based solid catalyst to its activity at transesterification of Kesambi (*Schleichera oleosa*) oil PDF, Study of catalyst support utilization on ZnO-based solid catalyst to its activity at transesterification of Kesambi (*Schleichera oleosa*) oil

012060

THE FOLLOWING ARTICLE IS OPEN ACCESS

Experimental investigation on the effect of carbon chain length to the droplet combustion characteristic of fatty acid methyl ester

Ibrahim Ahmad Ibadurrohman, Nurkholis Hamidi, Lilis Yuliati and Benedict Amadeus Valentino

[Open abstract](#), [Experimental investigation on the effect of carbon chain length to the droplet combustion characteristic of fatty acid methyl ester](#) [View article](#), [Experimental investigation on the effect of carbon chain length to the droplet combustion characteristic of fatty acid methyl ester PDF](#), [Experimental investigation on the effect of carbon chain length to the droplet combustion characteristic of fatty acid methyl ester](#)

012061

THE FOLLOWING ARTICLE IS OPEN ACCESS

Heat balance simulation for evaluating a 315 MW low rank coal-fired power plant performance

Is Bunyamin Suryo, Ari Kurniawan Saputra, Wawan Aries Widodo, Nur Ikhwan and Zainal Maskur

[Open abstract](#), [Heat balance simulation for evaluating a 315 MW low rank coal-fired power plant performance](#) [View article](#), [Heat balance simulation for evaluating a 315 MW low rank coal-fired power plant performance PDF](#), [Heat balance simulation for evaluating a 315 MW low rank coal-fired power plant performance](#)

012062

THE FOLLOWING ARTICLE IS OPEN ACCESS

Goose foot water turbine performance with variation of fins quantity and turbine depth using computational fluid dynamics (CFD) approach

Retno Wulandari, Pingkan Sihassaleh, Ramadani, Rofik Pribawanto, Abdurrahman Zaqi

Habibie, Muhammad Najib Mauludi, Yusuf Prasetyo Gemilang and Mochammad Fafa Al Fikkri

[Open abstract](#), [Goose foot water turbine performance with variation of fins quantity and turbine depth using computational fluid dynamics \(CFD\) approach](#) [View article](#), [Goose foot water turbine performance with variation of fins quantity and turbine depth using computational fluid dynamics \(CFD\) approach PDF](#), [Goose foot water turbine performance with variation of fins quantity and turbine depth using computational fluid dynamics \(CFD\) approach](#)

012063

THE FOLLOWING ARTICLE IS OPEN ACCESS

Study on the inlet air velocity on the refrigerated container; comparison between flat floor and T-bar floor

Muhammad Arif Budiyo and Nadhilah Suheriyanto

[Open abstract](#), [Study on the inlet air velocity on the refrigerated container; comparison between flat floor and T-bar floor](#) [View article](#), [Study on the inlet air velocity on the refrigerated container; comparison between flat floor and T-bar floor PDF](#), [Study on the inlet air velocity on the refrigerated container; comparison between flat floor and T-bar floor](#)

012064

THE FOLLOWING ARTICLE IS OPEN ACCESS

Study on the effectiveness of a stern-foil on a multi-chine hulls

Muhammad Arif Budiyo, Hadi Tresno Wibowo, Fadhil Naufal and Rizqy Obindias

[Open abstract](#), [Study on the effectiveness of a stern-foil on a multi-chine hulls](#) [View article](#), [Study on the effectiveness of a stern-foil on a multi-chine hulls PDF](#), [Study on the effectiveness of a stern-foil on a multi-chine hulls](#)

012065

THE FOLLOWING ARTICLE IS OPEN ACCESS

Computational fluid dynamics heat transfer analysis of double pipe heat exchanger using nanofluid MnFe_2O_4 with ethylene glycol/water

Avita Ayu Permanasari, Muhammad Hilmi Rusli, Poppy Puspitasari, Sukarni Sukarni and Mirza Abdillah

[Open abstract](#), [Computational fluid dynamics heat transfer analysis of double pipe heat exchanger using nanofluid MnFe2O4 with ethylene glycol/water](#) [View article](#), [Computational fluid dynamics heat transfer analysis of double pipe heat exchanger using nanofluid MnFe2O4 with ethylene glycol/water](#) [PDF](#), [Computational fluid dynamics heat transfer analysis of double pipe heat exchanger using nanofluid MnFe2O4 with ethylene glycol/water](#)

012066

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Reducing non-productive time of mud pump with acoustic emission monitoring techniques on fluid end parts](#)

Hilman Hilmawan and Hasan Basri

[Open abstract](#), [Reducing non-productive time of mud pump with acoustic emission monitoring techniques on fluid end parts](#) [View article](#), [Reducing non-productive time of mud pump with acoustic emission monitoring techniques on fluid end parts](#) [PDF](#), [Reducing non-productive time of mud pump with acoustic emission monitoring techniques on fluid end parts](#)

Energy Conservation

012067

THE FOLLOWING ARTICLE IS OPEN ACCESS

[An experimental investigation of sea water distillation using flat absorber plate and fin absorber plate with PCM storage](#)

Ismayati Sutina Azis, Syukri Himran, Jalaluddin and M. Anis Ilahi Rahmadhani

[Open abstract](#), [An experimental investigation of sea water distillation using flat absorber plate and fin absorber plate with PCM storage](#) [View article](#), [An experimental investigation of sea water distillation using flat absorber plate and fin absorber plate with PCM storage](#) [PDF](#), [An experimental investigation of sea water distillation using flat absorber plate and fin absorber plate with PCM storage](#)

012068

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Induction stoves: An option for clean and efficient cooking in Indonesia](#)

Yuant Tiandho, Anisa Indriawati, Aning K. Putri and Fitri Afriani

[Open abstract](#), [Induction stoves: An option for clean and efficient cooking in Indonesia](#) [View article](#), [Induction stoves: An option for clean and efficient cooking in Indonesia](#) [PDF](#), [Induction stoves: An option for clean and efficient cooking in Indonesia](#)

012069

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Characterization of fuel oil from pyrolysis waste light density polyethylene \(LDPE\) and polypropylene \(PP\)](#)

Adhi Setiawan, Vivin Setiani and Okta Salsha Mazdhatina

[Open abstract](#), [Characterization of fuel oil from pyrolysis waste light density polyethylene \(LDPE\) and polypropylene \(PP\)](#) [View article](#), [Characterization of fuel oil from pyrolysis waste light density polyethylene \(LDPE\) and polypropylene \(PP\)](#) [PDF](#), [Characterization of fuel oil from pyrolysis waste light density polyethylene \(LDPE\) and polypropylene \(PP\)](#)

012070

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Optimization of controller frequency in wind-turbine based on hybrid PSO-ANFIS](#)

Machrus Ali, Budiman, Arif Rahman Sujatmika and Aji Akbar Firdaus

[Open abstract](#), [Optimization of controller frequency in wind-turbine based on hybrid PSO-ANFIS View article](#), [Optimization of controller frequency in wind-turbine based on hybrid PSO-ANFIS PDF](#), [Optimization of controller frequency in wind-turbine based on hybrid PSO-ANFIS](#)

012071

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Performance of diesel engine using cooking oil biodiesel \(B20\) with additional bioaditive essential oils \(Eucalyptus\)](#)

Avita Ayu Permanasari, Sukarni Sukarni, Retno Wulandari, Nurkholis Hamidi, Ramadani Ramadani and Muhammad Najib Mauludi

[Open abstract](#), [Performance of diesel engine using cooking oil biodiesel \(B20\) with additional bioaditive essential oils \(Eucalyptus\) View article](#), [Performance of diesel engine using cooking oil biodiesel \(B20\) with additional bioaditive essential oils \(Eucalyptus\) PDF](#), [Performance of diesel engine using cooking oil biodiesel \(B20\) with additional bioaditive essential oils \(Eucalyptus\)](#)

012072

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Identification of gradient temperature and heat flow area of geothermal Ijen Volcano Indonesia](#)

Akhmad Afandi, Nuraini Lusi, IGNB Catrawedarma, M. Badarus Zaman and Subono

[Open abstract](#), [Identification of gradient temperature and heat flow area of geothermal Ijen Volcano Indonesia View article](#), [Identification of gradient temperature and heat flow area of geothermal Ijen Volcano Indonesia PDF](#), [Identification of gradient temperature and heat flow area of geothermal Ijen Volcano Indonesia](#)

012073

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Application of factorial design to analyse the effect of brick powder size on biogas purification results](#)

Slamet Wahyudi, Abu Lais and Redi Bintarto

[Open abstract](#), [Application of factorial design to analyse the effect of brick powder size on biogas purification results View article](#), [Application of factorial design to analyse the effect of brick powder size on biogas purification results PDF](#), [Application of factorial design to analyse the effect of brick powder size on biogas purification results](#)

012074

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Investigation of briquette derived from *Pterocarpus indicus* leaves and rejected pineapples as inedible sources of renewable energy](#)

Gabriel J. Gotama, Willyanto Anggono, Sutrisno, Fandi D. Suprianto, Ninuk Jonoadji and F.X. Yulio Arifin

[Open abstract](#), [Investigation of briquette derived from *Pterocarpus indicus* leaves and rejected pineapples as inedible sources of renewable energy View article](#), [Investigation of briquette derived from *Pterocarpus indicus* leaves and rejected pineapples as inedible sources of renewable energy PDF](#), [Investigation of briquette derived from *Pterocarpus indicus* leaves and rejected pineapples as inedible sources of renewable energy](#)

012075

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Adding the activated carbon of rice husk to increase hydrogen production on water electrolysis](#)

Purnami, ING. Wardana, Sudjito, Denny Widhiyanuriyawan and Nurkholis Hamidi

[Open abstract](#), [Adding the activated carbon of rice husk to increase hydrogen production on water electrolysis View article](#), [Adding the activated carbon of rice husk to increase hydrogen production](#)

on water electrolysis PDF, Adding the activated carbon of rice husk to increase hydrogen production on water electrolysis

012076

THE FOLLOWING ARTICLE IS OPEN ACCESS

The effect of palm biodiesel composition on the physical properties of *Calophylluminophyllum*-palm biodiesel mixture

Wahyudi Wahyudi, Muhammad Nadjib, Mila C Novela and Ornelia D Aprilia

Open abstract, The effect of palm biodiesel composition on the physical properties of *Calophylluminophyllum*-palm biodiesel mixture View article, The effect of palm biodiesel composition on the physical properties of *Calophylluminophyllum*-palm biodiesel mixture PDF, The effect of palm biodiesel composition on the physical properties of *Calophylluminophyllum*-palm biodiesel mixture

012077

THE FOLLOWING ARTICLE IS OPEN ACCESS

The effect of using jackfruit seed adhesives on the characteristics of corncob waste briquettes

Abdul Ghofur, Mastiadi Tamjidillah, Rachmat Subagyo, Herry Irawansyah and Ibrahim Hasan

Open abstract, The effect of using jackfruit seed adhesives on the characteristics of corncob waste briquettes View article, The effect of using jackfruit seed adhesives on the characteristics of corncob waste briquettes PDF, The effect of using jackfruit seed adhesives on the characteristics of corncob waste briquettes

012078

THE FOLLOWING ARTICLE IS OPEN ACCESS

Determining firefly ideal parameter for tuning Kp, Ki, And Kd parameter in photovoltaic application

Machrus Ali, Hidayatul Nurohmah, Budiman, Hadi Suyono, Muhammad Aziz Muslim, Yanuar Mahfudz Safarudin and Aji Akbar Firdaus

Open abstract, Determining firefly ideal parameter for tuning Kp, Ki, And Kd parameter in photovoltaic application View article, Determining firefly ideal parameter for tuning Kp, Ki, And Kd parameter in photovoltaic application PDF, Determining firefly ideal parameter for tuning Kp, Ki, And Kd parameter in photovoltaic application

012079

THE FOLLOWING ARTICLE IS OPEN ACCESS

Effect of activated carbon catalyst on the cracking of biomass molecules into light hydrocarbons in biomass pyrolysis

Teguh Suprianto, Winarto, Widya Wijayanti and ING Wardana

Open abstract, Effect of activated carbon catalyst on the cracking of biomass molecules into light hydrocarbons in biomass pyrolysis View article, Effect of activated carbon catalyst on the cracking of biomass molecules into light hydrocarbons in biomass pyrolysis PDF, Effect of activated carbon catalyst on the cracking of biomass molecules into light hydrocarbons in biomass pyrolysis

012080

THE FOLLOWING ARTICLE IS OPEN ACCESS

Assessment of combustion behaviour of carbonize bio-briquette wood residue under different pressure and particle size

Apip Amrullah, Akhmad Syarif and Ahmad Fauzianur

Open abstract, Assessment of combustion behaviour of carbonize bio-briquette wood residue under different pressure and particle size View article, Assessment of combustion behaviour of carbonize bio-briquette wood residue under different pressure and particle size PDF, Assessment of

combustion behaviour of carbonize bio-briquette wood residue under different pressure and particle size

012081

THE FOLLOWING ARTICLE IS OPEN ACCESS

Preliminary study of FCC design for palm-based biofuel production through heat balance analysis

M. Hilman Gumelar Syafei, Ahmad Indra Siswantara, Budiarto, Candra Damis Widiawaty, Tanwir Ahmad Farhan, Hariyotejo Pujowidodo and Gun Gun Ramdhan Gunadi

Open abstract, Preliminary study of FCC design for palm-based biofuel production through heat balance analysis View article, Preliminary study of FCC design for palm-based biofuel production through heat balance analysis PDF, Preliminary study of FCC design for palm-based biofuel production through heat balance analysis

012082

THE FOLLOWING ARTICLE IS OPEN ACCESS

Effect of natural zeolite on biomass pyrolysis

Mokh. Hairul Bahri

Open abstract, Effect of natural zeolite on biomass pyrolysis View article, Effect of natural zeolite on biomass pyrolysis PDF, Effect of natural zeolite on biomass pyrolysis

012083

THE FOLLOWING ARTICLE IS OPEN ACCESS

The influence of increased carbon content on the number of electrons in dye-sensitized solar cell (DSSC)

Prihanto Trihutomo and Marji

Open abstract, The influence of increased carbon content on the number of electrons in dye-sensitized solar cell (DSSC) View article, The influence of increased carbon content on the number of electrons in dye-sensitized solar cell (DSSC) PDF, The influence of increased carbon content on the number of electrons in dye-sensitized solar cell (DSSC)

012084

THE FOLLOWING ARTICLE IS OPEN ACCESS

The effect of the variation of glass thickness and angle tilt on the performance of the double cover solar water collector

Muhammad Nizar Ramadhan, Rachmat Subagyo, Muhammad Haris Sa'dillah and Andy Nugraha

Open abstract, The effect of the variation of glass thickness and angle tilt on the performance of the double cover solar water collector View article, The effect of the variation of glass thickness and angle tilt on the performance of the double cover solar water collector PDF, The effect of the variation of glass thickness and angle tilt on the performance of the double cover solar water collector

012085

THE FOLLOWING ARTICLE IS OPEN ACCESS

The potential of energy production and greenhouse gases emissions reduction of dairy farm biogas production

Jatmiko Wahyudi

Open abstract, The potential of energy production and greenhouse gases emissions reduction of dairy farm biogas production View article, The potential of energy production and greenhouse gases emissions reduction of dairy farm biogas production PDF, The potential of energy production and greenhouse gases emissions reduction of dairy farm biogas production

012086

THE FOLLOWING ARTICLE IS OPEN ACCESS

Optimizing production of biodiesel from Nyamplung oil with microwave power setting

Sri Kurniati, Nursalim, Wellem F. Galla and Sudirman Syam

[Open abstract](#), [Optimizing production of biodiesel from Nyamplung oil with microwave power setting](#) [View article](#), [Optimizing production of biodiesel from Nyamplung oil with microwave power setting](#) [PDF](#), [Optimizing production of biodiesel from Nyamplung oil with microwave power setting](#)

Manufacture and Production Engineering

012087

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Carbon fibers recovery from CFRP recycling process and their usage: A review](#)

Heru Sukanto, Wijang Wisnu Raharjo, Dody Ariawan and Joko Triyono

[Open abstract](#), [Carbon fibers recovery from CFRP recycling process and their usage: A review](#) [View article](#), [Carbon fibers recovery from CFRP recycling process and their usage: A review](#) [PDF](#), [Carbon fibers recovery from CFRP recycling process and their usage: A review](#)

012088

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Clearance effect on the sheared edge characteristics of key chain cranioplasty plate in the punching process](#)

Didin Zakariya Lubis, Suprayitno, Khoiruddin Asfani and Muhammad Baril Cholif Arrahman

[Open abstract](#), [Clearance effect on the sheared edge characteristics of key chain cranioplasty plate in the punching process](#) [View article](#), [Clearance effect on the sheared edge characteristics of key chain cranioplasty plate in the punching process](#) [PDF](#), [Clearance effect on the sheared edge characteristics of key chain cranioplasty plate in the punching process](#)

012089

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Characteristics of ZnO nanofiber in double Layer \(TiO₂ / ZnO\) DSSC results of direct deposition electrospinning manufacturing: Variation of tip to collector distance](#)

Zainal Arifin, Syamsul Hadi, Suyitno and Singgih Dwi Prasetyo

[Open abstract](#), [Characteristics of ZnO nanofiber in double Layer \(TiO₂ / ZnO\) DSSC results of direct deposition electrospinning manufacturing: Variation of tip to collector distance](#) [View article](#), [Characteristics of ZnO nanofiber in double Layer \(TiO₂ / ZnO\) DSSC results of direct deposition electrospinning manufacturing: Variation of tip to collector distance](#) [PDF](#), [Characteristics of ZnO nanofiber in double Layer \(TiO₂ / ZnO\) DSSC results of direct deposition electrospinning manufacturing: Variation of tip to collector distance](#)

012090

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Waste analysis in aircraft production process](#)

Astuteryanti Tri Lustyana, Sri Widiyawati, Rio Prasetyo Lukodono, Angga Akbar Fanani and Feby Puspita

[Open abstract](#), [Waste analysis in aircraft production process](#) [View article](#), [Waste analysis in aircraft production process](#) [PDF](#), [Waste analysis in aircraft production process](#)

012091

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Controlling droplet behaviour and quality of DoD inkjet printer by designing actuation waveform for multi-drop method](#)

Oke Oktavianty, Yoshie Ishii, Shigeyuki Haruyama, Tadayuki Kyoutani, Zefry Darmawan and Suluh Elman Swara

[Open abstract](#), [Controlling droplet behaviour and quality of DoD inkjet printer by designing actuation waveform for multi-drop method](#) [View article](#), [Controlling droplet behaviour and quality of DoD inkjet printer by designing actuation waveform for multi-drop method](#) [PDF](#), [Controlling droplet behaviour and quality of DoD inkjet printer by designing actuation waveform for multi-drop method](#)

012092

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Automating CAD for creating assembly structure from Bill of Materials](#)

Nanang Ali Sutisna and Nasir Widha Setyanto

[Open abstract](#), [Automating CAD for creating assembly structure from Bill of Materials](#) [View article](#), [Automating CAD for creating assembly structure from Bill of Materials](#) [PDF](#), [Automating CAD for creating assembly structure from Bill of Materials](#)

012093

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Synthesis and characterization of \$\text{CaCo}_3/\text{CaO}\$ from *Achatina fulica* in various sintering time](#)

Poppy Puspitasari, Andre Faiz Fauzi, Hendra Susanto, Avita Ayu Permanasari, Rara Warih

Gayatri, Jeefferie Abdul Razak and Muhammad Mirza Abdillah Pratama

[Open abstract](#), [Synthesis and characterization of \$\text{CaCo}_3/\text{CaO}\$ from *Achatina fulica* in various sintering time](#) [View article](#), [Synthesis and characterization of \$\text{CaCo}_3/\text{CaO}\$ from *Achatina fulica* in various sintering time](#) [PDF](#), [Synthesis and characterization of \$\text{CaCo}_3/\text{CaO}\$ from *Achatina fulica* in various sintering time](#)

012094

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Optimization of fused deposition modeling parameters for hips flexural strength with Taguchi method](#)

Yopi Yusuf Tanoto, Juliana Anggono and Fefe

[Open abstract](#), [Optimization of fused deposition modeling parameters for hips flexural strength with Taguchi method](#) [View article](#), [Optimization of fused deposition modeling parameters for hips flexural strength with Taguchi method](#) [PDF](#), [Optimization of fused deposition modeling parameters for hips flexural strength with Taguchi method](#)

012095

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Simulation of manufacturing strategy of an orthotic boots shoe insole product with a Computer-Aided Manufacturing for club foot patient](#)

P.K. Fergiawan, P.W. Anggoro, A.A. Anthony, M. Tauviquirrahman, Jamari and A.P. Bayuseno

[Open abstract](#), [Simulation of manufacturing strategy of an orthotic boots shoe insole product with a Computer-Aided Manufacturing for club foot patient](#) [View article](#), [Simulation of manufacturing strategy of an orthotic boots shoe insole product with a Computer-Aided Manufacturing for club foot patient](#) [PDF](#), [Simulation of manufacturing strategy of an orthotic boots shoe insole product with a Computer-Aided Manufacturing for club foot patient](#)

012096

THE FOLLOWING ARTICLE IS OPEN ACCESS

[The effect of layer height on the surface roughness in 3D Printed Polylactic Acid \(PLA\) using FDM 3D printing](#)

Redyarsa Dharma Bintara, Didin Zakariya Lubis and Yanuar Rohmat Aji Pradana

[Open abstract](#), [The effect of layer height on the surface roughness in 3D Printed Polylactic Acid \(PLA\) using FDM 3D printing](#) [View article](#), [The effect of layer height on the surface roughness in 3D Printed](#)

Polylactic Acid (PLA) using FDM 3D printing PDF, The effect of layer height on the surface roughness in 3D Printed Polylactic Acid (PLA) using FDM 3D printing

012097

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Analysis of coolant temperature and injection time effect on the product quality in injection moulding using the Finite Element Method \(FEM\)](#)

Revangga Anjar Achmaed Pratama, Aminnudin, Yanuar Rohmat Aji Pradana and Nurul Afifah
[Open abstract](#), [Analysis of coolant temperature and injection time effect on the product quality in injection moulding using the Finite Element Method \(FEM\)](#) [View article](#), [Analysis of coolant temperature and injection time effect on the product quality in injection moulding using the Finite Element Method \(FEM\)](#) PDF, [Analysis of coolant temperature and injection time effect on the product quality in injection moulding using the Finite Element Method \(FEM\)](#)

012098

THE FOLLOWING ARTICLE IS OPEN ACCESS

[The effect of ship replating welding process on floating conditions against strength value](#)

Andri Djumiati, Achmad Zubaydi, Wing Hendroprasetyo Akbar Putra and Abdi Ismail
[Open abstract](#), [The effect of ship replating welding process on floating conditions against strength value](#) [View article](#), [The effect of ship replating welding process on floating conditions against strength value](#) PDF, [The effect of ship replating welding process on floating conditions against strength value](#)

012099

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Performance of TiAlN PVD coated carbide tool in machining AISI 4340 with Minimum Quantity Lubrication \(MQL\) condition](#)

Mahros Darsin, Rika Dwi Hidayatul Qoryah, Robertus Sidartawan, Allen Luvandy, Aris Zainul Muttaqin and Dwi Djumhariyanto
[Open abstract](#), [Performance of TiAlN PVD coated carbide tool in machining AISI 4340 with Minimum Quantity Lubrication \(MQL\) condition](#) [View article](#), [Performance of TiAlN PVD coated carbide tool in machining AISI 4340 with Minimum Quantity Lubrication \(MQL\) condition](#) PDF, [Performance of TiAlN PVD coated carbide tool in machining AISI 4340 with Minimum Quantity Lubrication \(MQL\) condition](#)

012100

THE FOLLOWING ARTICLE IS OPEN ACCESS

[An analysis of frictional coefficient and surface roughness in surface grinding of SKD 11 tool steel using Minimum Quantity Lubrication \(MQL\) and dry techniques](#)

M. Khoirul Effendi, Bobby O. P. Soepangkat, Rachmadi Noorcahyo, I Made Londen Batan, Arif Wahyudi and Dinny Harnany
[Open abstract](#), [An analysis of frictional coefficient and surface roughness in surface grinding of SKD 11 tool steel using Minimum Quantity Lubrication \(MQL\) and dry techniques](#) [View article](#), [An analysis of frictional coefficient and surface roughness in surface grinding of SKD 11 tool steel using Minimum Quantity Lubrication \(MQL\) and dry techniques](#) PDF, [An analysis of frictional coefficient and surface roughness in surface grinding of SKD 11 tool steel using Minimum Quantity Lubrication \(MQL\) and dry techniques](#)

012101

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Spring back analysis of pipe coil manufacturing using conventional lathe machine](#)

Rahmat Subarkah, Ghany Heryana, Kristian, Moh Sholeh, Fuad Zainuri and Candra Damis Widiawaty

[Open abstract](#), [Spring back analysis of pipe coil manufacturing using conventional lathe machine](#) [View article](#), [Spring back analysis of pipe coil manufacturing using conventional lathe machine](#) [PDF](#), [Spring back analysis of pipe coil manufacturing using conventional lathe machine](#)

012102

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Minimization of thrust force and surface roughness during MQL coolant drilling on tool steel using BPNN-ACO](#)

Rachmadi Norcahyo, Iqbal Faishal Rokhmad, Muslim Mahardika, Bobby Oeddy Pramodyo Soepangkat and Fathi Robbany

[Open abstract](#), [Minimization of thrust force and surface roughness during MQL coolant drilling on tool steel using BPNN-ACO](#) [View article](#), [Minimization of thrust force and surface roughness during MQL coolant drilling on tool steel using BPNN-ACO](#) [PDF](#), [Minimization of thrust force and surface roughness during MQL coolant drilling on tool steel using BPNN-ACO](#)

012103

THE FOLLOWING ARTICLE IS OPEN ACCESS

[BPNN-ACO application on minimization of hole delamination during GFRP drilling process](#)

Rachmadi Norcahyo, Iqbal Faishal Rokhmad, Muslim Mahardika, Gesang Nugroho, Bobby Oedy Pramodyo Soepangkat and Fathi Robbany

[Open abstract](#), [BPNN-ACO application on minimization of hole delamination during GFRP drilling process](#) [View article](#), [BPNN-ACO application on minimization of hole delamination during GFRP drilling process](#) [PDF](#), [BPNN-ACO application on minimization of hole delamination during GFRP drilling process](#)

012104

THE FOLLOWING ARTICLE IS OPEN ACCESS

[The study of surface roughness and material removal rate using electrical discharge machining on copper-electroplated aluminium under discharge current and pulse-on time variation](#)

Yanuar Rohmat Aji Pradana, Muhammad Aji Setio Miharjo, Andoko and Wahono

[Open abstract](#), [The study of surface roughness and material removal rate using electrical discharge machining on copper-electroplated aluminium under discharge current and pulse-on time variation](#) [View article](#), [The study of surface roughness and material removal rate using electrical discharge machining on copper-electroplated aluminium under discharge current and pulse-on time variation](#) [PDF](#), [The study of surface roughness and material removal rate using electrical discharge machining on copper-electroplated aluminium under discharge current and pulse-on time variation](#)

012105

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Water jet characteristics in SS400 steel cutting process on surface roughness](#)

Mastiadi Tamjidillah, Rachmat Subagyo, Abdul Ghofur and Herry Irawansyah

[Open abstract](#), [Water jet characteristics in SS400 steel cutting process on surface roughness](#) [View article](#), [Water jet characteristics in SS400 steel cutting process on surface roughness](#) [PDF](#), [Water jet characteristics in SS400 steel cutting process on surface roughness](#)

012106

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Electrode wear investigation on sinking-electrical discharge machining of Cu-electroplated Al: Discharge current and pulse-on time effect](#)

Yanuar Rohmat Aji Pradana, Udin Syamsudin, Andoko, Agus Suyetno and Redyarsa Dharma Bintara

[Open abstract](#), [Electrode wear investigation on sinking-electrical discharge machining of Cu-electroplated Al: Discharge current and pulse-on time effect](#) [View article](#), [Electrode wear](#)

investigation on sinking-electrical discharge machining of Cu-electroplated Al: Discharge current and pulse-on time effect PDF, Electrode wear investigation on sinking-electrical discharge machining of Cu-electroplated Al: Discharge current and pulse-on time effect

012107

THE FOLLOWING ARTICLE IS OPEN ACCESS

Taguchi-grey-fuzzy method for optimization of turning process parameters with environmentally friendly cooling

Dian Ridlo Pamuji and Nuraini Lusi

Open abstract, Taguchi-grey-fuzzy method for optimization of turning process parameters with environmentally friendly cooling View article, Taguchi-grey-fuzzy method for optimization of turning process parameters with environmentally friendly cooling PDF, Taguchi-grey-fuzzy method for optimization of turning process parameters with environmentally friendly cooling

012108

THE FOLLOWING ARTICLE IS OPEN ACCESS

Modified down sprue and sprue well to improve die casting quality of Sn-Pb alloy

Victor Yuardi Risonarta, Juliana Anggono, Setyo Nugrowibowo, Albert Wibowo and Fendy Utomo

Open abstract, Modified down sprue and sprue well to improve die casting quality of Sn-Pb alloy View article, Modified down sprue and sprue well to improve die casting quality of Sn-Pb alloy PDF, Modified down sprue and sprue well to improve die casting quality of Sn-Pb alloy

012109

THE FOLLOWING ARTICLE IS OPEN ACCESS

Depth estimation for a robotic arm based on monocular images

Fikrul Akbar Alamsyah and Chi-Cheng Cheng

Open abstract, Depth estimation for a robotic arm based on monocular images View article, Depth estimation for a robotic arm based on monocular images PDF, Depth estimation for a robotic arm based on monocular images

Industrial Engineering

012110

THE FOLLOWING ARTICLE IS OPEN ACCESS

Improvement of DEET level of product X using Deming cycle (PDCA Method) in PT Z

Alfi Nurzaki, Arga Santoso, Chano Benawan, Didin Wahyudin and Sugeng Santoso

Open abstract, Improvement of DEET level of product X using Deming cycle (PDCA Method) in PT Z View article, Improvement of DEET level of product X using Deming cycle (PDCA Method) in PT Z PDF, Improvement of DEET level of product X using Deming cycle (PDCA Method) in PT Z

012111

THE FOLLOWING ARTICLE IS OPEN ACCESS

Proposed maintenance policy using reliability centered maintenance (RCM) method with FMECA analysis: A case study of automotive industry

Harits Dzulyadain, Endang Budiasih and Fransiskus Tatas Dwi Atmaji

Open abstract, Proposed maintenance policy using reliability centered maintenance (RCM) method with FMECA analysis: A case study of automotive industry View article, Proposed maintenance policy using reliability centered maintenance (RCM) method with FMECA analysis: A case study of automotive industry PDF, Proposed maintenance policy using reliability centered maintenance (RCM) method with FMECA analysis: A case study of automotive industry

012112

THE FOLLOWING ARTICLE IS OPEN ACCESS

Framework design of decision support system: Improving decision making in fishery supply chain for coastal communities

Wellem Anselmus Teniwut and Cawalinya Livsanthi Hasyim

[Open abstract](#), [Framework design of decision support system: Improving decision making in fishery supply chain for coastal communities](#) [View article](#), [Framework design of decision support system: Improving decision making in fishery supply chain for coastal communities PDF](#), [Framework design of decision support system: Improving decision making in fishery supply chain for coastal communities](#)

012113

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

Database design with product structure, Bill of Material and group technology for supplier decision support systems (*Case study: hand tractor manufacturing*)

Denny Trias Utomo, Mukhamad Angga Gumilang and Purnomo Budi Santoso

[Open abstract](#), [Database design with product structure, Bill of Material and group technology for supplier decision support systems \(Case study: hand tractor manufacturing\)](#) [View article](#), [Database design with product structure, Bill of Material and group technology for supplier decision support systems \(Case study: hand tractor manufacturing\) PDF](#), [Database design with product structure, Bill of Material and group technology for supplier decision support systems \(Case study: hand tractor manufacturing\)](#)

012114

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

Heuristic methods for job shop scheduling: Active schedule generation algorithm, non-delay schedule generation algorithm and heuristic schedule generation algorithm

M. Arul Zaini and Dwi Agustina Kurniawati

[Open abstract](#), [Heuristic methods for job shop scheduling: Active schedule generation algorithm, non-delay schedule generation algorithm and heuristic schedule generation algorithm](#) [View article](#), [Heuristic methods for job shop scheduling: Active schedule generation algorithm, non-delay schedule generation algorithm and heuristic schedule generation algorithm PDF](#), [Heuristic methods for job shop scheduling: Active schedule generation algorithm, non-delay schedule generation algorithm and heuristic schedule generation algorithm](#)

012115

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

Measurement and analysis of productivity in the process of raw material shearing sheet by using matrix objective

Muhamad Sayuti, Annisa Indah Pratiwi and N. Neni Triana

[Open abstract](#), [Measurement and analysis of productivity in the process of raw material shearing sheet by using matrix objective](#) [View article](#), [Measurement and analysis of productivity in the process of raw material shearing sheet by using matrix objective PDF](#), [Measurement and analysis of productivity in the process of raw material shearing sheet by using matrix objective](#)

012116

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

Determination of risk level, remaining life prediction, and risk based inspection planning based on API 581

Alia Agistina, Endang Budiasih and Aji Pramoso

[Open abstract](#), [Determination of risk level, remaining life prediction, and risk based inspection planning based on API 581](#) [View article](#), [Determination of risk level, remaining life prediction, and risk based inspection planning based on API 581 PDF](#), [Determination of risk level, remaining life prediction, and risk based inspection planning based on API 581](#)

012117

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Differences in braking time in symmetric and asymmetric tire tread pattern type](#)

Partono, Fuad Indra Kusuma, Sumarli and Hasan Ismail

[Open abstract](#), [Differences in braking time in symmetric and asymmetric tire tread pattern type](#) [View article](#), [Differences in braking time in symmetric and asymmetric tire tread pattern type PDF](#), [Differences in braking time in symmetric and asymmetric tire tread pattern type](#)

012118

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Pile defect quality control analysis on construction company in East Java](#)

Sri Widiyawati, Rio Prasetyo Lukodono, Astuteryanti Tri Lustyana and Luciana Juliawati

[Open abstract](#), [Pile defect quality control analysis on construction company in East Java](#) [View article](#), [Pile defect quality control analysis on construction company in East Java PDF](#), [Pile defect quality control analysis on construction company in East Java](#)

012119

THE FOLLOWING ARTICLE IS OPEN ACCESS

[A simulation model of shipment planning and storage capacity for wheat material](#)

Lery A Salo and I Vanany

[Open abstract](#), [A simulation model of shipment planning and storage capacity for wheat material](#) [View article](#), [A simulation model of shipment planning and storage capacity for wheat material PDF](#), [A simulation model of shipment planning and storage capacity for wheat material](#)

012120

THE FOLLOWING ARTICLE IS OPEN ACCESS

[The prototype of characterization silica nano particle of rice husk using KOH based on artificial intelligence](#)

Ely Setyo Astuti, ING Wardana, Achmad As'ad Sonief and Sarosa

[Open abstract](#), [The prototype of characterization silica nano particle of rice husk using KOH based on artificial intelligence](#) [View article](#), [The prototype of characterization silica nano particle of rice husk using KOH based on artificial intelligence PDF](#), [The prototype of characterization silica nano particle of rice husk using KOH based on artificial intelligence](#)

012121

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Evaluation of the standard deviation of droplet speed on grey-scale technique of DoD inkjet printer](#)

Oke Oktavianty, Shigeyuki Haruyama, Yoshie Ishii, Tadayuki Kyoutani, Zefry Darmawan, Oyong Novareza and Marudut Sirait

[Open abstract](#), [Evaluation of the standard deviation of droplet speed on grey-scale technique of DoD inkjet printer](#) [View article](#), [Evaluation of the standard deviation of droplet speed on grey-scale technique of DoD inkjet printer PDF](#), [Evaluation of the standard deviation of droplet speed on grey-scale technique of DoD inkjet printer](#)

012122

THE FOLLOWING ARTICLE IS OPEN ACCESS

[K-means clustering on quality of radial run out tires](#)

B. Biantoro and Hernadewita

[Open abstract](#), [K-means clustering on quality of radial run out tires](#) [View article](#), [K-means clustering on quality of radial run out tires PDF](#), [K-means clustering on quality of radial run out tires](#)

012123

THE FOLLOWING ARTICLE IS OPEN ACCESS

Forecasting technology trends based on separation of product inventions and process inventions: The technology S-curve

Koji Masuda and Shigeyuki Haruyama

[Open abstract](#), [Forecasting technology trends based on separation of product inventions and process inventions: The technology S-curve](#) [View article](#), [Forecasting technology trends based on separation of product inventions and process inventions: The technology S-curve](#) [PDF](#), [Forecasting technology trends based on separation of product inventions and process inventions: The technology S-curve](#)

012124

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

Redesign of facility layout to reduce the production line distance in MSE Silver 999

Malang

Mochammad Rofieq, Ken Erliana, Ni Made Wiati and Samsudin Hariyanto

[Open abstract](#), [Redesign of facility layout to reduce the production line distance in MSE Silver 999](#) [Malang](#) [View article](#), [Redesign of facility layout to reduce the production line distance in MSE Silver 999](#) [Malang](#) [PDF](#), [Redesign of facility layout to reduce the production line distance in MSE Silver 999](#) [Malang](#)

012125

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

Automation of occupational safety and health (K3) electricity based on internet of things (IoT)

Qomariyatus Sholihah, Dewi Hardiningtyas, Stephan Adriansyah Hulukati and Wahyudi Kuncoro

[Open abstract](#), [Automation of occupational safety and health \(K3\) electricity based on internet of things \(IoT\)](#) [View article](#), [Automation of occupational safety and health \(K3\) electricity based on internet of things \(IoT\)](#) [PDF](#), [Automation of occupational safety and health \(K3\) electricity based on internet of things \(IoT\)](#)

012126

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

Improvement of cooling time performance in TAD® 20t mixing vessel using root cause analysis and PDCA cycle in TAD® 20t mixing vessel product maturity

Sugeng Santoso, Muhammad Iqbal Aulia, Rahmat Saleh Harahap, Rikki Sani Sitorus and Dedy Sandi Waskita

[Open abstract](#), [Improvement of cooling time performance in TAD® 20t mixing vessel using root cause analysis and PDCA cycle in TAD® 20t mixing vessel product maturity](#) [View article](#), [Improvement of cooling time performance in TAD® 20t mixing vessel using root cause analysis and PDCA cycle in TAD® 20t mixing vessel product maturity](#) [PDF](#), [Improvement of cooling time performance in TAD® 20t mixing vessel using root cause analysis and PDCA cycle in TAD® 20t mixing vessel product maturity](#)

012127

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

Design of experiment of material level settings on the factors affecting the quality of calcium silicate board by using the Taguchi method

Franka Hendra, Margaretha, Supriyono, Clara Vidhia and Rosalinda

[Open abstract](#), [Design of experiment of material level settings on the factors affecting the quality of calcium silicate board by using the Taguchi method](#) [View article](#), [Design of experiment of material level settings on the factors affecting the quality of calcium silicate board by using the Taguchi method](#) [PDF](#), [Design of experiment of material level settings on the factors affecting the quality of calcium silicate board by using the Taguchi method](#)

012128

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Phase identification and morphology of \$\text{CaCO}_3/\text{CaO}\$ from Achatina Fulica snail shell as the base material for Hydroxyapatite](#)

Poppy Puspitasari, Andre Faiz Fauzi, Hendra Susanto, Avita Ayu Permanasari, Rara Warih Gayatri, Jeefferie Abdul Razak and Muhammad Mirza Abdillah Pratama

[Open abstract](#), [Phase identification and morphology of \$\text{CaCO}_3/\text{CaO}\$ from Achatina Fulica snail shell as the base material for Hydroxyapatite](#) [View article](#), [Phase identification and morphology of \$\text{CaCO}_3/\text{CaO}\$ from Achatina Fulica snail shell as the base material for Hydroxyapatite](#) [PDF](#), [Phase identification and morphology of \$\text{CaCO}_3/\text{CaO}\$ from Achatina Fulica snail shell as the base material for Hydroxyapatite](#)

012129

THE FOLLOWING ARTICLE IS OPEN ACCESS

[The effect of different types of quenching methods on the burr zone characteristics on Ti-6Al-4V material](#)

Didin Zakariya Lubis, Andoko and Muhammad Yusuf Ridho

[Open abstract](#), [The effect of different types of quenching methods on the burr zone characteristics on Ti-6Al-4V material](#) [View article](#), [The effect of different types of quenching methods on the burr zone characteristics on Ti-6Al-4V material](#) [PDF](#), [The effect of different types of quenching methods on the burr zone characteristics on Ti-6Al-4V material](#)

012130

THE FOLLOWING ARTICLE IS OPEN ACCESS

[The effect of pouring temperatures to tensile strength and porosity of aluminium processed with vacuum casting](#)

Ichwan Nurhidayah, Aminnudin and Nurul Afifah

[Open abstract](#), [The effect of pouring temperatures to tensile strength and porosity of aluminium processed with vacuum casting](#) [View article](#), [The effect of pouring temperatures to tensile strength and porosity of aluminium processed with vacuum casting](#) [PDF](#), [The effect of pouring temperatures to tensile strength and porosity of aluminium processed with vacuum casting](#)

012131

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Analysis of tensile strength, microstructure, and fractograph of Al-Si with snail shell powder as reinforce agent](#)

Poppy Puspitasari, Galy Dwi Susilo, Aminnudin, Yanuar Rohmat Aji Pradana, Andika Bagus Nur Rahma Putra and Muhammad Mirza Abdillah Pratama

[Open abstract](#), [Analysis of tensile strength, microstructure, and fractograph of Al-Si with snail shell powder as reinforce agent](#) [View article](#), [Analysis of tensile strength, microstructure, and fractograph of Al-Si with snail shell powder as reinforce agent](#) [PDF](#), [Analysis of tensile strength, microstructure, and fractograph of Al-Si with snail shell powder as reinforce agent](#)

012132

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Low pressure casting effect to tensile strength of aluminium](#)

Aminnudin and Muhammad Said Anwar

[Open abstract](#), [Low pressure casting effect to tensile strength of aluminium](#) [View article](#), [Low pressure casting effect to tensile strength of aluminium](#) [PDF](#), [Low pressure casting effect to tensile strength of aluminium](#)

012133

THE FOLLOWING ARTICLE IS OPEN ACCESS

Quality improvement of SS 304 with variations in feed rate and spraying distance in semi-automatic sandblasting

Rudianto Raharjo, Mochamad Tio Ardiyanto, Teguh Dwi Widodo, Haslinda Kusumaningsih, Redi Bintarto, Fikrul Akbar Alamsyah and Mukhlis Ali

[Open abstract](#), [Quality improvement of SS 304 with variations in feed rate and spraying distance in semi-automatic sandblasting](#) [View article](#), [Quality improvement of SS 304 with variations in feed rate and spraying distance in semi-automatic sandblasting PDF](#), [Quality improvement of SS 304 with variations in feed rate and spraying distance in semi-automatic sandblasting](#)

012134

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

Artificial aging heat treatment post-effect on profile and mechanical properties of the AA 6061 friction welding joint

Sugiarto, Victor Yuardi Risonarta, M. Samsul Ma'arif and A Femelio As'ad

[Open abstract](#), [Artificial aging heat treatment post-effect on profile and mechanical properties of the AA 6061 friction welding joint](#) [View article](#), [Artificial aging heat treatment post-effect on profile and mechanical properties of the AA 6061 friction welding joint PDF](#), [Artificial aging heat treatment post-effect on profile and mechanical properties of the AA 6061 friction welding joint](#)

012135

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

Optimization for tensile strength of polyester composites reinforced by waru bark fiber with rice husk filler using response surface method

Pandri Pandiatmi and Adnan Kasogi

[Open abstract](#), [Optimization for tensile strength of polyester composites reinforced by waru bark fiber with rice husk filler using response surface method](#) [View article](#), [Optimization for tensile strength of polyester composites reinforced by waru bark fiber with rice husk filler using response surface method PDF](#), [Optimization for tensile strength of polyester composites reinforced by waru bark fiber with rice husk filler using response surface method](#)

012136

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

Improved mechanical properties with the soaking time of NaOH in composites made from sugarcane bagasse fibers for future windmill blades material

Andromeda Dwi Laksono, Muhammad Faisyal, Diniar Mungil Kurniawati, Jatmoko Awali, Gilang Ramadhan and Muhammad Nurhidayaturozikin

[Open abstract](#), [Improved mechanical properties with the soaking time of NaOH in composites made from sugarcane bagasse fibers for future windmill blades material](#) [View article](#), [Improved mechanical properties with the soaking time of NaOH in composites made from sugarcane bagasse fibers for future windmill blades material PDF](#), [Improved mechanical properties with the soaking time of NaOH in composites made from sugarcane bagasse fibers for future windmill blades material](#)

012137

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

The effect of storage duration on total xanthones and antioxidant activity of microencapsulation of mangosteen peel extract

Andri Kusmayadi

[Open abstract](#), [The effect of storage duration on total xanthones and antioxidant activity of microencapsulation of mangosteen peel extract](#) [View article](#), [The effect of storage duration on total xanthones and antioxidant activity of microencapsulation of mangosteen peel extract PDF](#), [The effect of storage duration on total xanthones and antioxidant activity of microencapsulation of mangosteen peel extract](#)

012138

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Influence of bagasse ash, calcium carbide residue and polyester fiber addition on shear strength of organic clay](#)

John Tri Hatmoko and Luky Handoko

[Open abstract, Influence of bagasse ash, calcium carbide residue and polyester fiber addition on shear strength of organic clay](#) [View article, Influence of bagasse ash, calcium carbide residue and polyester fiber addition on shear strength of organic clay PDF, Influence of bagasse ash, calcium carbide residue and polyester fiber addition on shear strength of organic clay](#)

012139

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Conduction mechanism of Co-doped ZnO transparent memristive devices](#)

Firman Mangasa Simanjuntak, Sridhar Chandrasekaran, Om Kumar Prasad, Femiana Gapsari, Themis Prodromakis and Tseung-Yuen Tseng

[Open abstract, Conduction mechanism of Co-doped ZnO transparent memristive devices](#) [View article, Conduction mechanism of Co-doped ZnO transparent memristive devices PDF, Conduction mechanism of Co-doped ZnO transparent memristive devices](#)

012140

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Band tailoring by annealing and current conduction of Co-doped ZnO transparent resistive switching memory](#)

Debashis Panda, Firman Mangasa Simanjuntak, Alaka Pradhan, Femiana Gapsari and Themis Prodromakis

[Open abstract, Band tailoring by annealing and current conduction of Co-doped ZnO transparent resistive switching memory](#) [View article, Band tailoring by annealing and current conduction of Co-doped ZnO transparent resistive switching memory PDF, Band tailoring by annealing and current conduction of Co-doped ZnO transparent resistive switching memory](#)

012141

THE FOLLOWING ARTICLE IS OPEN ACCESS

[The formulation of mangosteen peel extract microencapsulation on water content and fungus distribution during storage](#)

Andri Kusmayadi

[Open abstract, The formulation of mangosteen peel extract microencapsulation on water content and fungus distribution during storage](#) [View article, The formulation of mangosteen peel extract microencapsulation on water content and fungus distribution during storage PDF, The formulation of mangosteen peel extract microencapsulation on water content and fungus distribution during storage](#)

012142

THE FOLLOWING ARTICLE IS OPEN ACCESS

[ZrO_x insertion layer enhanced switching and synaptic performances of TiO_x-based memristive devices](#)

Lung-Yu Chang, Firman Mangasa Simanjuntak, Femiana Gapsari, Themis Prodromakis and Tseung-Yuen Tseng

[Open abstract, ZrOX insertion layer enhanced switching and synaptic performances of TiOX-based memristive devices](#) [View article, ZrOX insertion layer enhanced switching and synaptic performances of TiOX-based memristive devices PDF, ZrOX insertion layer enhanced switching and synaptic performances of TiOX-based memristive devices](#)

012143

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Experimental study the effect of surface roughness of a material on its hydrophobicity](#)

Rachmat Subagyo, Mastiadi Tamjidillah, Herry Irawansyah, Abdul Ghofur and Muchsin
[Open abstract](#), [Experimental study the effect of surface roughness of a material on its hydrophobicity](#) [View article](#), [Experimental study the effect of surface roughness of a material on its hydrophobicity](#) [PDF](#), [Experimental study the effect of surface roughness of a material on its hydrophobicity](#)

012144

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Voids analysis on polyester matrix composites reinforced with a combination of *Bambusa bluemenae* fiber and fiber glass from tensile test results](#)

Akhmad Syarief, Raliannoor, Hajar Isworo and A'yan Sabitah

[Open abstract](#), [Voids analysis on polyester matrix composites reinforced with a combination of Bambusa bluemenae fiber and fiber glass from tensile test results](#) [View article](#), [Voids analysis on polyester matrix composites reinforced with a combination of Bambusa bluemenae fiber and fiber glass from tensile test results](#) [PDF](#), [Voids analysis on polyester matrix composites reinforced with a combination of Bambusa bluemenae fiber and fiber glass from tensile test results](#)

012145

THE FOLLOWING ARTICLE IS OPEN ACCESS

[FTIR analysis of alkali treatment on bacterial cellulose films obtained from pineapple peel juice](#)

Heru Suryanto, Aminnudin, Mahsuli, Husni Wahyu Wijaya and Uun Yanuhar

[Open abstract](#), [FTIR analysis of alkali treatment on bacterial cellulose films obtained from pineapple peel juice](#) [View article](#), [FTIR analysis of alkali treatment on bacterial cellulose films obtained from pineapple peel juice](#) [PDF](#), [FTIR analysis of alkali treatment on bacterial cellulose films obtained from pineapple peel juice](#)

012146

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Mechanical properties of starch-based biocomposite: The effect of acidic atmosphere treatment](#)

Y A Setyamarsa, H Suryanto, D Kustono, A. Aminnudin, A Suyetno, D L Edy, Y R A Pradana, D Z Lubis and R D Bintara

[Open abstract](#), [Mechanical properties of starch-based biocomposite: The effect of acidic atmosphere treatment](#) [View article](#), [Mechanical properties of starch-based biocomposite: The effect of acidic atmosphere treatment](#) [PDF](#), [Mechanical properties of starch-based biocomposite: The effect of acidic atmosphere treatment](#)

012147

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Effect of the orientation carbon-glass fiber reinforced polyester composite on bending strength for runner foot prosthesis applications](#)

Mochamad Arif Irfa'i, Dzulkifli, Rifky Ismail and Andita N. F Ganda

[Open abstract](#), [Effect of the orientation carbon-glass fiber reinforced polyester composite on bending strength for runner foot prosthesis applications](#) [View article](#), [Effect of the orientation carbon-glass fiber reinforced polyester composite on bending strength for runner foot prosthesis applications](#) [PDF](#), [Effect of the orientation carbon-glass fiber reinforced polyester composite on bending strength for runner foot prosthesis applications](#)

012148

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Ballistic limit simulation on commercial medium carbon steel plate with surface hardening using an induction heating](#)

Helmy Purwanto, Muhammad Dzulfikar, Mohammad Tauviquirrahman, Rachmad Subagyo and Kiryanto

[Open abstract](#), [Ballistic limit simulation on commercial medium carbon steel plate with surface hardening using an induction heating](#) [View article](#), [Ballistic limit simulation on commercial medium carbon steel plate with surface hardening using an induction heating](#) [PDF](#), [Ballistic limit simulation on commercial medium carbon steel plate with surface hardening using an induction heating](#)

012149

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Hidden bioactive of caryophyllene inside Keruing wood](#)

Jamaludin Malik and Adi Santoso

[Open abstract](#), [Hidden bioactive of caryophyllene inside Keruing wood](#) [View article](#), [Hidden bioactive of caryophyllene inside Keruing wood](#) [PDF](#), [Hidden bioactive of caryophyllene inside Keruing wood](#)

012150

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Effect of ball mill process and resin to compression strength of lava stone composite](#)

Aminnudin, Heru Suryanto, Yanuar Rohmat Aji Pradana and Eddy Rudiyanto

[Open abstract](#), [Effect of ball mill process and resin to compression strength of lava stone composite](#) [View article](#), [Effect of ball mill process and resin to compression strength of lava stone composite](#) [PDF](#), [Effect of ball mill process and resin to compression strength of lava stone composite](#)

012151

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Characterization of the \$\gamma,\alpha\$ -alumina and its adsorption capability to adsorb nickel \(ii\) and magnesium \(ii\) from nickel sulfate as a result of solvent differences](#)

Titin S. Fatimah, Tatang Wahyudi, Herni Khaerunisa and Nuryadi Saleh

[Open abstract](#), [Characterization of the \$\gamma,\alpha\$ -alumina and its adsorption capability to adsorb nickel \(ii\) and magnesium \(ii\) from nickel sulfate as a result of solvent differences](#) [View article](#), [Characterization of the \$\gamma,\alpha\$ -alumina and its adsorption capability to adsorb nickel \(ii\) and magnesium \(ii\) from nickel sulfate as a result of solvent differences](#) [PDF](#), [Characterization of the \$\gamma,\alpha\$ -alumina and its adsorption capability to adsorb nickel \(ii\) and magnesium \(ii\) from nickel sulfate as a result of solvent differences](#)

012152

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Core sandwich material development based on vinyl ester bioresin for ship structure application](#)

Tuswan Tuswan, Achmad Zubaydi, Bambang Pisceasa, Eli Novita Sari and Abdi Ismail

[Open abstract](#), [Core sandwich material development based on vinyl ester bioresin for ship structure application](#) [View article](#), [Core sandwich material development based on vinyl ester bioresin for ship structure application](#) [PDF](#), [Core sandwich material development based on vinyl ester bioresin for ship structure application](#)

012153

THE FOLLOWING ARTICLE IS **OPEN ACCESS**

[Analysis of corrosion rate at bone implant replacement materials with immersion time variations in simulated body fluid](#)

Atria Pradityana, Nur Husodo, Rizaldy Hakim Ash-Shiddieqy and Muhammad Saiful Rizal

[Open abstract](#), [Analysis of corrosion rate at bone implant replacement materials with immersion time variations in simulated body fluid](#) [View article](#), [Analysis of corrosion rate at bone implant replacement materials with immersion time variations in simulated body fluid](#) [PDF](#), [Analysis of corrosion rate at bone implant replacement materials with immersion time variations in simulated body fluid](#)

012154

THE FOLLOWING ARTICLE IS OPEN ACCESS

Technical analysis of biocomposite reinforced with sugar palm (*Arenga Pinnata*) fiber for jukung materials

Achmad Kusairi Samlawi, Pathur Razi Ansyah and Gunawan Rudi Cahyono

[Open abstract](#), [Technical analysis of biocomposite reinforced with sugar palm \(*Arenga Pinnata*\) fiber for jukung materials](#) [View article](#), [Technical analysis of biocomposite reinforced with sugar palm \(*Arenga Pinnata*\) fiber for jukung materials PDF](#), [Technical analysis of biocomposite reinforced with sugar palm \(*Arenga Pinnata*\) fiber for jukung materials](#)

012155

THE FOLLOWING ARTICLE IS OPEN ACCESS

Analysis of corrosion rate and surface characteristics in substitution bone implant material with corrosive media simulated body fluid (SBF)

Atria Pradityana, Nur Husodo, Rizaldy Hakim Ash Shiddieqy and Falas Sulthan Pamasa

[Open abstract](#), [Analysis of corrosion rate and surface characteristics in substitution bone implant material with corrosive media simulated body fluid \(SBF\)](#) [View article](#), [Analysis of corrosion rate and surface characteristics in substitution bone implant material with corrosive media simulated body fluid \(SBF\) PDF](#), [Analysis of corrosion rate and surface characteristics in substitution bone implant material with corrosive media simulated body fluid \(SBF\)](#)

012156

THE FOLLOWING ARTICLE IS OPEN ACCESS

Failure analysis of a gas turbine blade: A review

Poppy Puspitasari, Andoko Andoko and Pradhana Kurniawan

[Open abstract](#), [Failure analysis of a gas turbine blade: A review](#) [View article](#), [Failure analysis of a gas turbine blade: A review PDF](#), [Failure analysis of a gas turbine blade: A review](#)

012157

THE FOLLOWING ARTICLE IS OPEN ACCESS

Modification of SS 304 using semi automatic sandblasting for improvement of roughness and grade quality

Rudianto Raharjo, Titan Evida Avianty, Teguh Dwi Widodo and Haslinda Kusumaningsih

[Open abstract](#), [Modification of SS 304 using semi automatic sandblasting for improvement of roughness and grade quality](#) [View article](#), [Modification of SS 304 using semi automatic sandblasting for improvement of roughness and grade quality PDF](#), [Modification of SS 304 using semi automatic sandblasting for improvement of roughness and grade quality](#)

012158

THE FOLLOWING ARTICLE IS OPEN ACCESS

Influence of surface roughness on corrosion behaviour of 316L stainless steel in artificial saliva and body fluid

Andita N.F. Ganda, H. Wijaya and Fransisca G.U. Dewi

[Open abstract](#), [Influence of surface roughness on corrosion behaviour of 316L stainless steel in artificial saliva and body fluid](#) [View article](#), [Influence of surface roughness on corrosion behaviour of 316L stainless steel in artificial saliva and body fluid PDF](#), [Influence of surface roughness on corrosion behaviour of 316L stainless steel in artificial saliva and body fluid](#)

012159

THE FOLLOWING ARTICLE IS OPEN ACCESS

An experimental study of tensile properties and vibration absorption characteristic of ground tire rubber (GTR)/HDPE waste: Effect of temperature and heating time.

Hairul Arsyad, Lukmanul Hakim Arma, Muhammad Syahid and Muhammad Khalid

Open abstract, An experimental study of tensile properties and vibration absorption characteristic of ground tire rubber (GTR)/HDPE waste: Effect of temperature and heating time. View article, An experimental study of tensile properties and vibration absorption characteristic of ground tire rubber (GTR)/HDPE waste: Effect of temperature and heating time. PDF, An experimental study of tensile properties and vibration absorption characteristic of ground tire rubber (GTR)/HDPE waste: Effect of temperature and heating time.

012160

THE FOLLOWING ARTICLE IS OPEN ACCESS

The effect of pin probe length on the characteristic of dissimilar metal Al-CuZn lap joint using friction stir welding (FSW)

Widia Setiawan, Muhammad Badarudin Thoha, Surojo and Nugroho Santoso

Open abstract, The effect of pin probe length on the characteristic of dissimilar metal Al-CuZn lap joint using friction stir welding (FSW) View article, The effect of pin probe length on the characteristic of dissimilar metal Al-CuZn lap joint using friction stir welding (FSW) PDF, The effect of pin probe length on the characteristic of dissimilar metal Al-CuZn lap joint using friction stir welding (FSW)

012161

THE FOLLOWING ARTICLE IS OPEN ACCESS

Analysis of crack length and life flight cycle in center wing lower surface skin access hole aircraft with DCRACK software

Iis Siti Aisyah, Handika Rachmansyah Putra, Mulyono and Sri Sukarniyati

Open abstract, Analysis of crack length and life flight cycle in center wing lower surface skin access hole aircraft with DCRACK software View article, Analysis of crack length and life flight cycle in center wing lower surface skin access hole aircraft with DCRACK software PDF, Analysis of crack length and life flight cycle in center wing lower surface skin access hole aircraft with DCRACK software

012162

THE FOLLOWING ARTICLE IS OPEN ACCESS

The effect of epoxy/hardener composition ratio on the young's modulus of bulk adhesive at high strain rate

Yohanes, Indra Sidharta, Agus S. Pramono and Kenny Varian

Open abstract, The effect of epoxy/hardener composition ratio on the young's modulus of bulk adhesive at high strain rate View article, The effect of epoxy/hardener composition ratio on the young's modulus of bulk adhesive at high strain rate PDF, The effect of epoxy/hardener composition ratio on the young's modulus of bulk adhesive at high strain rate

012163

THE FOLLOWING ARTICLE IS OPEN ACCESS

Comparison of failure analysis on reheater and waterwall tube power plant base on outer surface

Novi Sukma Drastiawati, R. Soekrisno, H.C. Kis Agustin and I Made Arsana

Open abstract, Comparison of failure analysis on reheater and waterwall tube power plant base on outer surface View article, Comparison of failure analysis on reheater and waterwall tube power plant base on outer surface PDF, Comparison of failure analysis on reheater and waterwall tube power plant base on outer surface

012164

THE FOLLOWING ARTICLE IS OPEN ACCESS

Effect of thermal cycling on the cold rolled AISI 316L with varying degree of reduction toward their microstructure and hardness

Fahmi Mubarak and Amanda Rosalina

[Open abstract](#), [Effect of thermal cycling on the cold rolled AISI 316L with varying degree of reduction toward their microstructure and hardness](#) [View article](#), [Effect of thermal cycling on the cold rolled AISI 316L with varying degree of reduction toward their microstructure and hardness](#) [PDF](#), [Effect of thermal cycling on the cold rolled AISI 316L with varying degree of reduction toward their microstructure and hardness](#)

012165

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Mathematical model of wear volumes due to sliding speed using Buckingham Pi Model](#)

[Yusuf Kaelani and Achmad Syaifudin](#)

[Open abstract](#), [Mathematical model of wear volumes due to sliding speed using Buckingham Pi Model](#) [View article](#), [Mathematical model of wear volumes due to sliding speed using Buckingham Pi Model](#) [PDF](#), [Mathematical model of wear volumes due to sliding speed using Buckingham Pi Model](#)

012166

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Influence of chamber pressure variations of plasma nitriding on surface hardness and micro structure of Al 6061](#)

[Tjuk Oerbandono](#)

[Open abstract](#), [Influence of chamber pressure variations of plasma nitriding on surface hardness and micro structure of Al 6061](#) [View article](#), [Influence of chamber pressure variations of plasma nitriding on surface hardness and micro structure of Al 6061](#) [PDF](#), [Influence of chamber pressure variations of plasma nitriding on surface hardness and micro structure of Al 6061](#)

012167

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Effect of bacterial cellulose reinforcement on morphology and tensile properties of starch-based biocomposite](#)

[Heru Suryanto, Ahmad Saifi Pahlevi and Uun Yanuhar](#)

[Open abstract](#), [Effect of bacterial cellulose reinforcement on morphology and tensile properties of starch-based biocomposite](#) [View article](#), [Effect of bacterial cellulose reinforcement on morphology and tensile properties of starch-based biocomposite](#) [PDF](#), [Effect of bacterial cellulose reinforcement on morphology and tensile properties of starch-based biocomposite](#)

012168

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Effect of limestone mass concentration on tensile strength and surface morphology of coconut fiber](#)

[Sutrisno, Rudy Soenoko, Yudy Surya Irawan and Teguh Dwi Widodo](#)

[Open abstract](#), [Effect of limestone mass concentration on tensile strength and surface morphology of coconut fiber](#) [View article](#), [Effect of limestone mass concentration on tensile strength and surface morphology of coconut fiber](#) [PDF](#), [Effect of limestone mass concentration on tensile strength and surface morphology of coconut fiber](#)

012169

THE FOLLOWING ARTICLE IS OPEN ACCESS

[ASTM A36 steel corrosion rate control in 1M HCl using Electrophoretic Deposition \(EPD\) with chitosan coating](#)

[Femiana Gapsari, Putu Hadi Setyarini, Syarif Hidayatullah, Yohanes D. Puraditya, Hastono Wijaya and Zainul Abidin](#)

[Open abstract](#), [ASTM A36 steel corrosion rate control in 1M HCl using Electrophoretic Deposition \(EPD\) with chitosan coating](#) [View article](#), [ASTM A36 steel corrosion rate control in 1M HCl using Electrophoretic Deposition \(EPD\) with chitosan coating](#) [PDF](#), [ASTM A36 steel corrosion rate control in 1M HCl using Electrophoretic Deposition \(EPD\) with chitosan coating](#)

012170

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Experiment of adding molybdenum to AISI 310 to increase tensile strength](#)

Diki Ismail Permana, Uum Sumirat and Yoko Darwanto

[Open abstract](#), [Experiment of adding molybdenum to AISI 310 to increase tensile strength View article](#), [Experiment of adding molybdenum to AISI 310 to increase tensile strength PDF](#), [Experiment of adding molybdenum to AISI 310 to increase tensile strength](#)

012171

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Effect of addition elemental Sulfur as additive in the selective reduction process of limonite nickel ore with the presents of sodium sulfate](#)

Adiyaksa Pratama, Rizky Ananda, Fajar Nurjaman, Deni Ferdian and Bambang Suharno

[Open abstract](#), [Effect of addition elemental Sulfur as additive in the selective reduction process of limonite nickel ore with the presents of sodium sulfate View article](#), [Effect of addition elemental Sulfur as additive in the selective reduction process of limonite nickel ore with the presents of sodium sulfate PDF](#), [Effect of addition elemental Sulfur as additive in the selective reduction process of limonite nickel ore with the presents of sodium sulfate](#)

012172

THE FOLLOWING ARTICLE IS OPEN ACCESS

[The role of nitrogen gas in fluidized bed reactors on the nodular iron nitridation processs](#)

Wayan Sujana, Komang Astana Widi, Gerald A. Pohan, Tutut Nani Prihatmi and Luh Dina Ekasari

[Open abstract](#), [The role of nitrogen gas in fluidized bed reactors on the nodular iron nitridation processs View article](#), [The role of nitrogen gas in fluidized bed reactors on the nodular iron nitridation processs PDF](#), [The role of nitrogen gas in fluidized bed reactors on the nodular iron nitridation processs](#)

012173

THE FOLLOWING ARTICLE IS OPEN ACCESS

[The effect of pure temperature and pressure on alloy hardness of Al-6.7% Cu using squeeze casting method](#)

Rudi Siswanto, Ma'ruf, Adi Marhadi Mukti and Rachmat Subagyo

[Open abstract](#), [The effect of pure temperature and pressure on alloy hardness of Al-6.7% Cu using squeeze casting method View article](#), [The effect of pure temperature and pressure on alloy hardness of Al-6.7% Cu using squeeze casting method PDF](#), [The effect of pure temperature and pressure on alloy hardness of Al-6.7% Cu using squeeze casting method](#)

012174

THE FOLLOWING ARTICLE IS OPEN ACCESS

[The effect of the welding methods on the corrosion rate and impact strength of AA5083 material](#)

Dhanang Suryo, Sugiarto and Putu Hadi Setyarini

[Open abstract](#), [The effect of the welding methods on the corrosion rate and impact strength of AA5083 material View article](#), [The effect of the welding methods on the corrosion rate and impact strength of AA5083 material PDF](#), [The effect of the welding methods on the corrosion rate and impact strength of AA5083 material](#)

012175

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Failure mechanism of thermal barrier coating on the first stage turbine blade](#)

Suwarno, Handi Muhtadi, Isaura F. Maclauda and Arif Hariyadi

[Open abstract](#), [Failure mechanism of thermal barrier coating on the first stage turbine blade](#) [View article](#), [Failure mechanism of thermal barrier coating on the first stage turbine blade PDF](#), [Failure mechanism of thermal barrier coating on the first stage turbine blade](#)

012176

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Failure analysis of pipeline elbow connecting high pressure heater to deaerator in a steam power plant](#)

Fajar Dwi Yudanto, Dwi Ariyanto, Abdul Aziz Arfi and Suwarno

[Open abstract](#), [Failure analysis of pipeline elbow connecting high pressure heater to deaerator in a steam power plant](#) [View article](#), [Failure analysis of pipeline elbow connecting high pressure heater to deaerator in a steam power plant PDF](#), [Failure analysis of pipeline elbow connecting high pressure heater to deaerator in a steam power plant](#)

012177

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Injection process parameter analysis of metal injection molding for green part orthopedic implants](#)

Haruman Wiranegara, Donny Syahputra and Tria Mariz Arief

[Open abstract](#), [Injection process parameter analysis of metal injection molding for green part orthopedic implants](#) [View article](#), [Injection process parameter analysis of metal injection molding for green part orthopedic implants PDF](#), [Injection process parameter analysis of metal injection molding for green part orthopedic implants](#)

012178

THE FOLLOWING ARTICLE IS OPEN ACCESS

[Characteristic of friction welding weld joint of AA6061 on elevated environmental temperature](#)

Sugiarto, M. Syamsul Ma'arif, Djarot B. Darmadi and M. Ikram Kido

[Open abstract](#), [Characteristic of friction welding weld joint of AA6061 on elevated environmental temperature](#) [View article](#), [Characteristic of friction welding weld joint of AA6061 on elevated environmental temperature PDF](#), [Characteristic of friction welding weld joint of AA6061 on elevated environmental temperature](#)

012179

THE FOLLOWING ARTICLE IS OPEN ACCESS

[The influence of flux type and scrap size on recycling yield of Al drink cans](#)

Victor Yuardi Risonarta, Juliana Anggono, Setyo Nugrowibowo and Alexander Kristoforus

[Open abstract](#), [The influence of flux type and scrap size on recycling yield of Al drink cans](#) [View article](#), [The influence of flux type and scrap size on recycling yield of Al drink cans PDF](#), [The influence of flux type and scrap size on recycling yield of Al drink cans](#)

Scopus preview - Scopus - IOP C x

scopus.com/sourceid/19700200831

Author SearchSourcesCreate accountSign in

Source details

Feedback > Compare sources >

IOP Conference Series: Materials Science and Engineering

Scopus coverage years: from 2009 to 2021

Publisher: Institute of Physics Publishing

ISSN: 1757-8981 E-ISSN: 1757-899X

Subject area: Engineering General Engineering Materials Science General Materials Science

Source type: Conference Proceeding

View all documents >

Set document alert

Save to source list Source Homepage

CiteScore 20211.1

SJR 20210.249

SNIP 20210.344

CiteScoreCiteScore rank & trendScopus content coverage

Improved CiteScore methodology

CiteScore 2021 counts the citations received in 2018-2021 to articles, reviews, conference papers, book chapters and data papers published in 2018-2021, and divides this by the number of publications published in 2018-2021. [Learn more >](#)

CiteScore 2021

1.1 - $\frac{68,488 \text{ Citations } 2018 - 2021}{62,140 \text{ Documents } 2018 - 2021}$

Calculated on 05 May, 2022

CiteScoreTracker 2022

1.0 - $\frac{47,850 \text{ Citations to date}}{46,783 \text{ Documents to date}}$

Last updated on 06 June, 2022 - Updated monthly

CiteScore rank 2021

Category	Rank	Percentile
Engineering		
General Engineering	#194/300	35th
Materials Science		
General Materials Science	#362/455	20th

View CiteScore methodology >

CiteScore FAQ >

Add CiteScore to your site >

CERTIFICATE OF PARTICIPATION

The 2nd International Conference on Mechanical Engineering Research and Application

"Innovative Research in Engineering for 21st Century"

October 7-8, 2020

The Mechanical Engineering Department of Brawijaya University, Indonesia



This is to certify that

Yopi Yusuf Tanoto, Juliana Anggono, Fefe

Have presented a paper entitled

**Optimization of Fused Deposition Modeling Parameters
for Hips Flexural Strength with Taguchi Method**

Head of Mechanical Engineering Department



Ir. Djatmangun Darmadi, MT., Ph.D.

Chairman of Conference



Dr. Ing. Victor Yuardi Risonarta, ST., M.Sc

PAPER • OPEN ACCESS

Optimization of fused deposition modeling parameters for hips flexural strength with Taguchi method

To cite this article: Yopi Yusuf Tanoto *et al* 2021 *IOP Conf. Ser.: Mater. Sci. Eng.* **1034** 012094

View the [article online](#) for updates and enhancements.

You may also like

- [Mechanical and abrasive wear behavior of cenosphere filled carbon reinforced epoxy composites using Taguchi-Grey relational analysis](#)
S M Vinu kumar, B Suresha, G Rajamurugan et al.
- [Wear assessment of 3-D printed parts of PLA \(polylactic acid\) using Taguchi design and Artificial Neural Network \(ANN\) technique](#)
Meena Pant, Ranganath M Singari, Pawan Kumar Arora et al.
- [Additive manufacturing for fused deposition modeling of carbon fiber-polylactic acid composites: the effects of process parameters on tensile and flexural properties](#)
Abhay Mishra, Vivek Srivastava and Nitin Kumar Gupta



*Benefit from connecting
with your community*

ECS Membership = Connection

ECS membership connects you to the electrochemical community:

- Facilitate your research and discovery through ECS meetings which convene scientists from around the world;
- Access professional support through your lifetime career;
- Open up mentorship opportunities across the stages of your career;
- Build relationships that nurture partnership, teamwork—and success!

Join ECS!

Visit electrochem.org/join



Optimization of fused deposition modeling parameters for hips flexural strength with Taguchi method

Yopi Yusuf Tanoto^{*}, Juliana Anggono, Fefe

Mechanical Engineering Department, Petra Christian University
Siwalankerto 121-131, Surabaya, Indonesia

*Email: yopi.tanoto@petra.ac.id

Abstract. HIPS (High Impact Polystyrene) is one of the materials used in 3D printing. Research and application of the use of this material have not been done much, especially in the applications that require flexural strength. This study aims to find a combination of FDM (Fused Deposition Modelling) process parameter settings, that produce experiments with the highest flexural strength, with the optimization process using the experimental design of the Taguchi method with FDM parameters namely the orientation position of the specimen, fill pattern, fill density, and layer. The results showed the confirmation experiment produced the highest flexural strength (32.6753 MPa). In the experiment before confirmation, the highest flexural strength (31,3768 MPa) was shown in experiment number 5 (3rd orientation position, fill pattern lattice, 75% fill density, and 0.125 mm layer thickness).

Keywords: 3D printing, fused deposition modelling, flexural strength, high impact polystyrene, Taguchi

1. Introduction

In the current era, making products with good quality and evaluating various design alternatives is quickly needed to develop products with sustainable principles. Prototype making is one of the keys to success or failure of a product to be launched. One way to make prototypes is by using rapid prototyping (RP) technology. The advantages of RP technology include increasing product model variance, increasing quality of product complexity, increasing product durability and service life, and reducing product prototype processing time [1]. According to Shahrabi, the classification of RP technology can be divided into 4 groups based on the process of using basic materials to make prototypes. The classifications are liquid phase, powder, sheet form, and gas phase [2]. Fused Deposition Modelling (FDM) is the most used RP technology of various types of existing RP technology. Nearly half of the RP machines used by the market are FDM [3]. It is called FDM because its parts are formed by deposition of layers of fused material in the product making process. This RP technique is used both in making prototypes and in production applications. FDM was developed by S. Scott Crump in the late 1980s and was commercialized in 1990 by Stratasys [4]. The working principle of FDM is the material in the form of a solid polymer roll (such as ABS, PLA, HIPS, PETG, etc.) heated to liquid by a heated liquefier. Then, the liquid polymer is distributed



through the nozzle. It produces a layer which then forms an object or part of arrangement of layers per layer. Heated liquid heater and nozzle are one component and can move three axes namely x, y, and z to form the produced object. The range of material properties needs to be carefully considered in the process of making a prototype because there are tradeoffs in cost, surface quality, and mechanical properties. [5].

Tanoto et al. had conducted several studies on setting of the printing process parameters in FDM to produce the best strength. The studied parameter was product orientation. The used materials were ABS and PLA, and the observed responses included tensile strength, processing speed, and dimensional accuracy of specimen products [6] [7] [8]. In this study, the best orientation position was obtained to produce the product or specimen that has the highest tensile strength and to compare the product quality and processing time between ABS and PLA material. Lee, et al (2004) examined the optimization of 3D printing parameters with FDM technology to produce flexible ABS materials. The parameters used are were air gap, raster angle, raster width, and layer thickness, each of which had three levels. Material testing was carried out using a catapult design to determine the level of flexibility of ABS, with each degree of slope 10°, 15°, and 20°. The result of this study is at a 10° slope position, the air gap parameter gives the maximum contribution to the performance of the product. Then, at a 15° slope position i.e., both the raster angle and layer thickness parameters contribute maximally. Last, at a 20 ° slop position, the layer thickness parameter gives the largest contribution on the product performance [9]. HIPS (High Impact Polystyrene) is a material other than ABS and PLA that is often used. This material offers advantages not possessed by other materials. Besides that, the application of the use and research on HIPS has not been done much. Therefore, this research chose HIPS material as the main material that was tested through finding the most suitable print process parameters to produce the most optimal flexural strength response.

2. Research Methods

2.1 Printing Process

HIPS filament material used was white with the E-sun brand. The filament was 3 mm in diameter with print extrusion temperature of 220 - 260°C [10]. The dimensions of the specimen were 120 mm × 15 mm × 5 mm, where the shape followed the ASTM D 790-2010 standard for flexural testing. The specimen was drawn with 3D CAD software and converted to STL format. Axon V2 was used to slicing the STL [11]. Specimens were made using the Double Head 3D Touch BFB Machine. There were 4 process parameters used in this study where each parameter had 3 levels. The process parameters were orientation position, fill pattern, fill density, and layer thickness. Orientation position 1 (height of perpendicular bed), 2 (width of perpendicular bed), and 3 (length of perpendicular bed) was shown in Figure 1.

Table 1. Parameter and level

Code	Parameter/Factor	Level		
		1	2	3
A	Orientation Position	Position 1	Position 2	Position 3
B	Fill Pattern	Linear	Lattice	Hexagonal
C	Fill Density	25%	50%	75%
D	Layer Thickness	0.125	0.25	0.5

Variations in the fill pattern parameters were linear, lattice, and hexagonal fill patterns. The fill density parameter was fill density with the level of 25%, 50%, and 75%. Finally, the layer thickness parameter used layer thickness with a level of 0.125 mm, 0.25 mm, and 0.5 mm. To set the fill density, fill pattern, and layer thickness parameters, Axon built setting menu was used as shown in Figure 2. The flexural test machine used was Shimadzu AGS Plus with a capacity of 50 kN type 3 points bend.




Figure 1. Orientation Position. a) Position 1, b) Position 2, c) Position 3




Figure 2. Axon built setting

2.2 Taguchi Method

The Taguchi method is a methodology in engineering that aims to improve product quality and reduce costs and resources to a minimum at the same time. The Taguchi method makes the product or process robust against noise factors therefore, this method is also called robust design.

The advantage of the Taguchi method is it makes the experiment more efficient because it is possible to conduct research that involves many factors and quantities. In addition, the Taguchi method can produce conclusions about the response of the factors and the level of control factors that produce the optimum response [12]. Taguchi method optimization was done by determining parameters and their levels, choosing orthogonal array, conducting experiments, analyzing experimental results with ANOVA, analyzing data and confirming experiments.

3. Result and Discussion

The factors and levels considered in this study are shown in Table 1. Experiments were conducted with four factors. Each at three levels and hence a three-level orthogonal array (OA) was chosen. Degrees of freedom (Dof) required for the design were eight. The OA, which satisfied the required Dof was L9. Figure 3 shows the results of the printing process from a different orientation. This product was tested for flexural strength. Before being tested, the specimen was first finished to fit the test standard. The specimen then flattened the surface and the sides by rubbing using sandpaper and miserly paper until the specimen dimension result was suitable for testing. The sandpaper used was grade 180, and the file used was a small file size, 7 mm. The experiments were conducted using L9 OA. The response values of flexural strength obtained are given in Table 2. Each experiment was carried out five times to obtain five flexural test results.

Table 2. Parameter and level

Experiment No	Factor/Parameter				Flexural Strength Average (MPa)
	A	B	C	D	
1	1	1	1	1	10.666
2	1	2	2	2	18.2719
3	1	3	3	3	21.5722
4	2	1	2	3	17.7125
5	2	2	3	1	31.3768
6	2	3	1	2	18.1126
7	3	1	3	2	27.1102
8	3	2	1	3	18.8914
9	3	3	2	1	25.6361

The results of the response table and response graph can be seen in Table 3 and Figure 4. These tables and graphs were assisted with Minitab software. On the response graph, it is shown that the optimum parameter setting combination is orientation position 3 (A = 3), fill pattern lattice (B = 2), fill density 75% (C = 3), and layer thickness 0.125 (D = 1). The resulting settings are the 3rd orientation position, fill pattern lattice, 75% fill density, and layer thickness 0.125 mm where the combination produces the highest flexural strength.




Figure 3. Printing result for each orientation. a) Position 1, b) Position 2, c) Position 3




Figure 4. Response graphic

Table 3. Table response

Level	A	B	C	D
1	16.84	18.5	15.89	22.56
2	22.4	22.85	20.54	21.16
3	23.88	21.77	26.69	19.39
Max-Min	7.04	4.35	10.8	3.17
Rank	2	3	1	4

Table 4. ANOVA

Source	Sq	vq	Mq	F-ratio	Sq'	$\rho\%$
A	414.37	2	207.185	162.625	411.822	26.19
B	154.697	2	77.34	60.706	152.149	9.67
C	881.001	2	440.5	345.761	878.453	56.55
D	76.2	2	38.1	29.905	73.652	4.68
e	45.882	36	1.274	1	56.074	2.91
St	1572.15	44	35.73	-	1516.09	100
Sm	19916.88	1	-	-	4	
ST	21489.03	45	-	-	-	

Analysis of variance (ANOVA) was carried out to determine the contribution of each parameter. Following ANOVA can be seen in Table 4. Looking at the ANOVA results, it is known that the orientation position (A) 26.19% and fill density (C) 56.55% contribute greatly to flexural strength. The next step was to carry out a confirmation experiment to verify or prove that the combination of parameter settings from the response table could produce the optimum/highest flexural strength. The first step is to find the predicted μ (mean) value and the value of the confidence interval using formulas 2 and 3. Then look for the value of the confirmatory μ , obtained from the confirmation experiment and the range of confidence with formula no 4. Next compare the graphs of each μ along with the confidence interval. Test specimens were prepared according to a combination of response tables (A3, B2, C3, D1). In the confirmation experiment, an experiment of five replications was carried out. Confirmation experiment data for average flexural strength were 32.6753 MPa. The flexural strength of the confirmation experiment was then compared with the flexural strength of the Taguchi experiment (experiments 1 through 9). Comparisons were made by calculating the μ and the confidence interval (CI). Calculations are shown as follows:

μ Predicted.

$$\mu_{\text{prediction}} = \sum \bar{x}_i - n \cdot \bar{y} \quad (1)$$

$$\mu_{\text{Predicted}} = \bar{A}_3 + \bar{B}_2 + \bar{C}_3 + \bar{D}_1 - 3 \cdot \bar{y}$$

$$\mu_{\text{Predicted}} = 23.88 + 22.85 + 26.69 + 22.56 - (3 \times 21.038)$$

$$\mu_{\text{predicted}} = 32.866$$

Confident Interval (CI) for mean predicted (μ predicted).

$$n_{\text{eff}} = \frac{\text{number of experiment}}{\text{number of DOF in Predicted}} \quad (2)$$

$$n_{\text{eff}} = \frac{45}{3} = 15$$

$\alpha = 0.05$ for $v_1 = 2$ dan $v_e = 36$ are 3.2653 (interpolation from F distribution table).

$$CI = \sqrt{F_{\alpha, v_1, v_e} \times Me \times \left(\frac{1}{n_{\text{eff}}}\right)} \quad (3)$$

$$CI = \sqrt{F_{0.05, 2, 36} \times 1.274 \times \left(\frac{1}{15}\right)}$$

$$CI = \sqrt{3,2653 \times 1.274 \times \left(\frac{1}{15}\right)}$$

$$CI = \pm 0.526$$

So, the upper and lower limits for the μ :

$$\mu_{\text{predicted}} - CI \leq \mu_{\text{predicted}} \leq \mu_{\text{predicted}} + CI$$

$$32.866 - 0.526 \leq \mu_{\text{predicted}} \leq 32.866 + 0.526$$

$$32.34 \leq \mu_{\text{predicted}} \leq 33.392$$

Confident interval (CI) for experiment confirmation

$$CI = \sqrt{F_{\alpha, v1, v2} \times Me \times \left(\frac{1}{n_{\text{eff}}} + \frac{1}{r}\right)} \quad (4)$$

$$CI = \sqrt{F_{0.05, 2, 36} \times 1.274 \times \left(\frac{1}{15} + \frac{1}{5}\right)}$$

$$CI = \sqrt{3.2653 \times 1.274 \times \left(\frac{1}{15} + \frac{1}{5}\right)}$$

$$CI = \pm 1.053$$

So, the upper and lower limits for the experiment confirmation:

$$\mu_{\text{confirmation}} - CI \leq \mu_{\text{confirmation}} \leq \mu_{\text{confirmation}} + CI$$

$$32.6753 - 1.053 \leq \mu_{\text{confirmation}} \leq 32.6753 + 1.053$$

$$31.6223 \leq \mu_{\text{confirmation}} \leq 33.7283$$

A comparative interpretation of the two confidence intervals is shown in Figure 5.




Figure 5. Comparison of confident interval

Figure 5 shows the confidence interval of the flexural strength of the average confirmation experiment within the range of the Taguchi experiment confidence interval (predicted μ). Thus, it can be concluded that the combination of factor level settings at the optimum conditions that

have been obtained is valid. Orientation position 1 has the best flexural strength because the results of surface area comparison with the specimens fill volume explain that the 3rd orientation position produces a large number of wall layers. Thus, it has an important effect on flexural strength. At the layer thickness, the smaller the value of the thickness, the more layers are produced to form a product. This causes the flexural strength to be as high as possible. Whereas in fill density, of course, the denser a product is, the greater its strength.

4. Conclusion

Optimization of the printing process using the Taguchi method has been carried out. The optimum parameter settings according to the response graphs are Orientation position 3, lattice fill pattern, 75% fill density, and 0.125 mm for layer thickness. The greatest Flexural strength is 32.6753 MPa obtained when conducting confirmation experiments. Fill density parameter has the biggest contribution to affect the result of flexural strength. The percentage of contribution of fill density is 56.55%.

5. Acknowledgement

Lembaga Penelitian dan Pengabdian Masyarakat (Research and Community Services Institute) Petra Christian University, Indonesia, bolstered this work as a part of *Hibah Penelitian Internal 2016-2017* (Internal Research Grant 2016-2017) program. Thus, Authors want to offer their gratitude toward the institution.

6. References

- [1] Kumar L, Kumar V and Haleem A 2016 International Journal of Innovative Science, Engineering, and Technology 3(1) 287-292
- [2] Shahrabi M and Javadi M 2014 International Journal of Information Science and System 3(1) 15-22
- [3] Anitha R, Arunachalam S and Radhakrishnan P 2001 Journal of Materials Processing Technology 118(1-3) 385-388
- [4] Chennakesava P and Narayan S Y 2017 Fused deposition modelling – insights International Conference on Advantages in Design and Manufacturing pp 1345-1350
- [5] Hallgrimsson B, 2012 Prototyping and Model Making for Product Design (London: Laurence King Publishing)
- [6] Tanoto Y Y, Anggono J, Siahaan I H and Budiman W 2016 The effect of orientation difference in fused deposition modelling of ABS polymer on the processing time, dimension accuracy, and strength International Conference on Engineering, Science, and Nanotechnology pp 3(5) 1-7
- [7] Tanoto Y Y, Anggono J, Siahaan I H and Budiman W 2017 ARPN Journal of Engineering and Applied Sciences 12 6616-6621
- [8] Tanoto Y Y, Anggono J, Siahaan I H, Budiman W and Philbert K V 2020 Rekayasa Mesin 11 69-76
- [9] Lee B H, Abdullah J and Khan Z A 2005 Journals of Materials Processing Technology 169 54-61
- [10] Esun HIPS (2016). Esun Products and Materials. [online] Available at: <http://www.esun3d.net/products/95.html> [Accessed 12 Dec. 2017].
- [11] Axon 2 Manual (2012) BFB Axon 2 UsersManual PDF. [Online] Available at: from: <http://www.fablabbergenopzoom.nl/wp-content/uploads/2014/04/AXON-User-manual.pdf> [Accessed 28 Jun 2017].
- [12] Belavendram N 2012 Principles of Robust Design Proceedings of the 2012 International Conference on Industrial Engineering and Operations Management pp 1206-1215