



Operations Research Perspectives

Open access

4.3

CiteScore

Articles & Issues ▾

About ▾

Publish ▾

Search in this journal

Submit your article ↗

Guide for authors ↗

About the journal

[Aims and scope](#) [Editorial board](#) [Abstracting and indexing](#)

Operations Research Perspectives

Operations Research Perspectives is an exciting new open access journal in the field of Operations Research and Management Science. It provides a dedicated and safe environment for open access research, with fast online publication on ScienceDirect for all accepted papers.

Operations Research and Management Science has matured over the last 60 years. Nowadays it is a truly interdisciplinary field, intermixing theories and methodologies from mathematics, management science, computer science, operations management, economics, engineering, decision support, soft computing and many more, even reaching into psychology, ergonomics, knowledge management, education, quality management and biology.

Rather than disseminating the different scholarly papers among a large number of journals, or focusing on specialized topics in niche publications, *Operations Research Perspectives* aims to bring together high-quality papers and original contributions with a potentially far-reaching impact in the field, inside the same journal. As a result, the interfaces between the different disciplines and the richness of the field are bolstered, facilitating new and interesting approaches.

Operations Research Perspectives is aimed at a wide audience, ranging from management scientists, industrial engineers, computer scientists, mathematicians, practitioners and scientists working in the operations research field, understood in a wide sense. Similarly, all kinds of submissions, from short notes and technical letters to longer-length research papers, case studies and applications are welcomed. There is no page limit imposed and supplementary materials, including multimedia, are also welcomed.

Operations Research Perspectives operates a rigorous single blind review process, with all accepted papers having at least 2 quality referee reports from prominent researchers in the field.

Benefits to authors

Operations Research Perspectives is an open access journal. The journal and the editorial workflow have been fine-tuned in order to speed up the revision process as much as possible. As a result of these two key benefits, authors' research results are disseminated quickly and openly to the field, which significantly increases their visibility and potential impact.

Another key benefit is a series of cross-editorial agreements with other major operations research journals, namely *Omega - The International Journal of Management Science*, *Decision Support Systems*, *European Journal of Operational Research*, *International Journal of Production Economics*, *Computers & Operations Research* and *Computers & Industrial Engineering*. Under these agreements, selected high-quality papers that have already been peer reviewed might be accepted in a quick editorial decision for *Operations Research Perspectives*.

We also provide many author benefits, such as free PDFs, a liberal copyright policy, special discounts on Elsevier publications and much more. Please [click here](#) for more information



Operations Research Perspectives

Open access

4.3

CiteScore

Articles & Issues

About

Publish

Search in this journal

Submit your article

Guide for authors

Volume 2

Pages 1-164 (December 2015)

Download full issue

Previous vol/issue

Next vol/issue

Actions for selected articles

Select all / Deselect all

Receive an update when the latest issues in this journal are published

Sign in to set up alerts

Open access
Editorial Board
Page i
Download PDF

Open access
Contents
Pages ii-iii
Download PDF

Regular Articles

Research article Open access
Pricing decision model for new and remanufactured short-life cycle products with time-dependent demand
Shu San Gan, I. Nyoman Pujawan, Suparno, Basuki Widodo
Pages 1-12
Download PDF Article preview

Research article Open access
Trajectory Scheduling Methods for minimizing total tardiness in a flowshop
Xiaoping Li, Long Chen, Haiyan Xu, Jatinder N.D. Gupta
Pages 13-23
Download PDF Article preview

Research article Open access
Modeling bidding competitiveness and position performance in multi-attribute construction auctions
Pablo Ballesteros-Pérez, Maria Luisa del Campo-Hitschfeld, Daniel Mora-Melià, David Domínguez
Pages 24-35
Download PDF Article preview

Research article Open access

- Research article ● *Open access*
Simulation-based decision support for evaluating operational plans
Johan Schubert, Farshad Moradi, Hiran Asadi, Linus Luotsinen, ... Daniel Oskarsson
Pages 36-56
[Download PDF](#) Article preview ▼

- Research article ● *Open access*
A review of simheuristics: Extending metaheuristics to deal with stochastic combinatorial optimization problems
Angel A. Juan, Javier Faulin, Scott E. Grasman, Markus Rabe, Gonçalo Figueira
Pages 62-72
[Download PDF](#) Article preview ▼

- Research article ● *Open access*
A decision dependent stochastic process model for repairable systems with applications
Paul F. Zantek, Timothy Hanson, Paul Damien, Elmira Popova
Pages 73-80
[Download PDF](#) Article preview ▼

- Research article ● *Open access*
Fluid approximation analysis of a call center model with time-varying arrivals and after-call work
Yosuke Kawai, Hideaki Takagi
Pages 81-96
[Download PDF](#) Article preview ▼

- Research article ● *Open access*
A critical analysis of the harmony search algorithm—How not to solve sudoku
Dennis Weyland
Pages 97-105
[Download PDF](#) Article preview ▼

- Research article ● *Open access*
Automation of strategy using IDEF0 — A proof of concept
Gary R. Waissi, Mustafa Demir, Jane E. Humble, Benjamin Lev
Pages 106-113
[Download PDF](#) Article preview ▼

- Research article ● *Open access*
Robust quadratic assignment problem with budgeted uncertain flows
Mohammad Javad Feizollahi, Hadi Feyzollahi
Pages 114-123
[Download PDF](#) Article preview ▼

- Research article ● *Open access*
Testing the gravity p -median model empirically
Kenneth Carling, Mengjie Han, Johan Håkansson, Pascal Rebreyend
Pages 124-132
[Download PDF](#) Article preview ▼

- Research article ● *Open access*
A note on the sensitivity of the strategic asset allocation problem
W.J. Hurley, Jack Brimberg
Pages 133-136
[Download PDF](#) Article preview ▼

- Research article ● *Open access*
A comparison of HK-CONWIP and BK-CONWIP control strategies in a multi-product manufacturing system
Chukwunonyelum Emmanuel Onyeocha, Jiayi Wang, Joseph Khoury, John Geraghty
Pages 137-148

[Download PDF](#) [Article preview](#) 

- Research article  *Open access*
A mixed integer linear programming model applied in barge planning for Omya
David Bredström, Kjetil Haugen, Asmund Olstad, Jan Novotný
Pages 150-155

[Download PDF](#) [Article preview](#) 

- Research article  *Open access*
A new linguistic aggregation operator and its application to multiple attribute decision making
Jibin Lan, Yuwen Chen, Mengyao Ning, Zhongxing Wang
Pages 156-164

[Download PDF](#) [Article preview](#) 

Short communication

- Short communication  *Open access*
A note on the sojourn time distribution of an M/G/1 queue with a single working vacation and vacation interruption
Doo Ho Lee, Bo Keun Kim
Pages 57-61

[Download PDF](#) [Article preview](#) 

[< Previous vol/issue](#)

[Next vol/issue >](#)

ISSN: 2214-7160

Copyright © 2021 Elsevier Ltd. All rights reserved



[About ScienceDirect](#) [Remote access](#) [Shopping cart](#) [Advertise](#) [Contact and support](#) [Terms and conditions](#) [Privacy policy](#)

We use cookies to help provide and enhance our service and tailor content and ads. By continuing you agree to the [use of cookies](#).
Copyright © 2021 Elsevier B.V. or its licensors or contributors. ScienceDirect® is a registered trademark of Elsevier B.V.





Operations Research Perspectives

Open access

4.3

CiteScore

Articles & Issues ▾

About ▾

Publish ▾

Search in this journal

Submit your article ↗

Guide for authors ↗

About the journal

[Aims and scope](#)

[Editorial board](#)

[Abstracting and indexing](#)

Editor-in-Chief

Professor Rubén Ruiz, García

Polytechnic University of Valencia, Valencia, Spain

Email: rruiz@eio.upv.es

Editorial Board

Dr. Laura Albert, PhD

University of Wisconsin-Madison, Madison, Wisconsin, United States of America

Professor Ali Allahverdi, PhD

Kuwait University, Department of Industrial and Management Systems Engineering, Al-khaldiya, Kuwait
Scheduling

Professor Ramon Alvarez-Valdes, PhD

University of Valencia, Valencia, Spain

Combinatorial optimization, Integer programming, Cutting and packing, Scheduling, Timetabling

Dr. Masri Ayob

Universiti Kebangsaan Malaysia Faculty of Education, Bangi, Malaysia

Professor Ana Barbosa-Povoa, PhD

Técnico Lisboa Department of Engineering and Management, Porto Salvo, Portugal

Supply Chain Design, Planning and Scheduling, Optimization, Sustainable Supply Chain

Professor Julia Bennell, PhD

University of Leeds, Leeds, United Kingdom

Optimisation, Heuristics, Cutting and packing, Transportation

Professor Immanuel Bomze, Mag.Dr.

University of Vienna, Vienna, Austria

Continuous Optimization, Data Science, Game Theory

Professor Emanuele Borgonovo, PhD

Bocconi University Department of Decision Sciences, Milano, Italy

Reliability Importance Measures, Sensitivity Analysis, Reliability Theory.

Dr. Marco Chiarandini

University of Southern Denmark, Odense, Denmark

Professor Kalyanmoy Deb

Michigan State University, East Lansing, Michigan, United States of America

Professor Robert Dyson, PhD

University of Warwick - Warwick Business School, Coventry, United Kingdom

Data envelopment analysis, problem structuring, strategy support

Dr. Reza Zanjirani Farahani, PhD

Rennes School of Business France, Rennes, France

Logistics/ Supply chain network design, Disaster management, Health operations, Service operations, Facility location

Professor Elena Fernández Areizaga, PhD

University of Cadiz, Cadiz, Spain

Discrete Optimization, Location analysis, Vehicle routing, Network design

Professor Jose M Framinan, PhD

University of Seville Higher Technical School of Engineering, Sevilla, Spain

Manufacturing scheduling, Production control, Supply chain management, Production management

Professor Liang Gao, PhD

Huazhong University of Science and Technology, Wuhan, China

Machine learning, Optimization, Scheduling, Topology optimization

Professor Richard Hartl, PhD

University of Vienna, Department of Economics and Statistics, Vienna,

Austria

Logistics, Transportation, Operations management, Optimization, Metaheuristics

Professor Manuel Laguna, PhD

University of Colorado Boulder Leeds School of Business, Boulder, Colorado, United States of America

Optimization, Simulation, Metaheuristics, Business Analytics

Professor Gilbert Laporte, PhD

HEC Montreal, Montréal, Quebec, Canada

Vehicle routing

Professor Ben Lev, PhD

Drexel University, Philadelphia, Pennsylvania, United States of America

Operations Research, Management Science

Dr. Xiaoping Li

Southeast University, Nanjing, China

Dr. Manuel Lopez-Ibanez, PhD

University of Malaga, Malaga, Spain

mathematical optimization

Dr. Carlos Méndez

National University of the Littoral, Santa Fe, Argentina

Dr. Lars Mönch, PhD

FernUniversity Faculty of Mathematics and Computer Science, Hagen,

Germany

Scheduling, Production Planning, Simulation, Multi-Agent Systems, Decision Support Systems

Professor Jairo R. Montoya-Torres

University of La Sabana, Chia, Colombia

Prof. Dr. Stefan Nickel, PhD

Karlsruhe Institute of Technology Institute of Operations Research, Karlsruhe, Germany

Location Theory, Multi-Criteria Optimization, Online Optimization, Health

Care, Combinatorial Optimization

Professor José Oliveira, PhD

University of Porto Faculty of Engineering, Porto, Portugal
Operational Research, Cutting and Packing, Mobility, Production Planning

Dr. Dario Pacciarelli

Roma Tre University, Roma, Italy

Dr. Quan-Ke Pan

Shanghai University, Shanghai, China

Dr. Luís Paquete, PhD

University of Coimbra Department of Informatics Engineering,
Multiobjective optimization, Combinatorial Optimization, Heuristics, Local Search., ,

Dr. Lorenzo Peccati

Bocconi University Department of Decision Sciences, Milano, Italy
Applied Mathematics in Finance, Economics, Management, Law

Professor Marco Pranzo, PhD

University of Siena Department of Information Engineering and
Mathematics, Siena, Italy
Job Shop Scheduling, Optimization Algorithms, Railway Traffic Management,
Healthcare Applications, Manufacturing Applications, , , ,

Prof. Dr. Justo Puerto, PhD

University of Seville Institute for Mathematics Research Antonio de Castro
Brzezicki, Seville, Spain
Optimization, Location Theory, Game Theory

Professor Roger Ríos-Mercado, PhD

Autonomous University of Nuevo Leon Faculty of Mechanical and Electrical
Engineering, San Nicolas de los Garza, Mexico
Discrete optimization, Location science, Districting, Metaheuristics

Assoc. Professor Francisco Saldanha da Gama, PhD

University of Lisbon Faculty of Sciences, Lisboa, Portugal
Facility Location, Combinatorial Optimization, Stochastic Integer
Programming, Project Scheduling

Prof. Dr. Liji Shen, PhD

WHU-Otto Beisheim School of Management, Vallendar, Germany
Scheduling, Metaheuristics, MIP, Production

Dr. Wenjing Shen

Drexel University, Philadelphia, Pennsylvania, United States of America

Professor Roman Słowiński, PhD

Poznan University of Technology Institute of Computing Science, Poznan,
Poland
Intelligent Decision Support, Artificial Intelligence, Operations Research

Dr. Kenneth Sorensen

University of Antwerp, Antwerp, Belgium

Dr. Thomas Stützle, PhD

University of Brussels - ULB, Bruxelles, Belgium
Automated Algorithm Design, Metaheuristics, Swarm Intelligence,
Optimization

Professor Reza Tavakkoli-Moghaddam

University of Tehran, Tehran, Iran

Professor Ruud Teunter, PhD

University of Groningen Faculty of Economics and Business, Groningen,
Netherlands

Inventory control, Forecasting, Service logistics, Sustainable logistics

Dr. Franklina Toledo, Dr

University of Sao Paulo, São Paulo, Brazil

Nesting Problems, Cross-docking problems, Heuristics, Mathematical models, Vehicle routing problems, integer programming

Professor Greet Vanden Berghe, PhD

KU Leuven Department of Computer Science, Leuven, Belgium

Combinatorial optimization, Vehicle routing, Scheduling, Timetabling, Personnel rostering

Professor Juan Villegas, Dr

University of Antioquia, Medellin, Colombia

Metaheuristics, Multiobjective optimization, Facility Location, Vehicle routing, Logistics.

Professor Frank Werner

Otto von Guericke University, Magdeburg, Germany

All members of the Editorial Board have identified their affiliated institutions or organizations, along with the corresponding country or geographic region. Elsevier remains neutral with regard to any jurisdictional claims.

ISSN: 2214-7160

Copyright © 2021 Elsevier Ltd. All rights reserved



[About ScienceDirect](#)

[Remote access](#)

[Shopping cart](#)

[Advertise](#)

[Contact and support](#)

[Terms and conditions](#)

[Privacy policy](#)

We use cookies to help provide and enhance our service and tailor content and ads. By continuing you agree to the **use of cookies**.

Copyright © 2021 Elsevier B.V. or its licensors or contributors. ScienceDirect® is a registered trademark of Elsevier B.V.





Operations Research Perspectives

COUNTRY

Netherlands



Universities and research
institutions in Netherlands

SUBJECT AREA AND CATEGORY

[Business, Management and Accounting](#)
└ [Strategy and Management](#)

[Decision Sciences](#)
└ [Management Science and Operations
Research](#)

[Mathematics](#)
└ [Control and Optimization](#)
└ [Statistics and Probability](#)

PUBLISHER

Elsevier BV

H-INDEX

16

PUBLICATION TYPE

Journals

ISSN

22147160

COVERAGE

2014-2020

INFORMATION

[Homepage](#)


[How to publish in this journal](#)

rruiz@eio.upv.es

SCOPE








Operations Research Perspectives is an exciting new open access journal in the field of Operations Research and Management Science. It provides a dedicated and safe environment for open access research, with fast online publication on ScienceDirect for all accepted papers. Operations Research and Management Science has matured over the last 60 years. Nowadays it is a truly interdisciplinary field, intermixing theories and methodologies from mathematics, management science, computer science, operations management, economics, engineering, decision support, soft computing and many more, even reaching into psychology, ergonomics, knowledge management, education, quality management and biology. Rather than disseminating the different scholarly papers among a large number of journals, or focusing on specialized topics in niche publications, Operations Research Perspectives aims to bring together high-quality papers and original contributions with a potentially far-reaching impact in the field, inside the same journal. As a result, the interfaces between the different disciplines and the richness of the field are bolstered, facilitating new and interesting approaches.

Join the conversation about this journal




FIND SIMILAR JOURNALS ?

options ⋮



2014 2015 2016 2017 2018 2019 2020



2014 2015 2016 2017 2018 2019 2020

Operations Research Perspectives



← Show this widget in your own website

Just copy the code below and paste within your html code:

```
<a href="https://www.scimaç
```

SCImago Graphica

Explore, visually communicate and make sense of data with our new free tool.

Get it



Metrics based on Scopus® data as of April 2021



Anisa Qurrota A'yunin 2 years ago

i need this journal

← reply



Melanie Ortiz 2 years ago

SCImago Team

Dear Anisa,
thank you for contacting us.

We suggest you to visit the journal's homepage. Best regards, SCImago Team

Leave a comment

Name

Email

(will not be published)



Pricing decision model for new and remanufactured short-life cycle products with time-dependent demand

Shu San Gan^{a,c}, I. Nyoman Pujawan^{a,*}, Suparno^a, Basuki Widodo^b

^a Department of Industrial Engineering - Faculty of Industrial Technology, Sepuluh Nopember Institute of Technology, Surabaya 60111, Indonesia

^b Department of Mathematics - Faculty of Mathematics and Natural Science Sepuluh Nopember Institute of Technology, Surabaya 60111, Indonesia

^c Department of Mechanical Engineering - Faculty of Industrial Technology, Petra Christian University, Surabaya 60236, Indonesia

ARTICLE INFO

Article history:

Received 15 July 2014

Received in revised form

6 November 2014

Accepted 19 November 2014

Available online 3 December 2014

Keywords:

Short life cycle product

Remanufacturing

Closed loop supply chain

Pricing

Optimization

ABSTRACT

In this study we develop a model that optimizes the price for new and remanufactured short life-cycle products where demands are time-dependent and price sensitive. While there has been very few published works that attempt to model remanufacturing decisions for products with short life cycle, we believe that there are many situations where remanufacturing short life cycle products is rewarding economically as well as environmentally. The system that we model consists of a retailer, a manufacturer, and a collector of used product from the end customers. Two different scenarios are evaluated for the system. The first is the independent situation where each party attempts to maximize his/her own total profit and the second is the joint profit model where we optimize the combined total profit for all three members of the supply chain. Manufacturer acts as the Stackelberg leader in the independently optimized scenario, while in the other the intermediate prices are determined by coordinated pricing policy. The results suggest that (i) reducing the price of new products during the decline phase does not give better profit for the whole system, (ii) the total profit obtained from optimizing each player is lower than the total profit of the integrated model, and (iii) speed of change in demand influences the robustness of the prices as well as the total profit gained.

© 2014 The Authors. Published by Elsevier Ltd.

This is an open access article under the CC BY-NC-ND license

(<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

1. Introduction

Technology-based product has shorter life cycle due to rapid innovation and development in science and technology, as well as customer behavior in pursuing latest innovation and style. Lebreton and Tuma [1] pointed out that technology based commodities such as mobile phones and computers have shorter innovation cycle so that the previous generation becomes obsolete faster, either functionally and psychologically. Similarly, Hsueh [2] also argued that product life cycle in electronic industry is shorter than before, due to technology advances, and as a result, an outdated product could reach its end-of-use even it is still in a good condition. Shorter life-cycle has negative contribution toward sustainability, since there is an increase in product disposal. Customers want newer products and discard the old ones, and these preferences would exhaust landfill space in shorter time. In addition,

there are more natural resources and energy used to create new products than actually needed, due to unnecessary increased obsolescence. To make it worse, electronic products are prominent as the ones with shorter and shorter life cycle, while the wastes are toxic and not environmentally friendly. There are many attempts made in developed countries to control electronic wastes such as Waste of Electric and Electronic Equipment (WEEE) directives, implemented in most European countries since 2003, RoHS in United States, 2003, and Extended Producer Responsibility (EPR) issued by OECD in 1984. However, these regulations pose as burdens to the industries when implemented only for conformity, because there are additional costs for handling e-wastes and increased material cost for avoiding or minimizing toxic materials.

Several strategies have been introduced to mitigate products disposal and wastes, such as life cycle approach, regulation and society approach. One aspect of life cycle approach is dealing with products at their end-of-use. According to de Brito & Dekker [3], there are situations where customer has the opportunity to return a product at a certain life stage, which can be referred to leasing cases and returnable containers, and is called end-of-use return. Hsueh [2] considered a different kind of return, where a product may be returned because it has become outdated, and the customer

* Corresponding author.

E-mail addresses: gshusan@peter.petra.ac.id (S.S. Gan), pujawan@ie.its.ac.id (I.N. Pujawan), suparno@ie.its.ac.id (Suparno), b_widodo@matematika.its.ac.id (B. Widodo).

wants to buy a new product. Herold [4] proposed alternatives to end-of-use products which are reprocessing, collect-and-sell, and collect-and-dispose. Remanufacturing is one option to manage products at their end-of-use which offers opportunity for complying with regulation while maintaining profitability [5–7].

Remanufacturing is a process of transforming used product into “like-new” condition, so there is a process of recapturing the value added to the material during manufacturing stage [8,9]. The idea of remanufacturing used products has gained much attention recently for both economic and environmental reasons. As suggested by Gray and Charter [9], remanufacturing can reduce production cost, the use of energy and materials.

There are numerous studies on remanufacturing. However, most of the published works on remanufacturing have considered durable or semi-durable products. Very little attempt has been made to study how remanufacturing maybe applied to products with short life cycle. In some developing countries like Indonesia, there is a large segment of society that could become potential market for remanufactured short-life cycle products like mobile phones, computers and digital cameras.

In remanufacturing practice, there are three main activities, namely product return management, remanufacturing operations, and market development for remanufactured product [10]. In terms of marketing strategy, there are general concerns that remanufactured product would cannibalize the sales of new product. However, Atasu et al. [11] concluded that remanufacturing does not always cannibalize the sales of new products. He proposed that managers who understand the composition of their markets, and use the proper pricing strategy should be able to create additional profit. Therefore, pricing decision is an important task in an effort to gain economic benefit from remanufacturing practices.

There are several studies that focused on pricing of remanufactured products, but many of them have not considered the whole supply chain, and also only a very few concern about obsolescence of short life cycle products. Our study will be focused on pricing decisions in a closed loop supply chain involving manufacturer, retailer and collector of used products (cores), where customers have the option to purchase new or remanufactured short life cycle products in the same market channel. We consider a monopolist of a single item with no constraint on the quantity of remanufacturable cores throughout the selling horizon.

2. Literature review

Remanufacturing of mobile phones and electronic products has been recognized as an important practice in the United States, and as a potential in China and India. Helo [12] claimed that product life cycle has significantly shortened by rapid technological advancement, and coupled with fashionable design that attracts frequent purchases of new products, has generated pressure on and opportunities for reverse logistics. Franke et al. [13] suggested that remanufacturing of durable high-value products such as automobile engine, aircraft equipment, and machine tools, has been extended to a large number of consumer goods with short life cycle and relatively low values, like mobile phones and computers. He also quoted market studies by Marcussen [14] and Directive 2002/96/EC which revealed that there is a significant potential for mobile phone remanufacturing due to the large supply market of the used mobile phones in Europe and the high market demand in Asia and Latin America.

Neto and Bloemhof-Ruwaard [15] found that remanufacturing significantly reduces the amount of energy used in the product life cycle, even though the effectiveness of remanufacturing is very sensitive to the life span of the second life of the product. They also proposed that the period of the life cycle in which the product is returned to recovery, the quality of the product (high-end versus low-end), the easiness to remanufacture and the recovery costs

can affect whether or not remanufacturing is more eco-efficient than manufacturing. Rathore et al. [16] studied the case of remanufacturing mobile handsets in India. They found that used phone market is very important, even though with a lack of government regulation for e-wastes. It is also observed that there is a negative user-perception of second hand goods and that the process of remanufacturing has not been able to capture much required attention from its stakeholders. Wang et al. [17] showed that the mobile phone market in China is growing rapidly. The number of mobile accounts was 565.22 million in February 2008 according to a report from Ministry of Information Industry of the People's Republic of China. The above mentioned studies have affirmed our intuitive proposition that there is a high potential for remanufacturing short life cycle products.

Motives for deploying reverse chain can be for profitability (or cost minimization) or for sustainability (environmental impact mitigation), which either could be driven by regulation and/ or morale. In our research, the underlying motive considered would be focused on profitability, which seems to be the suitable motive applied to industries in a situation with the absence of environment protection regulation, like in most of the developing countries. There are numerous studies that investigated the factors that influence decision to remanufacture as well as the factors for successful remanufacturing. We categorized the factors into four aspects, namely product characteristics, demand-related factors, process-related factors, and supply-related factors.

The first aspect, product characteristics of short life cycle products, consist of (1) innovation rate (fast vs. slow) as an extension to technology factor [8,18–20]; (2) residence time [21]; (3) product residual value [22]; (4) qualitative obsolescence, as an extension to product characteristics [3,23].

Second, demand-related factors, consist of (1) market size or existence of the demand, [18,19,24]; (2) market channel, which is about selling remanufactured products using the same channel as the new product, or differentiated [8,18–21,25–27]; (3) pricing of new and remanufactured products, with demand as a function of price [28,32,33,30,18,19,26]; (4) existence of green segment, [23,31].

Supply-related factors can be described by (1) acquisition price and (2) source of return, whether it is limited and then pose as a constraint, or unlimited. These factors were studied in [8,18,19,23,24,32].

The last factors, which are process-related, consist of (1) remanufacturing technology availability [8,18,32]; (2) remanufacturing cost, [8,18,19,21,22,32]; (3) reverse flow structure readiness [8,20,24,32–34].

There are several studies that discuss pricing strategies involving remanufactured products, obsolescence, and nonlinear demand function. However, none has considered the situation that we address in this paper. Table 1 shows the review result and where our proposed model stands.

3. Problem description

A closed-loop supply chain consists of three members, which are manufacturer, retailer, and collector, as depicted in Fig. 1. The closed-loop is initiated by production of new product, which is sold at a wholesale price P_{nw} to the retailer. The new product is then released to the market at a retail price P_{n1} for the period when product life-cycle is within introduction–growth–maturity (IMG) phases, or during increasing and stable phases. When the new product has reached its decline phase, retailer starts to apply different pricing, P_{n2} . In the model development, the price is differentiated between IMG phases and decline phase to study the impact of this differentiated pricing, as Kotler & Armstrong [52] suggest that reduced price during decline phase could increase the quantity of demanded goods. An example of short life-cycle product where the new product reaches its decline phase in a short time is, Samsung Galaxy Tab 10.1 that was released on second quarter

Table 1
Literatures on pricing models.

	Supply Chain members involved	Differentiating New & Reman	Planning Horizon	Demand function	Decision variables	Objective	Considering obsolescence	Remark
Guide et al. (2003) [35]	Remanufacturer	Only reman product	Single period	Dr known	Price of *Reman *Core	Max profit	No	Consider several quality classes of cores
Bakal and Akcali (2006) [36]	Remanufacturer	Only reman product	Single period	Linear in price	Price of *Reman *Core	Max profit	No	Consider effect of recovery yield
Ferrer and Swaminathan (2006) [37]	Manufacturer	No ($P_n = P_r$)	*Infinite *Two period *Multi period	Linear in price	*Price *Quantity	Max profit	No	Consider monopoly & duopoly
Vadde et al. (2006) [38]	Product recovery facility	Only reman product	Selling horizon	Function of price and obsolescence	*Price	Max profit	Yes	Consider 2 types of obsolescence *Gradual *Sudden
Mitra (2007) [39]	Retailer	Reman & refurbish products	Selling horizon	Two cases: *Linear in price *Non-linear	Price of *Reman *Refurbish	Max revenue	No	Consider the availability of product
Atasu et al. (2008) [31]	Manufacturer	Yes ($P_n \neq P_r$)	Two period	Linear in price	*Price *Quantity	Max profit	No	Consider green segment, market diffusion, competition with other OEM
Qiaolun et al. (2008) [29]	*Manufacturer *Retailer *Collector	No ($P_n = P_r$)	Selling horizon	Linear in price	Price of *Retail *Wholesale *Collecting	Max profit	No	Manufacturer is the Stackelberg leader
Li et al. (2009) [40]	Remanufacturer	Only reman product	Single period	Stochastic, function of price	Price of *Reman *Core	Max utilization	No	Consider random yield and random demand
Liang et al. (2009) [41]	Remanufacturer	Only reman product	Single period	None	Price of core	High return on investment	No	Consider selling price follows GMB, and core price follows option principles
Ferrer & Swaminathan (2010) [42]	Manufacturer	Yes ($P_n \neq P_r$)	*Infinite *Two period *Multi period	Linear in price	*Price *Quantity	Max profit	No	Consider monopoly & duopoly
Ovchinnikov (2011) [28]	Manufacturer	Yes ($P_n \neq P_r$) P_n fixed	Selling horizon	D_n known & constant D_r function of price	*Price *Quantity of reman	Max profit	No	Also study customers' switching behavior $\alpha (Pr) \in [0, 1]$
Shi et al. (2011) [43]	Manufacturer	No ($P_n = P_r$)	Single period	Stochastic, linear in price	*Price *Quantity of new & reman	Max profit	No	Consider understocking & overstocking risks
Vadde et al. (2011) [44]	Product recovery facility	No new products	Single period	Deterministic	Prices	Max revenue Min cost	No	Consider several types of used products
Wei & Zhao (2011) [45]	*Manufacturer *Retailer	No ($P_n = P_r$)	Single period	Linear in price	Price of *Retail *Wholesale *Collecting	Max profit	No	Consider two competing retailers
Pokharel & Liang (2012) [46]	Consolidation center	Only cores	Single period	D_r is known	*Core price *Quantity of cores	Min cost	No	Consider stochastic return quantity and quality
Wu (2012a) [47]	*OEM *Remanufacturer	Yes ($P_n \neq P_r$)	Two period	Linear in price	Prices *New *Reman	Max profit	No	Consider level of interchangeability

(continued on next page)

Table 1 (continued)

	Supply Chain members involved	Differentiating New & Reman	Planning Horizon	Demand function	Decision variables	Objective	Considering obsolescence	Remark
Wu (2012b) [48]	*OEM *Remanufacturer	Yes (Pn ≠ Pr)	*Two period *Multi period	Linear in price	Prices *New *Reman	Max profit	No	Consider degree of disassemblability
Chen & Chang (2013) [49]	Manufacturer	Yes (Pn ≠ Pr)	*Static *2-period *Multi periods over life-cycle	*Linear in price, with substitutable coefficient *Dynamic (over time)	Price of *New *Reman for each period	Max profit	No	*Static unconstrained *Dynamic pricing - constrained *Consider system of manufacturing only & hybrid settings
Jena & Sarmah (2013) [50]	*Remanufacturer *Retailer	Only reman product	Single period	Random	Cores price	Max profit	No	Consider 3 schemes of collection: direct, indirect, coordinated
Xiong et al. (2013) [51]	Manufacturer	Only reman product	Finite & infinite horizon	Random	Cores price	Min cost	No	Consider lost sales and uncertain quality of used products
Proposed model	*Manufacturer *Retailer *Collector	Yes (Pn≠Pr)	Selling horizon	Function of time and price	Price of *Retail *Wholesale *Collecting	Max profit	Yes	Consider the impact of speed of change in demand

Note: Pn = price of new product, Pr = price of remanufactured product, Dn = demand of new product, Dr = demand of remanufactured product.




Fig. 1. Framework of the closed-loop pricing model.




Fig. 2. Demand pattern of a product with gradual obsolescence, over time.

2011. According to trial documents of Apple Inc. vs. Samsung Electronics Co., Ltd [53], the sales of that product is entering decline phase starting on first quarter 2012.

After a certain period of time, some products reach their end-of-use and become the objects of used products collection. The used product would be acquired by collector under certain acquisition prices, P_{c1} and P_{c2} , for product originated from IMG phases and decline phase, respectively. The collected product is then transferred to manufacturer at price P_f , as the input for remanufacturing process. The remanufactured product is sold to retailer at wholesale price P_{rw} and released to the market at retail price P_r .

The product considered in this model is single item, short life-cycle, with obsolescence effect after a certain period. Demand functions are time-dependent functions which represent the short life-cycle pattern along the entire phases of product life-cycle, both for new and remanufactured products; and linear in price.

There are four periods considered in this model, as depicted in Fig. 2. In the first period $[0, t_1]$, only new product is offered to the market, while in second $[t_1, \mu]$ and third period $[\mu, t_3]$ both new and remanufactured products are offered. The difference between second and third period is on the segments of life-cycle phases for both types. During second period, both new and remanufactured products are at the IMG phases. In the third period, the new product has entered the decline phase while remanufactured product has not. In the fourth period $[t_3, T]$, manufacturer has stopped producing new product and only offers remanufactured product which is assumed to be on the decline phase.

The market demand capacity is adopted from Wang and Tung [54] and extended to cover the obsolescence period, where

demand decreases significantly. The demand patterns are constructed for both new and remanufactured product and the governing functions are formulated as follows:

$$D_n(t) = \begin{cases} D_{n1}(t) = U / (1 + ke^{-\lambda Ut}); & 0 \leq t \leq \mu \\ D_{n2}(t) = U / (\lambda U(t - \mu) + \delta); & \mu \leq t \leq t_3 \end{cases}$$

where $k = U/D_0 - 1$
 $\delta = 1 + ke^{-\lambda U\mu}$ (3.1)

$$D_r(t) = \begin{cases} D_{r1}(t) = V / (1 + he^{-\eta V(t-t_1)}); & t_1 \leq t \leq t_3 \\ D_{r2}(t) = V / (\eta V(t - t_3) + \varepsilon); & t_3 \leq t \leq T \end{cases}$$

where $h = V/D_{r0} - 1$
 $\varepsilon = 1 + he^{-\eta V(t_3-t_1)}$ (3.2)

where $D_n(t)$ and $D_r(t)$ are demand pattern for new and remanufactured products, respectively, as seen in Fig. 2. U is a parameter representing the maximum possible demand for new product, μ is the time when the demand reaches its peak, i.e. at U level. D_0 is the demand at the beginning of the life-cycle (when $t = 0$), and λ is the speed of change in the demand as a function of time. A parallel definition is applicable for V, t_3, D_{r0} , and η respectively for the remanufactured products. It is obvious that $D_n(t)$ and $D_r(t)$ are continuous at μ and t_3 , respectively, as shown in Appendix A.

The new products are sold at retail price P_{n1} during $[0, \mu]$, and P_{n2} during $[\mu, t_3]$. Since demand function is also linear in price, there is a maximum price P_m (known and fixed) as the upper limit,




Fig. 3. Demand of new product during $[0, \mu]$; (a) time-view (b) price-view.

at which demand would be zero. Remanufactured products are sold at retail price P_r during $[t_1, T]$, and the maximum price is P_{n2} , since customer would choose to buy new product rather than remanufactured one when the remanufactured product price is as high as P_{n2} . Therefore,

$$\text{Demand of new product during } [0, \mu] = D_{n1}(t)(1 - P_{n1}/P_m) \quad (3.3)$$

$$\text{Demand of new product during } [\mu, t_3] = D_{n2}(t)(1 - P_{n2}/P_m) \quad (3.4)$$

$$\text{Demand of reman product during } [t_1, t_3] = D_{r1}(t)(1 - P_r/P_{n2}) \quad (3.5)$$

$$\text{Demand of reman product during } [t_3, T] = D_{r2}(t)(1 - P_r/P_{n2}). \quad (3.6)$$

Fig. 3 illustrates the demand of new product for the period of $[0, \mu]$. The demand function information is shared to all members of the supply chain.

Manufacturer decides the wholesale prices for new product (P_{nw}) and remanufactured product (P_{rw}), retailer determines the retail prices (P_{n1}, P_{n2}, P_r), while collector determines collecting prices P_{c1} and P_{c2} for cores collected from end-of-use product within the periods of $[0, \mu]$ and $[\mu, t_3]$ respectively. Since the product has short life-cycle, remanufacturing process is only applied to cores originated from new products.

Return rate (τ) is an increasing function of the collecting price. We use the return rate function proposed by Qiaolun et al. [29], which was a result of their survey that employs a power function. The return rate τ is defined on $[t_1, T]$ and depends on P_c as follows

$$\tau = \gamma P_c^\theta \quad (3.7)$$

where γ are positive constant coefficients, and $\theta \in [0, 1]$ are exponents of the power functions, which determine curve's steepness. It is assumed that collector only accepts cores with a certain quality grade, and all collected cores will be remanufactured.

Since our research is focusing on pricing decision, we do not make an attempt to show detailed derivation of production and operational costs, and instead treat those costs as given parameters, which consist of unit raw material cost for new product (c_{rw}), unit manufacturing cost (c_m), unit remanufacturing cost (c_r), and unit collecting cost (c). The objective of the proposed model is to find the optimal prices that maximize profit, and we investigate two scenarios, (1) maximize profit independently, and (2) maximize joint profit along the supply chain.

4. Optimization

4.1. Independently optimized profit

4.1.1. Retailer's optimization

In this scenario, manufacturer makes the first move by releasing initial wholesale prices (P_{nw}, P_{rw}). Retailer then optimizes the

retail prices P_{n1}, P_{n2} , and P_r . The profit function can be formulated as follows:

$$\begin{aligned} \Pi_R = & \int_0^\mu \frac{U}{1 + ke^{-\lambda Ut}} \left(1 - \frac{P_{n1}}{P_m}\right) (P_{n1} - P_{nw}) dt \\ & + \int_\mu^{t_3} \frac{U}{\lambda U(t - \mu) + \delta} \left(1 - \frac{P_{n2}}{P_m}\right) (P_{n2} - P_{nw}) dt \\ & + \int_{t_1}^{t_3} \frac{V}{1 + he^{-\eta V(t-t_1)}} \left(1 - \frac{P_r}{P_{n2}}\right) (P_r - P_{rw}) dt \\ & + \int_{t_3}^T \frac{V}{\mu V(t - t_3) + \varepsilon} \left(1 - \frac{P_r}{P_{n2}}\right) (P_r - P_{rw}) dt \\ = & d_1 \left(1 - \frac{P_{n1}}{P_m}\right) (P_{n1} - P_{nw}) + d_2 \left(1 - \frac{P_{n2}}{P_m}\right) (P_{n2} - P_{nw}) \\ & + (d_3 + d_4) \left(1 - \frac{P_r}{P_{n2}}\right) (P_r - P_{rw}) \end{aligned} \quad (4.1)$$

where

$$\begin{aligned} d_1 = & \frac{1}{\lambda} \ln \left(\frac{\delta}{(1+k)e^{-\lambda U \mu}} \right) & d_2 = & \frac{1}{\lambda} \ln \left(\frac{\lambda U(t_3 - \mu) + \delta}{\delta} \right) \\ d_3 = & \frac{1}{\eta} \ln \left(\frac{\varepsilon}{(1+h)e^{-\eta V(t_3-t_1)}} \right) & d_4 = & \frac{1}{\eta} \ln \left(\frac{\eta V(T - t_3) + \varepsilon}{\varepsilon} \right). \end{aligned}$$

The objective function is to maximize profit (4.1), and consequently it needs to satisfy the first derivative conditions $\partial \Pi_R / \partial P_{n1} = 0$, $\partial \Pi_R / \partial P_{n2} = 0$, and $\partial \Pi_R / \partial P_r = 0$. The profit function (4.1) is not always concave along the considered interval, because P_{n2} took a hyperbolic form as a result of being the upper bound of P_r , so we need to establish the interval on which profit function is concave.

Property 1. The objective function (1) is concave when

$$P_{n2} \geq \sqrt[3]{\frac{(d_3 + d_4) P_m P_{rw}^2}{4d_2}}. \quad (4.2)$$

Proof. See Appendix B.

The above result implies that the demand of remanufactured product (d_3 and d_4) influences the price of new product during the decline stage. Demand capacity during decline stage which is affected by the length of that period has also contributed in shifting the interval of the concave function.

The optimal retail prices P_{n1}^* , P_{n2}^* , and P_r^* are obtained by solving equations from first derivatives conditions:

$$P_{n1}^* = (P_m + P_{nw}) / 2 \quad (4.3)$$

$$P_r^* = (P_{n2} + P_{rw}) / 2 \quad (4.4)$$

$$\begin{aligned} -\frac{2}{P_m} d_2 (P_{n2}^*)^3 + \left(d_2 \left(1 + \frac{P_{nw}}{P_m} \right) + \frac{d_3 + d_4}{4} \right) (P_{n2}^*)^2 \\ - \frac{(d_3 + d_4) (P_{rw})^2}{4} = 0. \end{aligned} \quad (4.5)$$

Following Property 1, Eq. (4.2) becomes the lower bound of P_{n2} . It is expected that P_{n2}^* is lower than P_{n1}^* to increase demand rate at the decline stage, however the model allows P_{n2}^* to attain higher value than P_{n1}^* , which in turns is not attractive for customers. Our investigation showed that P_{n2} has a tendency to attain higher value than P_{n1} , which is also consistent with Ferrer and Swaminathan's finding [37]. However, this is not an expected result since higher price during decline stage is not attractive for customers and might not be able to improve the demand rate. Therefore, we set a common price for new product, $P_{n1} = P_{n2}$. Retailer's optimization model becomes

$$\begin{aligned} \text{Max}_{P_n, P_r} \Pi_R = & (d_1 + d_2) \left(1 - \frac{P_n}{P_m}\right) (P_n - P_{nw}) \\ & + (d_3 + d_4) \left(1 - \frac{P_r}{P_n}\right) (P_r - P_{rw}). \end{aligned} \quad (4.6)$$

Decision variables:

P_n : price of new product
 P_r : price of remanufactured product

Parameters:

P_{nw} : wholesale price of new product
 P_{rw} : wholesale price of remanufactured product
 P_m : maximum price for new product
 d_1 : total demand for new product within $[0, \mu]$
 d_2 : total demand for new product within $[\mu, t_3]$
 d_3 : total demand for remanufactured product within $[t_1, t_3]$
 d_4 : total demand for remanufactured product within $[t_3, T]$

The existence of optimal prices P_n, P_r is shown in Property 2, and the condition for obtaining prices that maximize retailer's profit (4.6) is given in Property 3. The optimal retail prices are given in Proposition 1.

Property 2. There exists global extrema for profit maximization problem (4.6) in $\{(P_n, P_r) | P_{nw} \leq P_n \leq P_m; P_{rw} \leq P_r \leq P_m; P_n \in R, P_r \in R, \}$.

Proof. See Appendix C.

Property 3. The objective function (4.6) is concave when

$$\frac{P_{rw}}{2} - P_r + \sqrt{\frac{d_1 + d_2}{d_3 + d_4} \cdot \frac{P_n^3}{P_m}} > 0. \quad (4.7)$$

Proof. See Appendix D.

Proposition 1. The optimal prices for optimization model (4.6) are P_n^* and P_r^* where

$$\begin{aligned} & \frac{-2(d_1 + d_2)}{P_m} P_n^{*3} + \left(\frac{d_1 + d_2}{P_m} (P_m - P_{nw}) + \frac{d_3 + d_4}{4} \right) P_n^{*2} \\ & - \frac{d_3 + d_4}{4} P_{rw}^2 = 0 \end{aligned} \quad (4.8)$$

$$P_r^* = \frac{P_n^* + P_{rw}}{2}. \quad (4.9)$$

Proof. See Appendix E.

From Proposition 1, we can observe that the optimal prices are not only determined by wholesale prices given by the manufacturer, but also by the demand pattern imposed in d_1, d_2, d_3 , and d_4 , which confirms the influence of demand patterns to the optimal retail prices.

4.1.2. Collector's optimization

After retailer decides the optimal retail prices, collector then uses the resulting demand rates as the parameters in the profit op-

timization model, and the objective function is

$$\text{Max}_{P_c} \Pi_C = \gamma P_c^\theta (d_1 + d_2) \left(1 - \frac{P_n}{P_m}\right) (P_f - P_c - c). \quad (4.10)$$

Decision variables:

P_c : acquisition price for used product

Parameters:

P_n, P_m, d_1, d_2 as mentioned earlier
 P_f : transfer price of remanufacturable core from collector to remanufacturer
 γ : constant coefficient of the return rate
 θ : exponent of the return rate power functions
 c : unit collecting cost

Property 4 shows the existence of optimal price P_c for collector's profit function (4.10). First derivative condition is applied to obtain the optimal collecting price as shown in Proposition 2.

Property 4. There exists a global extrema for collector's profit function (4.10) in $\{P_c | 0 \leq P_c \leq P_f; P_c \in R\}$.

Proof. See Appendix F.

Proposition 2. The collector's profit function (4.10) attains its maximum in $\{P_c | 0 \leq P_c \leq P_f; P_c \in R\}$ and the optimal collecting price is

$$P_c^* = \frac{\theta (P_f - c)}{(\theta + 1)}. \quad (4.11)$$

Proof. See Appendix G.

We assume balanced quantity throughout the supply chain, which is supported by Guide's work [26]. Collector should only collect as much as the demand of the remanufactured product, which consequently determines transfer price.

Proposition 3. The optimal transfer price is

$$P_f^* = c + \frac{\theta + 1}{\theta} \left(\frac{(d_3 + d_4) (1 - P_r/P_n)}{\gamma (d_1 + d_2) (1 - P_n/P_m)} \right)^{\frac{1}{\theta}}. \quad (4.12)$$

Proof. See Appendix H.

4.1.3. Manufacturer's optimization

After observing retailer's and collector's prices, manufacturer determines the wholesale prices for both new (P_{nw}) and remanufactured products (P_{rw}) in order to maximize her profit which is expressed in the following objective function:

$$\begin{aligned} \text{Max}_{P_{nw}, P_{rw}} \Pi_M = & (d_1 + d_2) \left(1 - \frac{P_n}{P_m}\right) (P_{nw} - c_{rw} - c_m) \\ & + (d_3 + d_4) \left(1 - \frac{P_r}{P_n}\right) \\ & \times \left(P_{rw} - c_r - c - \frac{\theta + 1}{\theta} \left(\frac{(d_3 + d_4) (1 - P_r/P_n)}{\gamma (d_1 + d_2) (1 - P_n/P_m)} \right)^{\frac{1}{\theta}} \right) \end{aligned} \quad (4.13)$$

subject to the optimal prices of the retailer and collector. We apply Lagrange multipliers method, where we define Lagrangian function associated with (4.13) as given in (4.14)

$$\begin{aligned} L(P_{nw}, P_{rw}, P_n, P_r, \xi, \psi) = & \Pi_M + \xi \left(\frac{-2(d_1 + d_2)}{P_m} P_n^3 \right. \\ & + \left(\frac{d_1 + d_2}{P_m} (P_m - P_{nw}) + \frac{d_3 + d_4}{4} \right) P_n^2 - \frac{d_3 + d_4}{4} P_{rw}^2 \\ & \left. + \psi (2P_r - P_n - P_{rw}) \right) \end{aligned} \quad (4.14)$$

where ξ, ψ are the multipliers.

Decision variables:

P_{nw} : wholesale price of new product
 P_{rw} : wholesale price of remanufactured product

Parameters:

$P_n, P_r, P_m, d_1, d_2, d_3, d_4, P_f, c, \gamma, \theta$ as mentioned earlier

c_{rw} : unit raw material cost for producing new product
 c_m : unit manufacturing cost for producing new product
 c_r : unit remanufacturing cost for producing remanufactured product

The first order conditions of the Lagrangian are regarded as the necessary conditions for the constrained optimization, and yield a nonlinear system. We treat P_n and P_r as intermediary decision variables in this optimization problem since P_n and P_r from retailer's optimum pricing decisions are not expressed as explicit functions in P_{nw} and P_{rw} , hence the relations are expressed in the constraint functions.

Following Lagrange multiplier theorem [54], if there exist optimal wholesale prices $P_{nw}^*, P_{rw}^*, P_n^*, P_r^*$, then they are the solutions of first order conditions for (4.14), which are $\frac{\partial \Pi_M}{\partial P_n} = 0, \frac{\partial \Pi_M}{\partial P_r} = 0, \frac{\partial \Pi_M}{\partial P_{nw}} = 0, \frac{\partial \Pi_M}{\partial P_{rw}} = 0, \frac{\partial \Pi_M}{\partial \xi} = 0,$ and $\frac{\partial \Pi_M}{\partial \psi} = 0,$ that yields (4.15) to (4.20) respectively.

$$\begin{aligned} & \frac{1}{P_m} (d_1 + d_2) (P_{nw} - c_{rw} - c_m) - (d_3 + d_4) \left(1 - \frac{P_r}{P_n}\right) \\ & \times (P_{rw} - c_r - c) + \left(\frac{d_3 + d_4}{\gamma (d_1 + d_2) (1 - P_n/P_m)}\right)^{1/\theta} \\ & \times \left(\frac{(\theta + 1) (d_3 + d_4) \left(1 - \frac{P_r}{P_n}\right)^{1/\theta-1}}{P_n^2 \theta^2 (1 - P_n/P_m)}\right) \\ & \times \left((\theta - 1) \left(1 - \frac{P_r}{P_n}\right) P_r - (\theta - 3)\right) \\ & \times \left(\frac{P_n P_r}{P_m} + \frac{\theta P_r}{P_m} - \frac{P_n^2 + 2P_r^2}{P_m}\right) \\ & + 6P_n^2 \xi \frac{d_1 + d_2}{P_m} - 2P_n \xi \left(\frac{d_1 + d_2}{P_m} (P_m - P_{nw}) + \frac{d_3 + d_4}{4}\right) \\ & - \psi = 0 \end{aligned} \tag{4.15}$$

$$\begin{aligned} & \frac{d_3 + d_4}{P_n} \left[P_{rw} - c_r - c - \frac{\theta + 1}{\theta} \left(\frac{(d_3 + d_4) (1 - P_r/P_n)}{\gamma (d_1 + d_2) (1 - P_n/P_m)}\right)^{\frac{1}{\theta}} \right. \\ & \left. + (d_3 + d_4) \left(1 - \frac{P_r}{P_n}\right) \left(\frac{\theta + 1}{\theta^2}\right) \right. \\ & \left. \times \left(\frac{(d_3 + d_4) (1 - P_r/P_n)}{\gamma (d_1 + d_2) (1 - P_n/P_m)}\right)^{\frac{1}{\theta}-1} \right] - 2\psi = 0 \end{aligned} \tag{4.16}$$

$$P_m - P_n - \xi P_n^2 = 0 \tag{4.17}$$

$$\left(1 - \frac{P_n}{P_m}\right) - \frac{\xi P_{rw}}{2} - \psi = 0 \tag{4.18}$$

$$\begin{aligned} & \frac{-2(d_1 + d_2)}{P_m} P_n^3 + \left(\frac{d_1 + d_2}{P_m} (P_m - P_{nw}) + \frac{d_3 + d_4}{4}\right) P_n^2 \\ & - \frac{d_3 + d_4}{4} P_{rw}^2 = 0 \end{aligned} \tag{4.19}$$

$$2P_r - P_n - P_{rw} = 0. \tag{4.20}$$

The second order conditions for the Lagrangian function, which reflects the sufficient condition for a maxima, are not practical to be expressed analytically. Therefore, to ensure that the solution is a maxima we apply a numerical procedure to check the values of

the function in a close neighborhood of the solution and maximize profit numerically under an optimization search procedure.

4.2. Joint profit optimization

Under the joint profit scenario, all parties aim at maximum total profit along the supply chain. The joint profit function is summation of retailer's profit, collector's profit, and manufacturer's profit. Balanced quantity is also imposed in this model, and for remanufactured product, the quantity of demand is equal to the quantity of returns, which also means collector only collects as much as the demand for remanufactured products. The optimization problem is given by the following expressions:

$$\begin{aligned} \text{Max } \Pi_J &= \Pi_R + \Pi_C + \Pi_M \\ &= (d_1 + d_2) \left(1 - \frac{P_n}{P_m}\right) (P_n - P_{nw}) \\ &+ (d_3 + d_4) \left(1 - \frac{P_r}{P_n}\right) (P_r - P_{rw}) \\ &+ \gamma P_c^\theta (d_1 + d_2) \left(1 - \frac{P_n}{P_m}\right) (P_f - P_c - c) \\ &+ (d_1 + d_2) \left(1 - \frac{P_n}{P_m}\right) (P_{nw} - c_{rw} - c_m) + (d_3 + d_4) \\ &\times \left(1 - \frac{P_r}{P_n}\right) (P_{rw} - P_f - c_r) \end{aligned} \tag{4.21}$$

$$\text{s.t. } (d_3 + d_4) \left(1 - \frac{P_r}{P_n}\right) = \gamma P_c^\theta (d_1 + d_2) \left(1 - \frac{P_n}{P_m}\right) \tag{4.22}$$

The joint profit function is then simplified to a function of $P_n, P_r,$ and P_c as presented in Eq. (4.22). Considering balanced quantity throughout the supply chain, then the optimization model for joint profit function becomes (4.23)

$$\begin{aligned} \Pi_J &= (d_1 + d_2) \left(1 - \frac{P_n}{P_m}\right) (P_n - c_{rw} - c_m) + (d_3 + d_4) \\ &\times \left(1 - \frac{P_r}{P_n}\right) (P_r - c_r - P_c - c) \end{aligned} \tag{4.23}$$

$$\begin{aligned} \Pi_J &= (d_1 + d_2) \left(1 - \frac{P_n}{P_m}\right) (P_n - c_{rw} - c_m) \\ &+ (d_3 + d_4) \left(1 - \frac{P_r}{P_n}\right) (P_r - c_r - c) - \left[(d_3 + d_4) \right. \\ &\times \left. \left(1 - \frac{P_r}{P_n}\right)\right]^{\frac{\theta+1}{\theta}} \left[\gamma (d_1 + d_2) \left(1 - \frac{P_n}{P_m}\right)\right]^{-\frac{1}{\theta}}. \end{aligned} \tag{4.24}$$

In finding the optimal prices, we assign first derivatives to zero

$$\begin{aligned} \frac{\partial \Pi_J}{\partial P_n} &= (d_1 + d_2) \left(\frac{P_m - 2P_n + c_{rw} + c_m}{P_m}\right) \\ &+ (d_3 + d_4) \left(\frac{P_r - c_r - c}{P_n^2}\right) - \left[(d_3 + d_4) \left(1 - \frac{P_r}{P_n}\right)\right]^{\frac{\theta+1}{\theta}} \\ &\times \left[\gamma (d_1 + d_2) \left(1 - \frac{P_n}{P_m}\right)\right]^{-\frac{1}{\theta}} \\ &\times \left(\frac{\theta + 1}{\theta P_n (P_n - P_r)} - \frac{1}{\theta (P_m - P_n)}\right) = 0 \end{aligned} \tag{4.25}$$

$$\frac{(d_1 + d_2) \left(1 - \frac{P_n^{**}}{P_m}\right) (P_{nw} - c_{rw} - c_m) + (d_3 + d_4) \left(1 - \frac{P_r^{**}}{P_n^{**}}\right) (P_{rw} - P_f - c_r) - \Pi_R}{\Pi_R} = \frac{\delta}{\Pi_R + \Pi_M + \Pi_C} \tag{4.28}$$

$$\frac{\gamma (P_c^{**})^\theta \left(1 - \frac{P_n^{**}}{P_m}\right) (P_f - P_c^{**} - c) - \Pi_C}{\Pi_C} = \frac{\delta}{\Pi_R + \Pi_M + \Pi_C} \tag{4.29}$$

$$\frac{(d_1 + d_2) \left(1 - \frac{P_n^{**}}{P_m}\right) (P_n^{**} - P_{nw}) + (d_3 + d_4) \left(1 - \frac{P_r^{**}}{P_n^{**}}\right) (P_r^{**} - P_{rw}) - \Pi_M}{\Pi_M} = \frac{\delta}{\Pi_R + \Pi_M + \Pi_C} \tag{4.30}$$

Box I.

$$\begin{aligned} \frac{\partial \Pi_J}{\partial P_r} &= -\frac{1}{P_n} (d_3 + d_4) \\ &\times \left(P_r - c_r - c - \left(\frac{\theta + 1}{\theta}\right) \left[\frac{(d_3 + d_4) \left(1 - \frac{P_r}{P_n}\right)}{\gamma (d_1 + d_2) \left(1 - \frac{P_n}{P_m}\right)} \right]^{1/\theta} \right) \\ &+ (d_3 + d_4) \left(1 - \frac{P_r}{P_n}\right) = 0 \quad \text{or} \\ P_n - 2P_r + c_r + c + \left(\frac{\theta + 1}{\theta}\right) \left[\frac{(d_3 + d_4) \left(1 - \frac{P_r}{P_n}\right)}{\gamma (d_1 + d_2) \left(1 - \frac{P_n}{P_m}\right)} \right]^{1/\theta} \\ &= 0. \end{aligned} \tag{4.26}$$

The optimal values of P_n^{**} and P_r^{**} that maximize joint profit are obtained by solving Eqs. (4.24) and (4.25). Since we assume balanced quantity (consistent with Guide’s work [26]), the optimization model is reduced to a problem with two decision variables, P_n and P_r . These results only determine optimal retail prices, and leave the wholesale prices (P_{nw} and P_{rw}) and transfer price (P_f) to be determined under coordinated decision policy, which incorporate equal relative profit difference between independent and joint profit scenario between manufacturer and retailer. The integrated scenario accommodates coordinated pricing policy that ensures higher (or might be lower) profit for each party, and makes this approach interesting for all members of the supply chain. The equal relative profit difference can be expressed as follows:

$$\frac{\Delta \Pi_R}{\Pi_R} = \frac{\Delta \Pi_M}{\Pi_M} = \frac{\Delta \Pi_C}{\Pi_C} \tag{4.27}$$

where $\Delta \Pi_R = \Pi_{R,J} - \Pi_R$; $\Delta \Pi_M = \Pi_{M,J} - \Pi_M$; $\Delta \Pi_C = \Pi_{C,J} - \Pi_C$. Therefore, we get Eqs. (4.28)–(4.30) (see Box I) where $\delta = \Pi_J - (\Pi_R + \Pi_M + \Pi_C) = \Delta \Pi_R + \Delta \Pi_M + \Delta \Pi_C$.

This system of Eqs. (4.28)–(4.30) is solved for P_{nw} , P_{rw} , and P_f to obtain the wholesale prices and transfer price under joint profit scenario.

5. Numerical example and discussions

In this numerical example, the parameters in demand function are using data from numerical example in [54], because it represents demand pattern of product with gradual obsolescence. However, that study does not consider used product’s return, therefore parameters in return function is taken from numerical example in [29]. As for the cost parameters, we developed the data based on case studies in a report for Ellen MacArthur Foundation, Towards The Circular Economy [55].

New product’s demand capacity parameters are $U = 1000$, $D_0 = 90$, $\lambda = [0.01, 0.05, 0.1, 0.2]$, and remanufactured product’s demand capacity parameters are $V = 500$, $D_{r0} = 50$, $\eta = [0.01, 0.05, 0.1, 0.2]$. Selling horizon is divided into four time periods where $t_1 = 1$, $\mu = 2$, $t_3 = 3$, and $T = 4$. The unit raw material cost for new product $c_{rw} = 1500$, unit manufacturing

cost $c_m = 1000$, unit remanufacturing cost $c_r = 800$, and unit collecting cost $c = 100$. Maximum price is $P_m = 12000$. Return rate parameters are $\gamma = 0.01$, and $\theta = 0.7$. The decision variables are $P_n, P_r, P_{nw}, P_{rw}, P_c, P_f$, which represent price of new product, price of remanufactured product, wholesale price of new product, wholesale price of remanufactured product, collection price and transfer price, respectively. Table 2 presents the results.

From the results above, we have shown that joint profit scenario gives a higher total profit rather than optimized individually. It is also interesting to note that the joint profit model accommodates coordinated pricing policy that ensures higher profit for each party, and making this approach interesting for all members of the supply chain. Demand rate in the joint profit scenario is much higher than in the independent one, even though it came from the same demand parameters. In the independent model, with the lack of integrated decision among the three players, the retail prices were set substantially higher than the true optimums. We also observed that Collector profit is much lower than Retailer’s and Manufacturer’s, because Collector only gains from remanufactured product. This result is consistent with Qiaolun’s [29].

The optimization models also show that transfer price can be found by balancing the return rate with the demand of remanufactured product. Under this approach we can determine transfer price that could benefit both manufacturer and collector, and it puts collector at better position rather than the presumed condition that transfer price is negotiated between manufacturer and collector. Since manufacturer is the Stackelberg leader, it is possible that collector would have been in lower bargaining position. Even though this approach might not be interested for the manufacturer, as it puts limitation to manufacturer’s power, but it actually creates sustainability for the overall closed-loop supply chain. The betterment in collector’s position would be a good motivation to continue collecting used products for remanufacturing, and support environment protection.

Different speeds of change in the demand of new and remanufactured product obviously result in different pricing decisions. However, faster penetration to the market, which is shown by the higher speed of change in demands, does not simply generate higher total profits. It can be seen from the demand function and optimization models that speed of change in demand will influence the sales volumes in each period and subsequently has impacted the optimum pricing decision. As stated in Propositions 1 and 3, the optimal prices depend on the demand volumes in respective periods. We can also find an interval of speed of change in demand where the total profit reaches its highest value. This could lead to a marketing decision where the players should control market penetration such that the speed of change is within the desirable interval.

The impact of demand’s speed of change to the optimal prices

In this paper, demand of short life-cycle product is time-dependent and demand pattern over time is influenced by several parameters, such as speed of change in demand as shown in (3.1) and (3.2). The speed of n change in the demands is determined by parameter λ and η , for new and remanufactured product, respectively. The higher λ and η , the faster demand increases

Table 2
Comparison between independent and joint profit scenarios.

	λ, η			
	0.01	0.05	0.10	0.20
Independent scenario				
Pn	9,889.78	9,896.80	9,896.98	9,896.86
Pr	8,318.83	8,346.32	8,347.02	8,346.56
Pnw	7,018.45	6,997.86	6,997.33	6,997.68
Prw	6,747.80	6,795.85	6,797.06	6,796.26
Pc	422.04	468.28	469.50	468.70
Pf	1,124.96	1,237.25	1,240.21	1,238.27
Π_M	2,391,233.07	2,453,199.12	2,443,651.42	2,434,076.99
Π_R	1,246,142.45	1,279,206.64	1,274,245.91	1,269,241.66
Π_C	145,869.03	176,221.10	176,253.30	175,094.89
Total profit	3,783,244.55	3,908,626.86	3,894,150.63	3,878,413.54
Joint profit scenario				
Pn	7,816.53	7,837.87	7,838.40	7,838.06
Pr	4,720.08	4,758.91	4,759.89	4,759.25
Pnw	5,756.12	6,110.48	6,115.01	6,579.60
Prw	4,133.21	3,566.64	3,560.95	2,742.55
Pc	297.96	321.15	321.74	321.36
Pf	913.79	1,004.01	1,006.38	1,004.83
$\Pi_{M,J}$	3,178,657.26	3,248,364.50	3,235,368.72	3,222,922.56
$\Pi_{R,J}$	1,656,492.54	1,693,841.07	1,687,088.16	1,680,582.67
$\Pi_{C,J}$	193,903.16	233,340.36	233,357.51	231,840.36
Total profit	5,029,052.96	5,175,545.93	5,155,814.39	5,135,345.59

Table 3
Optimal prices under various speeds of change in demand.

λ, η	Pn	Pr	Pnw	Prw	Π_M	Π_R	Π_C
0.01	9890	8319	7018	6748	1,246,142.45	2,391,233.07	145,869.03
0.05	9897	8346	6998	6796	1,279,206.64	2,453,199.12	176,221.10
0.1	9897	8347	6997	6797	1,274,245.91	2,443,651.42	176,253.30
0.2	9897	8347	6998	6796	1,269,241.66	2,434,076.99	175,094.89
0.3	9897	8346	6998	6796	1,266,865.91	2,429,539.87	174,376.30

during IMG phases, and decreases during decline phase. Therefore, the accumulation of demand over time would influence the optimal prices, since we consider the whole product life cycle. We vary λ and η to study their impacts on decision variables and the objective functions. Table 3 and Fig. 4 show the results.

As shown in Fig. 4, optimal prices are sensitive to parameters that reflect the speed of change in demand for lower market penetration, but they are robust for higher speed of change in demand. This can be explained by the specific nature of demand pattern. For a short life cycle product with demand pattern as given in (3.1) and (3.2), higher speed of change in demand leads to a condition that is closer to constant demand. Therefore, optimal prices do not change significantly compared to the ones with lower speed of change in demand. This situation is applicable to a product with demand pattern such that in the beginning of product's introduction phase, the increase in demand tends to be very steep, such as launching a new model of smartphone. After a certain time period, the demand decreases quite rapidly. We argue that the optimal prices are more robust in higher speed, because the effect of speed of change becomes less significant. This means, when speed of change in demand is high such that the sales reach maximum demand in a very short time, then the price setting does not need to be adjusted when there is a small change in the speed. However, when the speed is low, the sales climb up rather slowly to reach maximum demand, so it is important to adjust price setting when there is a change in the speed, to avoid sub-optimal prices.

The managerial insight for this matter can be explained as follows. Under lower speed of change in demand, decision makers need to carefully update the prices to avoid sub-optimality. But when it moves fast to the peak, price updates become less urgent, since the demand has reached its uniform pattern.

6. Conclusion and future research agenda

In this study we have developed pricing decision models for remanufacturing of short life-cycle product. The study fills the gap of remanufacturing literature which to date has been mostly dominated by durable products. For some short life cycle products, remanufacturing is a sensible activity to do, but the speed of collecting and remanufacturing the used products should be quick as the demand for the product is diminishing fast. Here are some conclusions that we obtain from this study:

- Reducing the price of new products during the decline phase does not give better profit for the whole system,
- The total profit obtained from optimizing each player independently is lower than the total profit of the integrated model where we optimize the joint profit for three members in the supply chain, namely manufacturer, retailer and collector. None of the player is worse off by moving from the independent model to the joint profit model, under coordinated pricing policy,
- The total demand is significantly higher under the integrated model. This is understandable because the retail prices are lower for both the new and remanufactured products. The lack of coordination in making the pricing decision has led the independent models to set high retail prices and hence the demand potential is not well exploited,
- Faster penetration to the market, which is shown by the higher speed of change in demands, does not simply generate higher total profits. There exists an interval of speed of change in demand where the total profit reaches its highest value. This could be a support for marketing decision by controlling market penetration such that the speed of change is within the desirable interval,




Fig. 4. Optimal prices charts under various speeds of change in demand.

- When demand penetration is low, small changes in the demand rate affect price settings substantially. However, when demand penetration is high, price decision is robust against the change in demand rate.

Future research may be directed toward development of models that consider different demand processes, multiple objective functions, and the case when balanced quantity is not the case. It may be possible that the collector is not able to collect at the quantity desired by the manufacturer. It is also possible that the manufacturer has a certain capacity constraint where not all demand can be satisfied. In such as case it is important to take into account the service level.

Appendix A. $D_n(t)$ and $D_r(t)$ are continuous at μ and t_3 , respectively

$$\left. \begin{aligned} D_{n1}(\mu) &= \frac{U}{1 + ke^{-\lambda U \mu}} \\ D_{n2}(\mu) &= \frac{U}{(\lambda U(\mu - \mu) + \delta)} = \frac{U}{\delta} = \frac{U}{1 + ke^{-\lambda U \mu}} \\ \times D_{n1}(\mu) &= D_{n2}(\mu) \\ \lim_{t \rightarrow \mu^-} D_n(t) &= \lim_{t \rightarrow \mu^-} \frac{U}{1 + ke^{-\lambda U t}} = \frac{U}{1 + ke^{-\lambda U \mu}} \\ \lim_{t \rightarrow \mu^+} D_n(t) &= \lim_{t \rightarrow \mu^+} \frac{U}{(\lambda U(t - \mu) + \delta)} = \frac{U}{1 + ke^{-\lambda U \mu}} \\ \times \lim_{t \rightarrow \mu^-} D_n(t) &= \lim_{t \rightarrow \mu^+} D_n(t). \end{aligned} \right\}$$

Therefore $D_n(\mu) = \lim_{t \rightarrow \mu} D_n(\mu) = \frac{U}{1 + ke^{-\lambda U \mu}} \rightarrow D_n(t)$ is continuous at $t = \mu$.

Similarly,

$$\left. \begin{aligned} D_{r1}(t_3) &= \frac{V}{1 + he^{-\eta V(t_3 - t_1)}} \\ D_{r2}(t_3) &= \frac{V}{(\eta V(t_3 - t_3) + \varepsilon)} = \frac{V}{\varepsilon} = \frac{V}{1 + he^{-\eta V(t_3 - t_1)}} \\ \times D_{r1}(t_3) &= D_{r2}(t_3) \\ \lim_{t \rightarrow t_3^-} D_r(t) &= \lim_{t \rightarrow t_3^-} \frac{V}{1 + he^{-\eta V(t - t_1)}} = \frac{V}{1 + he^{-\eta V(t_3 - t_1)}} \\ \lim_{t \rightarrow t_3^+} D_r(t) &= \lim_{t \rightarrow t_3^+} \frac{V}{(\eta V(t - t_3) + \varepsilon)} = \frac{V}{1 + he^{-\eta V(t_3 - t_1)}} \\ \times \lim_{t \rightarrow t_3^-} D_r(t) &= \lim_{t \rightarrow t_3^+} D_r(t). \end{aligned} \right\}$$

Therefore $D_r(\mu) = \lim_{t \rightarrow t_3} D_r(t_3) = \frac{V}{1 + he^{-\eta V(t_3 - t_1)}} \rightarrow D_r(t)$ is continuous at $t = t_3$.

Appendix B. Proof of Property 1

$$\begin{aligned} \Pi_R &= d_1 \left(1 - \frac{P_{n1}}{P_m}\right) (P_{n1} - P_{nw}) + d_2 \left(1 - \frac{P_{n2}}{P_m}\right) (P_{n2} - P_{nw}) \\ &\quad + (d_3 + d_4) \left(1 - \frac{P_r}{P_{n2}}\right) (P_r - P_{rw}) \end{aligned}$$

$$\frac{\partial^2 \Pi_R}{\partial P_{n1}^2} = -\frac{2d_1}{P_m} < 0$$

$$\begin{vmatrix} \frac{\partial^2 \Pi_R}{\partial P_{n1}^2} & \frac{\partial^2 \Pi_R}{\partial P_{n1} \partial P_{n2}} \\ \frac{\partial^2 \Pi_R}{\partial P_{n2} \partial P_{n1}} & \frac{\partial^2 \Pi_R}{\partial P_{n2}^2} \end{vmatrix}$$

$$= \frac{2d_1}{P_m} \left(\frac{d_2}{P_m} + \frac{2(d_3 + d_4) P_r (P_r - P_{rw})}{P_{n2}^2} \right) > 0; \quad \text{since } P_r \geq P_{rw}$$

$$|H| = \begin{vmatrix} \frac{\partial^2 \Pi_R}{\partial P_{n1}^2} & \frac{\partial^2 \Pi_R}{\partial P_{n1} \partial P_{n2}} & \frac{\partial^2 \Pi_R}{\partial P_{n1} \partial P_r} \\ \frac{\partial^2 \Pi_R}{\partial P_{n2} \partial P_{n1}} & \frac{\partial^2 \Pi_R}{\partial P_{n2}^2} & \frac{\partial^2 \Pi_R}{\partial P_{n2} \partial P_r} \\ \frac{\partial^2 \Pi_R}{\partial P_r \partial P_{n1}} & \frac{\partial^2 \Pi_R}{\partial P_r \partial P_{n2}} & \frac{\partial^2 \Pi_R}{\partial P_r^2} \end{vmatrix}$$

$$= \frac{2d_1(d_3+d_4)}{P_m P_{n2}} \left[\frac{(d_3+d_4)P_{rw}^2}{P_{n2}^3} - \frac{4d_2}{P_m} \right] \leq 0$$

Since $|H_1| = \partial^2 \Pi_R / \partial P_{n1}^2 < 0$; and $|H_2| = (\partial^2 \Pi_R / \partial P_{n1}^2)(\partial^2 \Pi_R / \partial P_{n2}^2) - (\partial^2 \Pi_R / \partial P_{n1} \partial P_{n2})^2 > 0$, then for Π_R to be a concave function, $|H_3| = |H|$ should be less than or equal to zero. Therefore

$$\left[\frac{(d_3+d_4)P_{rw}^2}{P_{n2}^3} - \frac{4d_2}{P_m} \right] \leq 0$$

or

$$P_{n2} \geq \sqrt[3]{\frac{(d_3+d_4)P_m P_{rw}^2}{4d_2}}$$

Appendix C. Proof of Property 2

Since Π_R is a two-variable rational function with a rational parameter in the coefficients, then it is discontinuous when $P_m = 0$ and $P_n = 0$. However, P_m is a nonzero parameter, and $P_{nw} \leq P_n \leq P_m$ with positive P_{nw} , therefore Π_R is continuous in $\{(P_n, P_r) | P_{nw} \leq P_n \leq P_m; P_{rw} \leq P_r \leq P_m; P_n \in \mathcal{R}, P_r \in \mathcal{R}\}$. Since Π_R is continuous in a closed interval then it attains global extrema there. \square

Appendix D. Proof of Property 3

$$\frac{\partial \Pi_R}{\partial P_n} = \frac{d_1+d_2}{P_m} (P_m + P_{nw} - 2P_n) + \frac{d_3+d_4}{P_n^2} (P_r^2 - P_{rw}P_r)$$

$$\frac{\partial^2 \Pi_R}{\partial P_n^2} = -2 \frac{d_1+d_2}{c} - 2 \frac{d_3+d_4}{P_n^3} P_r (P_r - P_{rw}) < 0$$

$$\frac{\partial \Pi_R}{\partial P_r} = \frac{d_3+d_4}{P_n} (-2P_r + P_{rw} + P_n)$$

$$\frac{\partial^2 \Pi_R}{\partial P_r^2} = -2 \frac{d_3+d_4}{P_n} < 0$$

$$\frac{\partial^2 \Pi_R}{\partial P_n \partial P_r} = \frac{\partial^2 \Pi_R}{\partial P_r \partial P_n} = \frac{d_3+d_4}{P_n^2} (2P_r - P_{rw})$$

$$D = \frac{\partial^2 \Pi_R}{\partial P_n^2} \cdot \frac{\partial^2 \Pi_R}{\partial P_r^2} - \left(\frac{\partial^2 \Pi_R}{\partial P_n \partial P_r} \right)^2$$

$$= \frac{4(d_1+d_2)(d_3+d_4)}{P_m P_n} - \frac{(d_3+d_4)^2}{P_n^4} (2P_r - P_{rw})^2 > 0$$

$$\frac{4(d_1+d_2)}{P_m} - \frac{(d_3+d_4)}{P_n^3} (2P_r - P_{rw})^2 > 0$$

$$2P_r - P_{rw} < \sqrt{4 \frac{d_1+d_2}{d_3+d_4} \cdot \frac{P_n^3}{P_m}}$$

$$\frac{P_{rw}}{2} - P_r + \sqrt{\frac{d_1+d_2}{d_3+d_4} \cdot \frac{P_n^3}{P_m}} > 0. \quad \square$$

Appendix E. Proof of Proposition 1

The critical points for (4.6) are obtained by applying first derivatives condition,

$$\frac{\partial \Pi_R}{\partial P_r} = \frac{d_3+d_4}{P_n} (-2P_r + P_{rw} + P_n) = 0$$

$$-2P_r + P_{rw} + P_n = 0 \rightarrow P_r^* = \frac{P_n^* + P_{rw}}{2}$$

$$\frac{\partial \Pi_R}{\partial P_n} = \frac{d_1+d_2}{P_m} (P_m + P_{nw} - 2P_n) + \frac{d_3+d_4}{P_n^2} (P_r^2 - P_{rw}P_r) = 0$$

$$\frac{-2(d_1+d_2)}{P_m} P_n^{*3} + \frac{d_1+d_2}{P_m} (P_m - P_{nw}) P_n^{*2}$$

$$+ (d_3+d_4) \left(\frac{P_n^* + P_{rw}}{2} \right) \left(\frac{P_n^* + P_{rw}}{2} - P_{rw} \right) = 0$$

$$\frac{-2(d_1+d_2)}{P_m} P_n^{*3} + \left(\frac{d_1+d_2}{P_m} (P_m - P_{nw}) + \frac{d_3+d_4}{4} \right) P_n^{*2}$$

$$- \frac{d_3+d_4}{4} P_{rw}^2 = 0.$$

From Property 4, the retailer profit function is concave when condition (4.7) is satisfied, therefore

$$\frac{P_{rw}}{2} - P_r + \sqrt{\frac{d_1+d_2}{d_3+d_4} \cdot \frac{P_n^3}{P_m}} > 0$$

$$\frac{P_{rw}}{2} - \frac{P_n + P_{rw}}{2} + \sqrt{\frac{d_1+d_2}{d_3+d_4} \cdot \frac{P_n^3}{P_m}} > 0$$

$$\frac{P_n}{P_m} < 4 \frac{d_1+d_2}{d_3+d_4}. \quad (E.1)$$

Since $\frac{P_n}{P_m} \leq 1$ while $\frac{d_1+d_2}{d_3+d_4} \geq 1$ then (A6.1) is satisfied. \square

Appendix F. Proof of Property 4

The collector's profit function (4.10) can be written as $\Pi_C = \Phi(P_c) \cdot \Psi(P_c)$ where

$$\Phi(P_c) = P_c^\theta, \quad \theta \in [0, 1]$$

$$\Psi(P_c) = \gamma (d_1+d_2) \left(1 - \frac{P_n}{P_m} \right) (P_f - P_c - c)$$

$\Phi(P_c)$ is continuous on the closed interval $\{P_c | 0 \leq P_c \leq P_f; P_c \in \mathcal{R}\}$ except for $P_c = 0$ when $\theta = 0$. However, this is a removable discontinuity by letting $P_c^\theta = 1$ at the point of discontinuity, since $\lim_{x \rightarrow 0} x^x = 1$ and $P_c^\theta = 1$ for $P_c \neq 0, \theta = 0$.

$\Psi(P_c)$ is continuous on the closed interval $\{P_c | 0 \leq P_c \leq P_f; P_c \in \mathcal{R}\}$ since it is a linear function in P_c and $P_m \neq 0$.

Therefore Π_C is continuous in a closed interval and attains its global extrema there. \square

Appendix G. Proof of Proposition 2

The critical point for (4.10) is obtained by applying first derivative condition,

$$\frac{\partial \Pi_C}{\partial P_c} = \gamma (d_1+d_2) \left(1 - \frac{P_n}{P_m} \right) P_c^{\theta-1}$$

$$\times [\theta (P_f - c) - (\theta + 1) P_c] = 0$$

$$\theta (P_f - c) - (\theta + 1) P_c = 0$$

$$P_c^* = \frac{\theta (P_f - c)}{(\theta + 1)}$$

$$\frac{\partial^2 \Pi_C}{\partial P_c^2} = \gamma (d_1+d_2) \left(1 - \frac{P_n}{P_m} \right) (\theta - 1) P_c^{\theta-2}$$

$$\times [\theta (P_f - c) - (\theta + 1) P_c]$$

$$- (\theta + 1) \gamma (d_1+d_2) \left(1 - \frac{P_n}{P_m} \right) P_c^{\theta-1}.$$

Since $\theta (P_f - c) - (\theta + 1) P_c = 0$ at the critical point, then

$$\frac{\partial^2 \Pi_c}{\partial P_c^2} = -(\theta + 1) \gamma (d_1 + d_2) \left(1 - \frac{P_n}{P_m}\right) P_c^{\theta-1} < 0.$$

Therefore P_c^* is a local maximum point. Following Property 5, we check the boundary points and compare them with the local maximum. Since $\Pi_c(0) = 0$, $\Pi_c(P_f) < 0$, and $\Pi_c(P_c^*) > 0$ then P_c^* is the global maximum within interval $\{P_c | 0 \leq P_c \leq P_f; P_c \in R\}$. \square

Appendix H. Proof of Proposition 3

Balanced quantity for demand of remanufactured product and acquired used product is satisfied when

$$(d_3 + d_4) \left(1 - \frac{P_r}{P_n}\right) = \gamma P_c^\theta (d_1 + d_2) \left(1 - \frac{P_n}{P_m}\right).$$

Since optimal collecting price is given as (4.11), then the respective transfer price is

$$(d_3 + d_4) \left(1 - \frac{P_r}{P_n}\right) = \gamma \left(\frac{\theta (P_f - c)}{\theta + 1}\right)^\theta (d_1 + d_2) \left(1 - \frac{P_n}{P_m}\right)$$

and

$$P_f^* = c + \frac{\theta + 1}{\theta} \left(\frac{(d_3 + d_4) (1 - P_r/P_n)}{\gamma (d_1 + d_2) (1 - P_n/P_m)}\right)^{\frac{1}{\theta}}. \quad \square$$

References

- Lebreton B, Tuma A. A quantitative approach to assessing the profitability of car and truck tire remanufacturing. *Int J Prod Econ* 2006;104(2):639–52.
- Hsueh C. An inventory control model with consideration of remanufacturing and product life cycle. *Int J Prod Econ* 2011;133(2):645–52.
- de Brito MP, Dekker R. A framework for reverse logistics. In: Dekker LN, Fleischmann R, Inderfurth M, Van Wassenhove K, editors. *Reverse Logistics: Quantitative Models for Closed-Loop Supply Chains*. Heidelberg: Springer-Verlag; 2004. p. 3–27.
- Herold ME. *Managing end-of-use products*, Helsinki University of Technology, 2004.
- Lee HB, Cho NW, Hong YS. A hierarchical end-of-life decision model for determining the economic levels of remanufacturing and disassembly under environmental regulations. *J Clean Prod* 2010;18(13):1276–83.
- Future Global Manufacturing. Are there Environmental Limits and Solutions? Kaebnick H, Manmek S, Anityasari M. The International Manufacturing Leaders Forum (IMLF), Taiwan, 2006. p. 1–11.
- Kerr W, Ryan C. Eco-efficiency gains from remanufacturing—A case study of photocopier remanufacturing at Fuji Xerox Australia. *J Clean Prod* 2001;9(1):75–81.
- Lund RT, Hauser WM. Remanufacturing—An American Perspective. In: 5th International Conference on Responsive Manufacturing—Green Manufacturing (ICRM 2010). 2010. p. 1–6.
- Gray C, Charter M. Remanufacturing and Product Design. *Int J Prod Dev* 2008;6(3–4):375–92.
- Guide VDRJ, Van Wassenhove LN. The evolution of closed-loop supply chain research. *Oper Res* 2009;57(1):10–8.
- Atasu A, Guide VDRJ, Van Wassenhove LN. So what if remanufacturing cannibalizes my new product sales? *Calif Manage Rev* 2010;52(2):56–76.
- Helo P. Managing agility and productivity in the electronics industry. *Ind Manag Data Syst* 2004;104(7):567–77.
- Franke C, Basdere B, Ciupek M, Seliger S. Remanufacturing of mobile phones—capacity, program and facility adaptation planning. *Omega* 2006;34(6):562–70.
- Marcussen CH. Mobile Phones, WAP and the Internet—The European Market and Usage Rates in a Global Perspective 2000–2003. In: Centre for Regional and Tourism Research, 2003. [Online]. Available: <http://www.crt.dk/uk/staff/chm/wap.htm>.
- Neto JQF, Bloemhof-Ruwaard JM. An analysis of the eco-efficiency of personal computers and mobile phones. *Prod Oper Manag* 2012;21(1):101–14.
- Rathore P, Kota S, Chakrabarti A. Sustainability through remanufacturing in India: a case study on mobile handsets. *J Clean Prod* 2011;19(15):1709–22.
- Wang J, Zhao J, Wang X. Optimum policy in hybrid manufacturing/remanufacturing system. *Comput Ind Eng* 2011;60(3):411–9.
- Ferguson ME, Souza GC. *Closed-loop supply Chains—New Developments to Improve the Sustainability of Business Practices*. CRC Press; 2010.
- Souza GC. Remanufacturing in closed-loop supply chains. *Prod Invent Manag* 2009;45(1):56–66.
- Lebreton B. *Strategic Closed-Loop Supply Chain Management*. Lecture Notes in Economics and Mathematical Systems, vol. 586. Berlin Heidelberg: Springer; 2007. p. 1–158.
- Debo LG, Toktay LB, Van Wassenhove LN. Market segmentation and product technology selection for remanufacturable products. *Manage. Sci.* 2005;51(8):1193–205.
- Gobbi C. *The Reverse Supply Chain: Configuration, Integration and Profitability*, Technical University of Denmark; 2008.
- Subramanian R, Ferguson ME, Toktay LB. Remanufacturing and the component commonality decision. *Prod Oper Manag* 2011;22(1):36–53.
- Vasudevan H, Kalamkar V, Terkar R. Remanufacturing for sustainable development: Key challenges, elements, and benefits. *Int J Innov Manag Technol* 2012;3(1):84–9.
- Thierry M, Salomon M, van Nunen JAEE, Van Wassenhove LN. Strategic issues in product recovery management. *Calif Manage Rev* 1995;37(2):114–35.
- Guide VDRJ, Teunter RH, Van Wassenhove LN. Matching demand and supply to maximize profits from remanufacturing. *Manuf Serv Oper Manag* 2003;5(4):303–16.
- Geyer R, Jackson T. Supply loops and their constraints: The industrial ecology of recycling and reuse. *Calif Manage Rev* 2004;46(2):55–73.
- Ovchinnikov A. Revenue and cost management for remanufactured products. *Prod Oper Manag* 2011;20(6):824–40.
- Qiaolun G, Jianhua J, Tiegang G. Pricing management for a closed-loop supply chain. *J Revenue Pricing Manag* 2008;7(1):45–60.
- Ferguson ME, Toktay LB. The effect of competition on recovery strategies. *Prod Oper Manag* 2006;15(3):351–68.
- Atasu A, Sarvary M, Van Wassenhove LN. Remanufacturing as a marketing strategy. *Manage. Sci.* 2008;54(10):1731–46.
- Ayres RU, Ferrer G, Van Leynseele T. Eco-efficiency, asset recovery and remanufacturing. *Eur Manag J* 1997;15(5):557–74.
- Guide VDRJ, Van Wassenhove LN. Managing product returns for remanufacturing. *Prod Oper Manag* 2001;10(2):142–55.
- Zanoni S, Ferretti I, Tang O. Cost performance and bullwhip effect in a hybrid manufacturing and remanufacturing system with different control policies. *Int J Prod Res* 2006;44(18–19):3847–62.
- Guide VDRJ, Jayaraman V, Linton JD. Building contingency planning for closed-loop supply chains with product recovery. *J Oper Manag* 2003;21(3):259–79.
- Bakal IS, Akcali E. Effects of random yield in remanufacturing with price-sensitive supply and demand. *Prod Oper Manag* 2006;15(3):407–20.
- Ferrer G, Swaminathan JM. Managing New and Remanufactured Products. *Manage. Sci.* 2006;52(1):15–26.
- Vadde S, Kamarthi SV, Gupta SM. Pricing of end-of-life items with obsolescence. In: *Proceedings of the 2006 IEEE International Symposium on Electronics and the Environment*. 2006. p. 156–60.
- Mitra S. Revenue management for remanufactured products. *Omega* 2007;35(5):553–62.
- Li X, Li Y, Cai X. Collection pricing decision in a remanufacturing system considering random yield and random demand. *Syst Eng - Theory Pract* 2009;29(8):19–27.
- Liang Y, Pokharel S, Lim GH. Pricing used products for remanufacturing. *European J. Oper. Res.* 2009;193(2):390–5.
- Ferrer G, Swaminathan JM. Managing new and differentiated remanufactured products. *European J. Oper. Res.* 2010;203(2):370–9.
- Shi J, Zhang G, Sha J. Optimal production planning for a multi-product closed loop system with uncertain demand and return. *Comput Oper Res* 2011;38(3):641–50.
- Vadde S, Zeid A, Kamarthi SV. Pricing decisions in a multi-criteria setting for product recovery facilities. *Omega* 2011;39(2):186–93.
- Wei J, Zhao J. Pricing decisions with retail competition in a fuzzy closed-loop supply chain. *Expert Syst Appl* 2011;38(9):11209–16.
- Pokharel S, Liang Y. A model to evaluate acquisition price and quantity of used products for remanufacturing. *Intern J Prod Econ* 2012;138(1):170–6.
- Wu C-H. Product-design and pricing strategies with remanufacturing. *European J. Oper. Res.* 2012;222(2):204–15.
- Wu C-H. Price and service competition between new and remanufactured products in a two-echelon supply chain. *Int J Prod Econ* 2012;140(1):496–507.
- Chen J-M, Chang C. Dynamic pricing for new and remanufactured products in a closed-loop supply chain. *Intern J Prod Econ* 2013;146(1):153–60.
- Jena SK, Sarmah SP. Optimal acquisition price management in a remanufacturing system. *Int J Sustain Eng* 2014;7(2):154–70.
- Xiong Y, Li G, Zhou Y, Fernandes K, Harrison R, Xiong Z. Dynamic pricing models for used products in remanufacturing with lost-sales and uncertain quality. *Int J Prod Econ* 2014;147(Part C):678–88.
- Kotler P, Armstrong G. *Principles of Marketing*. 14th ed. New Jersey: Pearson Education, Inc; 2012. p. 1–613.
- Hill S. Trial reveals Samsung and Apple U.S. sales figures, www.androidauthority.com, 2012. [Online]. Available: <http://www.androidauthority.com/samsung-apple-us-sales-107027/>. [Accessed: 08.10.13].
- Wang K-H, Tung C-T. Construction of a model towards EOQ and pricing strategy for gradually obsolescent products. *Appl. Math. Comput.* 2011;217(16):6926–33.
- McKinsey, *Towards The Circular Economy*, vol 1, 2013.