

## Procedia Engineering

Q

Open access

Ν	/	е	r	١	ι	l

Search in this journal

# Civil Engineering Innovation for a Sustainable

Edited by Antoni, Ima Muljati, Djwantoro Hardjito Volume 125, Pages 1-1156 (2015)

Previous vol/issue

Next vol/issue >

Editorial Open access Preface Antoni, Ima Muljati, Djwantoro Hardjito Pages 1-4

▲ Download PDF

Research article Open access

Performance-based Contracting for Roads - Experiences of Australia and Indonesia Reini Wirahadikusumah, Betty Susanti, Vaughan Coffey, Charles Adighibe

FEEDBACK 🖓

Pages 5-11

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access Sensitivity Analysis of Risk from Stakeholders' Perception Case Study: Semarang-solo Highway Project Section I (Tembalang-Gedawang) Asri Nurdiana, M. Agung Wibowo, Jati Utomo D. Hatmoko Pages 12-17

 $\checkmark$  Download PDF Article preview  $\checkmark$ 

Research article Open access Returns to Scale in Buildings Construction Costs: Indonesian Cases Andreas Wibowo Pages 18-24

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access The Analysis of Supply Chain Performance Measurement at Construction Project M. Agung Wibowo, Moh Nur Sholeh Pages 25-31

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access The Practice of Time Management on Construction Project Lok Siew Chin, Abdul Rahim Abdul Hamid Pages 32-39

▲ Download PDF Article preview ∨

Research article Open access Analysis of Factors Affecting Design Changes in Construction Project with Partial Least Square (PLS) A.A. Gde Agung Yana, Rusdhi H.A., M. Agung Wibowo Pages 40-45



### 🗠 Download PDF 🛛 Article preview 🗸

Research article Open access Identification and Analyze of Influence Level on Waste Construction Management of Performance Elizar, M. Agung Wibowo, Pinardi Koestalam Pages 46-52

▲ Download PDF Article preview ∨

Research article Open access Structural Equation Model for Investigating Risk Factors Affecting Project Success in Surabaya Herry Pintardi Chandra Pages 53-59

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access Proactiveness of Contractors: A study of Indonesia Harijanto Setiawan, Bilge Erdogan, Stephen O. Ogunlana Pages 60-67

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access Competitive Aggressiveness of Contractors: A Study of Indonesia Harijanto Setiawan, Bilge Erdogan, Stephen O. Ogunlana Pages 68-74

🗠 Download PDF 🛛 Article preview 🗸

Research article *Open access* 

Low-cost Apartment Program Implementation in Surabaya Metropolitan Area Farida Rachmawati, Ria A.A. Soemitro, Tri Joko W. Adi, Connie Susilawati Pages 75-82

 $\checkmark$  Download PDF Article preview  $\checkmark$ 



Research article Open access Model of Learning/Training of Occupational Safety & Health (OSH) Based on Industry in the Construction Industry Bambang Endroyo, Bambang E. Yuwono, Djemari Mardapi, Soenarto Pages 83-88

ightarrow Download PDF ightarrow Article preview  $\checkmark$ 

Research article Open access Knowledge Management Maturity in Construction Companies Mochamad Agung Wibowo, Rudi Waluyo Pages 89-94

 $\checkmark$  Download PDF Article preview  $\checkmark$ 

Research article Open access An Analysis of Bidding Strategy, Project Performance and Company Performance Relationship in Construction Mohamad Agung Wibowo, I. Nyoman Yudha Astana, Rusdi H.A. Pages 95-102

 $\checkmark$  Download PDF Article preview  $\checkmark$ 

Research article Open access Initial Investigation for Potential Motivators to Achieve Sustainable Construction Safety and Health Herry Pintardi Chandra Pages 103-108

▲ Download PDF Article preview ∨

Research article Open access Improving Safety Among Small Organisations in the Construction Industry: Key Barriers and Improvement Strategies Riza Yosia Sunindijo Pages 109-116

▲ Download PDF Article preview ∨



Research article Open access

Risk Analysis of BOT Scheme on Post-construction Toll Road Yudi Harto Suseno, Muhammad Agung Wibowo, Bagus Hario Setiadji Pages 117-123

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access Best Practice for Financial Models of PPP Projects

Fredy Kurniawan, Sri Wiwoho Mudjanarko, Stephen Ogunlana Pages 124-132

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access Credit Enhancement and its Risk Factors for IPP Projects in Asia: An Analysis by Network Theory Abu Naser Chowdhury, Po-Han Chen, Robert Tiong Pages 133-142

🗠 Download PDF 🛛 Article preview 🥆

Research article Open access

Successful Criteria for Large Infrastructure Projects in Malaysia

Md. Asrul Nasid Masrom, Mohd Hilmi Izwan Abd Rahim, Sulzakimin Mohamed, Goh Kai Chen, Riduan Yunus

Pages 143-149

🗠 Download PDF 🛛 Article preview 🗸

Research article *Open access* 

Analysis of Rainfall-runoff Neuron Input Model with Artificial Neural Network for Simulation for Availability of Discharge at Bah Bolon Watershed Setiono, Rintis Hadiani Pages 150-157

 $\checkmark$  Download PDF Article preview  $\checkmark$ 



Self and Artificial Air Entrainment in Steep Channel

Yeri Sutopo, Budi S. Wignyosukarto, Bambang Yulistyanto, Istiarto Pages 158-165

▲ Download PDF Article preview ∨

Research article Open access

The Application of Rainfall-Runoff-inundation (RRI) Model for Inundation Case in Upper Citarum Watershed, West Java-Indonesia Kania Dewi Nastiti, Yeonsu Kim, Kwansue Jung, Hyunuk An Pages 166-172

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access Effects of Compost Thickness and Compaction on Methane Emissions in Simulated Landfills Gabriel Andari Kristanto, Sesaria Marina Raissa, Evi Novita Pages 173-178

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access Rainfall Erosivity Estimation for Northern and Southern Peninsular Malaysia using Fourneir Indexes Zul Azmi Mohtar, Ahmad Shukri Yahaya, Fauziah Ahmad Pages 179-184

ightarrow Download PDF ightarrow Article preview  $\checkmark$ 

Research article Open access Impact of Climate Change on Streamflow in the Tropical Lowland of Kapuas River, West Borneo, Indonesia Henny Herawati, Suripin, Suharyanto Pages 185-192

▲ Download PDF Article preview ∨



Royal Commission at Yanbu Environmental Regulations Ayedh Al Shehai

Pages 193-198

ightarrow Download PDF ightarrow Article preview  $\checkmark$ 

Research article *Open access* 

Water Turbidity Impact on Discharge Decrease of Groundwater Recharge in Recharge Reservoir Akhmad Azis, Hamzah Yusuf, Zulfiyah Faisal, Muhammad Suradi Pages 199-206

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access Mathematical Modelling of Injection Wells for Flooding Prevention in Jakarta Mohajit Pages 207-212

🕁 Download PDF 🛛 Article preview 🗸

Research article Open access Application of Large Scale Particle Image Velocimetry (LSPIV) to Identify Flow Pattern in a Channel Tommy Ekamitra Sutarto Pages 213-219

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access

Sand Dynamics as a Tool for Coastal Erosion Management: A Case Study in Darwin Harbour, Northern Territory, Australia

Silvia G. Tonyes, Robert J. Wasson, Niels C. Munksgaard, Ken G. Evans, ... David K. Williams Pages 220-228

▲ Download PDF Article preview ∨

The Change of Hydrological Regime in Upper Cikapundung Watershed, West Java Indonesia

Hary Pradiko, Arwin, Prayatni Soewondo, Yadi Suryadi Pages 229-235

🕁 Download PDF 🛛 Article preview 🗸

Research article Open access Study on Water Balance in Poteran – A Small Island in East Java, Indonesia Tatas, Agung Budipriyanto, Mohamad Khoiri, Wien Lestari, Askur Rahman Pages 236-242

土 Download PDF 🛛 Article preview 🗸

Research article Open access Extending Public Water Supply in Peri-Urban Area: Technical-Engineering, Economic, and Environmental Consideration Sri Maryati, An Nisaa' Siti Humaira Pages 243-249

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access The Presence of Jeringau (Acorus Calamus) as Flexible Vegetation Type in the Channel Against Flow Resistance Maimun Rizalihadi, Dian Safiana Pages 250-256

🕁 Download PDF 🛛 Article preview 🗸

Research article Open access The Influence of Single Zigzag Type Porous Groin in the Change of Beach Profile Eldina Fatimah, Zouhrawaty, A. Ariff, Teuku Budi Aulia Pages 257-262

▲ Download PDF Article preview ∨

Research article Open access

Evaluation of Drainage Channels Capacity in Ambon City: A Case Study on Wai Batu Merah Watershed Flooding Cilcia Kusumastuti, Ruslan Djajadi, Angel Rumihin Pages 263-269

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access Experimental Assessment of Integrated Technology Application Used to Rain (WM4RR) & Floods Reduction (AR-DWIS) in Jakarta Raden Djoko Goenawan, Ridwan Ridwan, Muhammad Sadly, Teddy Sudinda, ... Budi Harsoyo Pages 270-276

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access Log Jams at a Bridge with a Pier and a Bridge without Pier Muhammad Islamy Rusyda Pages 277-283

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access

The Submerged Breakwater as Prototype of Coastal Protection in Gili Trawangan, Lombok, Indonesia Eko Pradjoko, Imam Bachtiar, Nanang Matalatta, Gatot Sugihartono

Pages 284-290

 $\checkmark$  Download PDF Article preview  $\checkmark$ 

Research article Open access

Mapping of Ozone Gas (O<sub>3</sub>) Concentrations in Padang City Vera Surtia Bachtiar, Slamet Raharjo, Yenni Ruslinda, Fitra Hayati, Desi Ratna Komala Pages 291-297

▲ Download PDF Article preview ∨

Research article Open access
Correlation Equation to Predict HHV of Tropical Peat Based on its Ultima FEEDBACK

Wiwiek Setyawati, Enri Damanhuri, Puji Lestari, Kania Dewi Pages 298-303

▲ Download PDF Article preview ∨

Research article Open access Identification of Extreme Events in Climate Data from Multiple Sites Heri Kuswanto, Shofi Andari, Erma Oktania Permatasari Pages 304-310

土 Download PDF 🛛 Article preview 🗸

Research article Open access Prediction of Liquefaction Potential Study at Bantul Regency the Province of Special Region of Yogyakarta Indonesia John T. Hatmoko, Hendra Suryadharma Pages 311-316

▲ Download PDF Article preview ∨

Research article Open access

Strength Performance of Iowa Soils Stabilized with Biofuel Industry Co-product Halil Ceylan, Sungwan Kim, Ali Ulvi Uzer, Bo Yang Pages 317-323

▲ Download PDF Article preview ∨

Research article Open access Physical Properties and Mineral Content of Sidoarjo Mud Volcano Luky Handoko, Ahmad Rifa'i, Noriyuki Yasufuku, Ryohei Ishikura Pages 324-330

▲ Download PDF Article preview ∨

Research article Open access Effect of Area Development on the Stability of Cut Slopes Yulindasari Sutejo, Nurly Gofar Pages 331-337

▲ Download PDF Article preview ∨

Research article Open access

The Shape of Slide Surface of Gravity Retaining Walls Construction on Sand by Small Scale Sinusoidal Dynamic Load Tests Anissa Maria Hidayati, Sri Prabandiyani RW, I. Wayan Redana Pages 338-344

 $\checkmark$  Download PDF Article preview  $\checkmark$ 

Research article Open access Determination of Shear Wave Velocity Using Multi-channel Analysis of Surface Wave Method and Shear Modulus Estimation of Peat Soil at Western Johore Adnan Zainorabidin, Mohd Jazlan Mad Said Pages 345-350

 $\checkmark$  Download PDF Article preview  $\checkmark$ 

Research article Open access Stress-path on the Hydraulic Fracturing Test of the Clay Core of Rock Fill Dams in the Laboratory Didiek Djarwadi, Kabul B. Suryolelono, Bambang Suhendro, Hary C. Hardiyatmo Pages 351-357

▲ Download PDF Article preview ∨

Research article Open access Analysis of Geotextile Reinforced Road Embankment Using PLAXIS 2D Paravita Sri Wulandari, Daniel Tjandra Pages 358-362

▲ Download PDF Article preview ∨

Research article Open access Analysis of Piled Raft Foundation on Soft Soil Using PLAXIS 2D Paravita Sri Wulandari, Daniel Tjandra Pages 363-367

▲ Download PDF Article preview ∨



A Combined Flume-imaging Technique for Measuring Fluvial Erosion of Cohesive Stream Bank Soils Tommy E. Sutarto Pages 368-375

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access Determination of Unsaturated Soil Properties and Slope Deformation Analysis Due to the Effect of Varies Rainfall Sony Pramusandi, Ahmad Rifa'i, Kabul B. Suryolelono Pages 376-382

 $\checkmark$  Download PDF Article preview  $\checkmark$ 

Research article Open access Investigation of the Consolidation Drainage of High Water Content Clay by Siphon Method through Unsaturated Filter Shodai Soda, Ryohei Ishikura, Noriyuki Yasufuku, Luky Handoko Pages 383-389

 $\checkmark$  Download PDF Article preview  $\checkmark$ 

Research article Open access Dynamic Soil Compaction—recent Methods and Research Tools for Innovative Heavy Equipment Approaches Holger Pankrath, Marco Barthel, Alexander Knut, Matteo Bracciale, Ralf Thiele Pages 390-396

▲ Download PDF Article preview ∨

Research article Open access Innovative Reinforced Soil Structures for High Walls and Slopes Combining Polymeric and Metallic Reinforcements Matteo Lelli, Riccardo Laneri, Pietro Rimoldi Pages 397-405

🗠 Download PDF 🛛 Article preview 🥆

Research article Open access Rearring Capacity of Dile Foundations Embed

Bearing Capacity of Pile Foundations Embedded in Clays and Sands Layer Predicted Using PDA Test and Static Load Test Gogot Setyo Budi, Melisa Kosasi, Dewi Hindra Wijaya Pages 406-410

🛨 Download PDF 🛛 Article preview 🗸

Research article Open access Generalized Additive Models for Estimating Motorcycle Collisions on Collector Roads Machsus Machsus, Rachmad Basuki, Amalia Firdaus Mawardi Pages 411-416

ightarrow Download PDF ightarrow Article preview  $\checkmark$ 

Research article Open access Predicting the Remaining Service Life of Road Using Pavement Condition Index Ary Setyawan, Jolis Nainggolan, Arif Budiarto Pages 417-423

ightarrow Download PDF Article preview  $\checkmark$ 

Research article Open access

The Effect of Pavement Condition on Vehicle Speeds and Motor Vehicles Emissions Ary Setyawan, Irvan Kusdiantoro, Syafi'i Pages 424-430

▲ Download PDF Article preview ∨

Research article Open access Study on BIM Utilization for Design Improvement of Infrastructure Project Masaru Minagawa, Shunji Kusayanagi Pages 431-437

ightarrow Download PDF ightarrow Article preview  $\checkmark$ 

Research article Open access

Needs Analysis of the Bridge Infrastructures Crossing over the Musi River of Palembang Joni Arliansyah, Adi Taruna, Rhaptyalyani, Astri Yuli Kurnia Pages 438-444

▲ Download PDF Article preview ∨

Research article Open access Trip Attraction Model Using Radial Basis Function Neural Networks Joni Arliansyah, Yusuf Hartono Pages 445-451

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access Using Advanced Materials of Granular BRA Modifier Binder to Improve the Flexural Fatigue Performance of Asphalt Mixtures Muhammad Karami, Hamid Nikraz Pages 452-460

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access

Traffic Performance Analysis of u-turn and Fly Over u-turn Scenario; A Case Study at Soekarno Hatta Road, Palembang, Indonesia Rhaptyalyani H. Della, Hanafiah, Joni Arliansyah, Riga Artiansyah Pages 461-466

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access Modelling Road Traffic Noise for Collector Road (Case Study of Denpasar City) Putu Alit Suthanaya Pages 467-473

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access
 Development of Asphalt Pavement Temperature Model for Tropical Climate Conditions in
 West Bali Region
 I. Made Agus Ariawan, Bambang Sugeng Subagio, Bagus Hario Setiadji
 Pages 474-480

Research article Open access Does Demographic Pattern Matter for Sustainable Infrastructure Policy? Ferry Hermawan, Tutik Rachmawati, Herry Ludiro Wahyono Pages 481-488

▲ Download PDF Article preview 🗸

Research article Open access Applying Input-output Model to Estimate the Broader Economic Benefits of Cipularang Tollroad Investment to Bandung District Ridwan Anas, Ofyar Z. Tamin, Sony S. Wibowo Pages 489-497

▲ Download PDF Article preview 🗸

Research article Open access Optimization of River Transport to Strengthen Multimodal Passenger Transport System in Inland Region Said Pages 498-503

▲ Download PDF Article preview 🗸

Research article Open access An Analysis of Out-of-home Non-work Activity Time Use and Timing Behaviour Based on Work Schedule and Trip Time Melawaty Agustien, Ade Sjafruddin, Harun Al Rasyid S. Lubis, Sony S. Wibowo Pages 504-511

▲ Download PDF Article preview 🗸

Research article Open access Transportation Demand Management: A Park and Ride System to Reduce Congestion in Palembang City Indonesia Erika Buchari Pages 512-518

Research article Open access The Importance of Human Resources Development and its Impact in Increasing of National Port Productivity Erika Buchari, Hasan Basri Pages 519-525

▲ Download PDF Article preview ∨

Research article Open access The Delays for Signalized Intersection Using ATCS Data and Field Survey Method at Kerten-Intersection of Surakarta Alfia Magfirona, Nurul Hidayati, Ika Setiyaningsih, Gotot Slamet Pages 526-533

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access Simultaneous in-situ Stiffness and Anomalies Measurement on Pavement Subgrade Using Tomography Surface Waves Technique Sri Atmaja P. Rosyidi Pages 534-540

🗠 Download PDF 🛛 Article preview 🗸

Research article Open access The Effective Strategy in the Management of "Pantura" Lane Road, Java - Indonesia Hary Agus Rahardjo, Dwi Dinariana, Fitri Suryani Pages 541-546

▲ Download PDF Article preview ∨

Research article Open access Railway Track Subgrade Failure Mechanisms Using a Fault Chart Approach Kristianto Usman, Michael Burrow, Gurmel Ghataora Pages 547-555

FEEDBACK 🖓

 $\checkmark$  Download PDF Article preview  $\checkmark$ 

Research article Open access Analysis of Hub-and-spoke Airport Networks in Java Island, Based on Cargo Volume and Freight Ratio Gito Sugiyanto, Purwanto Bekti Santosa, Aris Wibowo, Mina Yumei Santi Pages 556-563

ightarrow Download PDF Article preview  $\checkmark$ 

Research article Open access Traffic Flow Quality as Part of Network Quality for a Sparse Road Network Hitapriya Suprayitno Pages 564-570

 $\checkmark$  Download PDF Article preview  $\checkmark$ 

Research article Open access Effect of Habit and Car Access on Student Behavior Using Cars for Traveling to Campus Rudy Setiawan, Wimpy Santosa, Ade Sjafruddin Pages 571-578

 $\checkmark$  Download PDF Article preview  $\checkmark$ 

Research article Open access

A Case Study of Low Compressive Strength of Concrete Containing Fly Ash in East Java Indonesia M. Sigit Darmawan, Ridho Bayuaji, Nur Ahmad Husin, Chomaedhi, Ismail Saud

Pages 579-586

▲ Download PDF Article preview ∨

Research article Open access Experimental Investigation on the Properties of Lightweight Concrete Containing Waste Oil Palm Shell Aggregate Kim Hung Mo, U. Johnson Alengaram, Mohd Zamin Jumaat Pages 587-593

▲ Download PDF Article preview ∨

Drying Shrinkage of Slag Blended Fly Ash Geopolymer Concrete Cured at Room

Temperature

Partha Sarathi Deb, Pradip Nath, Prabir Kumar Sarker Pages 594-600

🕁 Download PDF 🛛 Article preview 🗸

Research article Open access Early Age Properties of Low-calcium Fly Ash Geopolymer Concrete Suitable for Ambient Curing Pradip Nath, Prabir Kumar Sarker, Vijaya B. Rangan Pages 601-607

 $\checkmark$  Download PDF Article preview  $\checkmark$ 

Research article Open access Improvement of Concrete Durability by Nanomaterials Saloma, Amrinsyah Nasution, Iswandi Imran, Mikrajuddin Abdullah Pages 608-612

▲ Download PDF Article preview ∨

Research article Open access Building a Green Swimming Pool by Using Concrete with Aggregates from Demolition Waste Gerard H.P. Hol Pages 613-616

ightarrow Download PDF Article preview  $\checkmark$ 

Research article Open access

Mechanical Behavior of Reactive Powder Concrete with Glass Powder Substitute Widodo Kushartomo, Ika Bali, Budi Sulaiman Pages 617-622

▲ Download PDF Article preview ∨

Research article Open access

Corrosion Behaviours of High Strength TMT Steel Bars for Reinforcing Cement Concrete Structures Md. Aminul Islam

Pages 623-630

土 Download PDF 🛛 Article preview 🗸

Research article Open access Improving Microstructures of Concrete Using Ca(C<sub>18</sub>H<sub>35</sub>O<sub>2</sub>)<sub>2</sub> Agus Maryoto Pages 631-637

土 Download PDF 🛛 Article preview 🗸

Research article Open access Influence of Prestressed Force in the Waste Tire Reinforced Concrete Agus Maryoto, Nor Intang Setyo Hermanto, Yanuar Haryanto, Sugeng Waluyo, Nur Alvi Anisa Pages 638-643

🕁 Download PDF 🛛 Article preview 🗸

Research article Open access Flexural Capacity of Concrete Beams Strengthened Using GFRP Sheet after Seawater Immersion Mufti Amir Sultan, Rudy Djamaluddin, Wihardi Tjaronge, Herman Parung Pages 644-649

🕁 Download PDF 🛛 Article preview 🗸

Research article Open access

The Strength of Alkali-activated Slag/fly Ash Mortar Blends at Ambient Temperature Arie Wardhono, David W. Law, Anthony Strano Pages 650-656

ightarrow Download PDF ightarrow Article preview  $\checkmark$ 

Research article Open access Compressive Strength of Asphalt Concrete Binder Course (AC-BC) Mixture Using Buton Granular Asphalt (BGA) Abdul Gaus, Tjaronge M.W., Nur Ali, Rudy Djamaluddin Pages 657-662

▲ Download PDF Article preview ∨

Research article Open access

The Control of Response Time in Self-healing of Granulated Cementitious Material by Water-soluble Film Coating Yong-Soo Lee, Hong-Gi Kim, Tae-Han Song, Jae-Suk Ryou Pages 663-668

🕁 Download PDF 🛛 Article preview 🗸

Research article Open access Optimization of the Use of Volcanic Ash of Mount Sinabung Eruption as the Substitution for Fine Aggregate Rahmi Karolina, Syahrizal, M.Agung Putra, Tito Agung Prasetyo Pages 669-674

🕁 Download PDF 🛛 Article preview 🗸

Research article Open access Authenticity Principle in Conservation of De Javasche Bank of Surabaya: Materials, Substance and Form Timoticin Kwanda Pages 675-684

ightarrow Download PDF ightarrow Article preview  $\checkmark$ 

Research article Open access Use of Biofuel Co-product for Pavement Geo-materials Stabilization Ali Ulvi Uzer Pages 685-691

 $\checkmark$  Download PDF Article preview  $\checkmark$ 

 Research article
 Open access

 Identification of Source Factors of Carbon Dioxide (CO<sub>2</sub>) Emissions in Concreting of

 Reinforced Concrete

 FEEDBACK  $\mathcap{C}$ 

Hermawan, Puti F. Marzuki, Muhamad Abduh, R. Driejana Pages 692-698



Copyright © 2021 Elsevier Ltd. All rights reserved



Copyright  $\bigodot$  2021 Elsevier B.V. or its licensors or contributors. ScienceDirect  $^{\textcircled{m}}$  is a registered trademark of Elsevier B.V.



侴

## Source details

Procedia Engineering	CiteScore 2020	Ō
Scopus coverage years: from 2009 to 2019	1.0	
ISSN: 1877-7058		
Subject area: (Engineering: General Engineering)	SJR 2020	(j)
Source type: Conference Proceeding	0.520	
View all documents > Set document alert Save to source list Source Homepage	SNIP 2020 1.437	Ō

### CiteScore CiteScore rank & trend Scopus content coverage

 $\sim$ 

23,216 Citations 2017 - 2020

5,804 Documents 2017 - 2020

i	Improved CiteScore methodology	×
	CiteScore 2020 counts the citations received in 2017-2020 to articles, reviews, conference papers, book chapters and data	
	papers published in 2017-2020, and divides this by the number of publications published in 2017-2020. Learn more $>$	

## CiteScore 2020

## CiteScoreTracker 2021 ①



Calculated on 05 May, 2021

4.0

## CiteScore rank 2020 ①

Category	Rank	Percentile
Engineering General Engineering	#57/297	80th

View CiteScore methodology > CiteScore FAQ > Add CiteScore to your site &

## About Scopus

What is Scopus Content coverage Scopus blog Scopus API Privacy matters

### Language

## 日本語に切り替える 切換到简体中文 切換到繁體中文 Русский язык

## **Customer Service**

Help Contact us ELSEVIER

Terms and conditions a Privacy policy a

Copyright C Elsevier B.V  $\neg$ . All rights reserved. Scopus® is a registered trademark of Elsevier B.V. We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

also developed by scimago:

SJR	Scimago Journ	al & Country Rank			Enter J	Journal Title,	ISSN or Publisher N	Vame
	Home	Journal Rankings	Country Rank	kings N	√iz Too <b>l</b> s	Help	About Us	
$\leftarrow$			Ads by G	boogle				
		Stop	seeing this ad	Why this	ad? i			

# Procedia Engineering

•••••

-----

COUNTRY	SUBJECT AREA AND CATEGORY	PUBLISHER	H-INDEX
Netherlands Universities and research institutions in Netherlands	Engineering Engineering (miscellaneous) ① ×	Elsevier BV	74
	Download the Secure Browser		
	Secure your netv and endpoints with in malware & phis protection.		

.....







B Bambang Sabariman 10 months ago

Indexed Procedia Engineering?

reply



Melanie Ortiz 10 months ago

Dear Bambang, Thank you for contacting us. SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus. Unfortunately, we cannot help you with your request referring to the index status. We

SCImago Team

suggest you consult Scopus database (see the current status of the journal) or other databases for further information. You can also check that information in the journal's website or contact directly with the editorial staff. Best Regards, SCImago Team

#### M. Gamal 12 months ago

how can submit paper at the procedia engineering journal

reply



Melanie Ortiz 12 months ago

SCImago Team

Dear M. Gamal, thank you very much for your comment, we suggest you look for author's instructions/submission guidelines in the website. Best Regards, SCImago Team

Oleg Tkachenko 1 year ago

Dear Colleagues, Is this magazine coming out now? The journal page is not available. Regards, Oleg.

reply



Melanie Ortiz 1 year ago

SCImago Team

Dear Oleg,

Thank you for contacting us. Apparently, this title has ceased publication but we can not confirm it. We suggest you contact Scopus support for further details here:

https://service.elsevier.com/app/answers/detail/a\_id/14883/kw/scimago/supporthub/scopus/

Best Regards, SCImago Team

D Davide 1 year ago

Didn't Procedia Engineering have any ISBN code?

reply



#### Melanie Ortiz 1 year ago

Dear Davide, thank you very much for your comment. Unfortunately, we cannot help you with your request, we suggest you contact the editorial staff so they could inform you more deeply. Best Regards, SCImago Team

#### S Sergey 1 year ago

Good afternoon! In continuation of the last question. Why does Procedia manufacturing have a quartile, but Procedia Engineering does not? Best regards.

reply



#### Melanie Ortiz 1 year ago

SCImago Team

Dear Sergey, As said previsouly, the quartile is only assigned to Journal type's publications. Best regards, SCImago Team

#### S Sergey 1 year ago

#### Good afternoon!

Please tell me how the Procedia engineering journal was not assigned a quartile, and the Materials Science Forum was assigned Q3, although both editions publish exclusively conference proceedings? According to CITESCORE, the citation of Procedia enginering and its percentile is significantly higher.

Best regards, Sergey

reply



#### Melanie Ortiz 1 year ago

SCImago Team

#### Dear Sergey,

Thank you for contacting us. We calculate the SJR data for all the publication types, but the Quartile data are only calculated for Journal type's publications. Best regards, SCImago Team

#### A Ahmad 2 years ago

Is procedia engineering can be counted as peer reviewed journal

#### F fatima 3 years ago

Please what the price of Publishing?

reply



Elena Corera 3 years ago

Dear Fatima,

thank you very much for your comment, unfortunately we cannot help you with your request. We suggest you check author's instructions in journal website. You can find that information in SJR website https://www.scimagojr.com

SCImago Team

Best Regards, SCImago Team

#### Leave a comment

Name

Email (will not be published)



Submit

The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.



Powered by:





Follow us on @ScimagoJR

Scimago Lab, Copyright 2007-2020. Data Source: Scopus®

EST MODUS IN REBUS Horatio (Satire 1,1,106)





Available online at www.sciencedirect.com



Procedia Engineering 125 (2015) 843 - 849

Procedia Engineering

www.elsevier.com/locate/procedia

The 5th International Conference of Euro Asia Civil Engineering Forum (EACEF-5)

## Testing of the kriging-based finite element to shell structures with varying thickness

Foek Tjong Wong<sup>a,\*</sup>, Yosua Christabel<sup>b</sup>, Pamuda Pudjisuryadi<sup>a</sup>, Worsak Kanok-Nukulchai<sup>c</sup>

<sup>a</sup>Petra Christian University, Jl. Siwalankerto 121-131, Surabaya 60236, Indonesia <sup>b</sup>Benjamin Gideon and Associates, Jl. Gayungsari VII 30-32, Surabaya 60235, Indonesia <sup>c</sup>Asian Institute of Technology, Khlong Luang P.O. Box 4, Pathumthani 12120, Thailand

#### Abstract

A variant of the finite element method with Kriging basis functions has been recently developed and applied to plane, plate bending, and shell elastostatic problems. The main advantage of this novel method is that high degree of basis functions can be easily constructed without additional finite element nodes (such as mid-side and inner nodes). This paper revisits the formulation of the Kriging-based finite element method for analysis of curved shell structures, referred to as K-Shell, and presents new numerical tests to shell structures with varying thickness. The K-Shell was formulated based on degenerated 3D elasticity theory. The basis functions were constructed using a set of nodes covering several layers of triangular elements and were employed to approximate both the displacement and geometry. The quartic polynomial basis was chosen to alleviate shear and membrane locking. The K-Shell has been tested using a series of shell benchmark problems with constant shell thickness. The tests showed that K-Shell performed very well in analyzing moderately thick smooth shells. In this paper the K-Shell is tested using two modified shell benchmark problems with varying thickness, i.e. the modified pinched cylinder and the modified hemispherical shell with 18 degrees cut-off. The converged results of three-dimensional finite element model using commercial software Abaqus were used to assess the convergence of the results. The tests show that the performance of K-Shell in analyzing shells with varying thickness is satisfactory.

© 2015 The Authors. Published by Elsevier Ltd. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/).

Peer-review under responsibility of organizing committee of The 5th International Conference of Euro Asia Civil Engineering Forum (EACEF-5)

Keywords: finite element; shell, Kriging, benchmark problem, varying thickness

\* Corresponding author. *E-mail address:* wftjong@petra.ac.id

#### 1. Introduction

A new variant of the finite element method (FEM) with Kriging interpolation (KI), referred to as Kriging-based finite element method (K-FEM), was proposed by Plengkhom & Kanok-Nukulchai [1]. In this method, the "elementby-element" piecewise KI is employed for approximating the unknown functions of a boundary value problem, in place of conventional polynomial interpolation [2,3]. For each element, KI is constructed from a set of nodes within a prescribed support domain comprising the element and its several layers of adjacent elements. The key advantages of the K-FEM are a high degree polynomial interpolation can be easily incorporated even using the simplest elements such as a three-node triangle. Furthermore, the formulation and algorithm are very similar to the conventional FEM so that it can be incorporated in an existing FE code without major change.

A shortcoming of the K-FEM is that the interpolation function is discontinuous over the elements' boundary. The effect of the discontinuity on the convergence of solutions has been numerically studied using several numerical tests, including the patch test [4]. The study showed that the solutions of the K-FEM with appropriate interpolation parameters converged to the exact solutions in spite of the discontinuity.

It is worthy to note several recent literatures using KI as the approximation function for different problems. Bui et al. [5,6,7] presented moving Kriging interpolation-based meshfree methods for 2D elastodynamic analysis, Kirchhoff plate free-vibration analysis, and Reissner-Mindlin plate buckling analysis. The so-called moving Kriging-based meshfree method, specifically the element-free Galerkin method (EFGM) with moving KI [8], is essentially a class of the meshfree method of which the K-FEM is originated [2,3]. The K-FEM is indeed a more convenient implementation of the Kriging-based EFGM: In the K-FEM, the EFGM support domain for each point in an element is chosen to be a polygon made from the element and several layers of adjacent elements. Moreover, the elements serve as the EFGM background cells for performing numerical integration. Accordingly the K-FEM can be viewed as a variant of the Kriging-based EFGM.

The K-FEM has been further developed and applied for analysis of shell structures [9,10,11]. The development of the shell element was based on the degenerated 3D elasticity theory. The KI was constructed using a set of nodes encompassing four layers of triangular elements. The KI was used to approximate both the displacement field and the geometry of the shell. The quartic polynomial function was included in the KI in order to alleviate shear and membrane locking. The developed curved triangular Kriging-based shell element is referred to as K-Shell. The K-Shell has been tested using a number of benchmark shell problems to evaluate the accuracy, convergence and versatility[10]. The results showed that the element perform very well for moderately thick shells. Actually the K-Shell has the capability to analyze shell structures with varying thickness. However, all of the benchmark problems used were smooth shells with constant thickness. The question is how about the performance of the K-Shell in analyzing structures with varying thickness.

This paper presents an overview of the formulation of the K-Shell and testing of the K-Shell to shell problems with varying thickness. The varying-thickness shell problems were created by modifying the thickness of the well-known shell benchmark problems, specifically the pinched cylinder with end diaphragms and the hemispherical shell with 18<sup>0</sup> cut-off. The convergence of the K-Shell solutions were assessed by comparing them to the converged results of 3D finite element model using commercial software Abaqus [12].

#### 2. Kriging-based Curved Triangular Shell Element (K-Shell)

The variational equation governing a shell motion at a time  $t, t \ge 0$  may be written as

$$\int_{V} \delta \boldsymbol{u}^{T} \rho \ddot{\boldsymbol{u}} \, dV + \int_{V} \delta(\boldsymbol{\varepsilon}^{l})^{T} \boldsymbol{\sigma}^{l} \, dV = \int_{S_{n}} \delta \boldsymbol{u}^{T} \boldsymbol{p} \, dS \tag{1}$$

where **u** is the displacement vector of any point *P* in the shell, **ü** is the corresponding acceleration vector,  $\boldsymbol{\varepsilon}^{l}$  is the vector of shell strain components,  $\boldsymbol{\sigma}^{l}$  is the vector of shell stress components,  $\boldsymbol{\rho}$  is the mass density of the shell material, and **p** is the time-varying surface force vector (per unit surface area). The operator  $\delta$  denotes the first variation operated on the associated field variable. The integration over *V* signifies integration over the shell volume, and the integration over  $S_{\mathbf{p}}$  signifies integration over the surface upon which the surface vector **p** is applied. The components of **u**, **ü**, and **p** vectors are written with respect to the global Cartesian coordinate system, whereas the

components of  $\varepsilon^{l}$  and  $\sigma^{l}$  are in the corresponding local or lamina coordinate system [10,13]. The local or lamina coordinate system is the coordinate system introduced at a point to for the purpose of invoking Reissner-Mindlin assumptions.

For the purpose of defining the geometry of the shell, a Cartesian coordinate system is introduced for each curved-triangular element at the centroid of the flat triangle passing through the element nodes (the projected triangle). The geometry of a typical curved-triangular element is described with reference to the element coordinate system by Eqs. (2)-(4).

$$\mathbf{x}^{\mathrm{e}}(\boldsymbol{\xi},\boldsymbol{\eta},\boldsymbol{\zeta}) = \overline{\mathbf{x}}^{\mathrm{e}}(\boldsymbol{\xi},\boldsymbol{\eta}) + \mathbf{X}^{\mathrm{e}}(\boldsymbol{\xi},\boldsymbol{\eta},\boldsymbol{\zeta}) \tag{2}$$

$$\overline{\mathbf{x}}^{\mathbf{e}}(\boldsymbol{\xi},\boldsymbol{\eta}) = \begin{cases} \overline{x}_{1}^{\mathbf{e}} \\ \overline{x}_{2}^{\mathbf{e}} \\ \overline{x}_{3}^{\mathbf{e}} \end{cases} = \begin{cases} \boldsymbol{\xi} \\ \boldsymbol{\eta} \\ \sum^{n} N_{*}(\boldsymbol{\xi},\boldsymbol{\eta})\overline{x}_{2}^{\mathbf{e}} \end{cases} \end{cases}$$
(3)

$$\mathbf{X}^{\mathbf{c}}(\boldsymbol{\xi},\boldsymbol{\eta},\boldsymbol{\zeta}) = \sum_{a=1}^{n} N_{a}(\boldsymbol{\xi},\boldsymbol{\eta}) \frac{h_{\mathrm{f}\,a}}{2} \boldsymbol{\zeta} \hat{\mathbf{X}}_{a}^{\mathbf{c}}$$
(4)

In these equations,  $\mathbf{x}^e$  denotes the position vector of a point within the shell element;  $\overline{\mathbf{X}}^e$  is the position vector of the point on the mid-surface;  $\mathbf{X}^e$  is a position vector based at  $\overline{\mathbf{X}}^e$ , which defines the "fiber direction" through the point;  $\zeta$  and  $\eta$  are surface parameters for defining the mid-surface (*not* natural coordinates as in the conventional isoparametric element);  $\zeta \in [-1,1]$  is a thickness parameter;  $\overline{\mathbf{x}}_{a3}^e$  is the third component of coordinate of node a;  $N_a(\zeta, \eta)$  denotes a two-dimensional Kriging shape function associated with node a;  $h_{fa}$  is the thickness of the shell at node a, measured in the fiber direction at node a; and  $\widehat{\mathbf{X}}_a^e$  is a unit vector emanating from node a in the fiber direction. The summation runs from a=1 until a=n, where n is the number of nodes in the element support domain. It should be noted here that n is *not* the number of element nodes as in the conventional FEM. The superscript e is used to emphasize that the vector components are in the elemental coordinate system. The thickness in the fiber direction,  $h_{fa}$ , for each node is calculated using the top and bottom coordinates at the associated node. This is the reason why the K-Shell is capable to analyse shells with smoothly varying thickness.

Eq. (3) is the vector equation of the mid-surface. It projects (maps) the points on the mid-surface into the plane passing through the three nodal points. Eqs.(2) through (4) represent a smooth mapping of "projected plate", whose thickness is bi-unit and whose mid-surface lying in the  $\bar{x}_1^e - \bar{x}_2^e$  plane, into the physical shell domain as illustrated in Fig. 1. With this point of view, parameters  $\xi$ ,  $\eta$ ,  $\zeta$  may be viewed as curvilinear coordinates. For  $\zeta$  fixed, the surface defined by Eq. (2) is called a *lamina* and  $\zeta$ =0 represents the mid-surface. For ( $\xi$ ,  $\eta$ ) fixed, the line defined by Eq. (2) is called the *fiber*. The fibers are generally not perpendicular to the laminae.



Bi-unit thickness "projected plate"

Physical shell element

Fig. 1. An illustration for mapping from "projected plate" into physical shell element domain.

The displacement of a generic point in the shell,  $\mathbf{u}(\zeta,\eta,\zeta)$ , is decomposed into two parts: the displacement of the projected point on the mid-surface,  $\overline{\mathbf{u}}(\zeta,\eta)$ , and the displacement induced by the fiber rotation,  $\mathbf{U}(\zeta,\eta,\zeta)$ . The mid-surface displacement and the rotation-induced displacement are approximated from their respective nodal values using KI as follows:

$$\mathbf{u}(\xi,\eta,\zeta) = \bar{\mathbf{u}}(\xi,\eta) + \mathbf{U}(\xi,\eta,\zeta) \tag{5}$$

$$\overline{\mathbf{u}}(\xi,\eta) = \sum_{a=1}^{n} N_a(\xi,\eta) \overline{\mathbf{u}}_a \tag{6}$$

$$\mathbf{U}(\xi,\eta,\zeta) = \sum_{a=1}^{n} N_a(\xi,\eta) \frac{h_{\mathrm{f}a}}{2} \zeta \,\hat{\mathbf{U}}_a \tag{7}$$

$$\overline{\mathbf{u}}_{a} = \left\{ \overline{u}_{a1} \quad \overline{u}_{a2} \quad \overline{u}_{a3} \right\}^{\mathrm{T}}; \\ \widehat{\mathbf{U}}_{a} = \theta_{a2} \mathbf{e}_{a1}^{\mathrm{f}} - \theta_{a1} \mathbf{e}_{a2}^{\mathrm{f}}$$
(8)

The quantities  $\theta_{a1}$  and  $\theta_{a2}$  respectively represent the rotations of the fiber about the basis vectors  $\mathbf{e}_{a1}^{f}$  and  $\mathbf{e}_{a2}^{f}$  of the fiber coordinate system at node *a*. From Eq. (8) it is apparent that the K-Shell element has five degrees of freedom for each node.

Using the displacement approximation given by Eqs. (5)-(8), the element mapping given by Eqs. (2)-(4), the variational equation Eq. (1), and employing the standard formulation procedure of the FEM (see e.g.[13,14,15]) lead to the dynamic equilibrium equation for each shell element as follows

$$\mathbf{m}\mathbf{\ddot{d}} + \mathbf{k}\mathbf{d} = \mathbf{f} \tag{9}$$

where **m** is the element consistent mass matrix, **k** is the element stiffness matrix, **d** is the element nodal displacement vector,  $\ddot{\mathbf{d}}$  is the element nodal acceleration vector and **f** is the element nodal force vector. The order of these matrices depends on the number of nodes in the support domain, *n*, and it may vary from element to element. The global discretized equation for dynamic analyses of shell structures can be obtained from the elemental discretized equation, Eq. (9), by using the assembly procedure. Here the assembly process for each element involves all nodes in the element's support domain, *n*, not only the nodes within the element as in the conventional FEM. For static cases, Eg. (9) simply reduces to  $\mathbf{kd} = \mathbf{f}$ .

#### 3. Testing of the K-Shell

#### 3.1. Modified pinched cylinder with end diaphragms

The problem is a short circular cylinder with rigid end diaphragms subjected to two pinching forces as shown in Fig. 2. Taking advantage of the symmetry, only one octant of the cylinder is needed in the analysis. The original problem has a constant thickness of h=3 unit. The reference solution for the deflection of the points where the forces act is  $1.8248 \times 10^{-5}$  [16]. The K-Shell has been tested to this challenging problem and it was found that the results converged monotonically from below to the reference solution [11].

For the purpose of the present test, the thickness of the cylinder was modified so that it varies linearly from h=3 along the side of A-A to h=15 along the side of B-B and C-C (see Fig. 2). The octant of the cylinder was analysed using meshes 4x4,8x8, 16x16, and 32x32 elements. In order to obtain a reference solution for the modified cylinder, it was analysed using two different 20-node continuum brick elements C3D20 and C3D20RH of Abaqus with the mesh of 32x32. The C3D20 is the standard 20-node brick element, whereas the C3D20RH is the 20-node brick element with reduced integration and hybrid formulation [17]. The C3D20 and C3D20RH results for the deflection at the point where the force acts are 7.173x10<sup>-7</sup> and 7.578x10<sup>-7</sup>, respectively. The average of these results was taken as the reference solution.

The K-Shell results were presented in Table 1 together with their normalized values with respect to the reference solution. The table indicates that, as expected, the K-Shell solutions converge monotonically from below to the reference solution. The errors of the solution, i.e. the difference between the solutions to the reference solution, were plotted against the number of elements for each side, M, in the log-log scale as shown in Fig. 3. The average

convergence rate is 2.36, which is lower than the theoretically optimal convergence rate of the K-Shell, i.e. 5. The possible reason for the slow convergence of the K-Shell in that the shear and membrane locking phenomena. In addition, the displacement field contain highly localized displacement in the vicinity of the applied force [10,11].



Fig. 2. (a) Pinched cylinder with rigid end diaphragms; (b) An octant of the modified pinched cylinder.

#### 3.2. Modified hemispherical shell with 18° cut-off

A hemispherical shell structure with  $18^{\circ}$  cut-off is subjected to four equal forces alternating in directions, inward and outward, around its equator. Due to symmetry, only one quarter of the hemisphere is needed in the analysis (Fig. 4). The original problem has a constant thickness of h=0.04 unit. The reference solution for the deflection of the points where the forces act is 0.0935 [10]. The K-Shell has been tested to this problem and, like in the previous problem, the results converged monotonically from below to the reference solution [10].

For the purpose of the present study, the thickness of the hemispherical shell was modified as shown in Fig. 4.(b). The quarter of the modified shell was analysed using meshes with different degrees of refinement, i.e. from 4x4 to 32x32 elements. The deflections at the points where the forces act obtained using the C3D20 and C3D20RH elements of Abaqus with the mesh of 32x32 are  $7.609x10^{-5}$  and  $7.659x10^{-5}$ , respectively. The average of these results, i.e.  $7.634x10^{-5}$ , was taken as the reference solution.

The results obtained from the analysis using the K-Shell were presented in Table 2. It is seen that the results converge to the reference solution. Fig. 5 shows that the convergence rate decreases as the mesh was refined. The average convergence rate is 1.49, which is also lower than the theoretical convergence rate of the K-Shell, 5, for the same reason as in the case of the pinched cylinder.

М	Deflection	Normalized Deflection		
4	2.392E-07	0.32		
8	6.167E-07	0.84		
16	6.584E-07	0.89		
32	7.412E-07	1.00		
*Ref.	7.376E-07	1.00		
<i>M</i> : Number of elements on each side *The average of C3D20 and C3D20RH results for $M=32$				

Table 1. Results of the K-Shell for the modified cylinder.



Fig. 3. Error vs number of elements on each side.



 $E = 68.25 \times 10^6$ v=0.3

Original *h*=0.04; *R/h*=250

Modified *h*: Linearly varies from h=0.04along the top edge to h=0.5(*R*/*h*=20) along the equator.



Fig. 4. (a) A quarter of the hemispherical shell modelled with 4x4 K-Shell elements; (b) A quarter of the shell with modified thickness.

М	Deflection	Normalized Deflection			
4	9.150E-06	0.12			
8	6.440E-05	0.84			
16	7.200E-05	0.94			
32	7.330E-05	0.96			
*Ref.	7.634E-05	1.00			
<i>M</i> : Number of elements on each side *The average of C3D20 and C3D20RH results for <i>M</i> =32					

Table 2. Results of the K-Shell for the modified hemispherical shell.



Fig. 5. Error vs number of elements on each side.

#### 4. Conclusions

An overview of the formulation of the recently developed Kriging-based shell element, K-Shell, and the numerical tests using two modified problems of the well-known benchmark problems, namely the varying-thickness

pinched cylinder and the varying-thickness hemispherical shell, have been presented. The tests showed that the results converged to the reference solutions obtained from the three-dimensional elements of commercial software Abaqus and it thus confirmed the K-Shell capability in analyzing shell structures with varying thickness. The convergence rates of the K-Shell results, however, were not optimum. The possible reason for this is that membrane locking and/or shear locking were severe in the tests problems. For improvement of the K-Shell performance, future research should be directed to make the K-Shell free from both the shear locking and the membrane locking.

#### References

- K. Plengkhom, W. Kanok-Nukulchai, "An enhancement of finite element method with moving Kriging shape functions," Int. J. Comput. Methods. 02 (2005) 451–475.
- [2] F. T. Wong, W. Kanok-Nukulchai, "Kriging-based finite element method: element-by-element Kriging interpolation," Civ. Eng. Dimens. 11 (2009) 15–22.
- [3] W. Kanok-Nukulchai, F. T. Wong, "A break-through enhancement of FEM using node-based Kriging Interpolation," IACM Expressions, IACM, Barcelona, 2008, pp. 24–29.
- [4] F. T. Wong, W. Kanok-Nukulchai, "On the convergence of the Kriging-based finite element method," Int. J. Comput. Methods. 06 (2009) 93–118.
- [5] T. Q. Bui, M. N. Nguyen, C. Zhang, "A moving Kriging interpolation-based element-free Galerkin method for structural dynamic analysis," Comput. Methods Appl. Mech. Eng. 200 (2011) 1354–1366.
- [6] T. Q. Bui, M. N. Nguyen, "A moving Kriging interpolation-based meshfree method for free vibration analysis of Kirchhoff plates," Comput. Struct.89 (2011) 380–394.
- [7] T. Q. Bui, M. N. Nguyen, C. Zhang, "Buckling analysis of Reissner–Mindlin plates subjected to in-plane edge loads using a shear-lockingfree and meshfree method," Eng. Anal. Bound. Elem. 35(2011) 1038–1053.
- [8] L. Gu, "Moving Kriging interpolation and element-free Galerkin method," Int. J. Numer. Methods Eng. 56 (2003) 1–11.
- [9] F. T. Wong, W. Kanok-Nukulchai, "A Kriging-based finite element method for analyses of shell structures," in Proceedings of the Eighth World Congress on Computational Mechanics and the Fifth European Congress on Computational Methods in Applied Sciences and Engineering, 2008, ECCOMAS, p. a1247.
- [10] F. T. Wong, "Kriging-based finite element method for analyses of plates and shells," dissertation, Asian Institute of Technology, Pathumthani, 2009.
- [11] F. T. Wong, "Testing of shell elements using challenging benchmark problems," in Proceedings of the 2nd Indonesian Structural Engineering and Materials Symposium, 2013, Parahyangan Catholic University, Bandung, pp. T10–1–T10–11.
- [12] "Abaqus Overview Dassault Systèmes." [Online]. Available: http://www.3ds.com/products-services/simulia/portfolio/abaqus/overview/. [Accessed: 01-Oct-2013].
- [13] T. J. R. Hughes, The Finite Element Method: Linear Static and Dynamic Finite Element Analysis, Prentice-Hall, New Jersey, 1987.
- [14] R. D. Cook, D. S. Malkus, M. E. Plesha, R. J. Witt, Concepts and Applications of Finite Element Analysis, fourth ed., John Wiley & Sons, 2002.
- [15] O. C. Zienkiewicz, R. L. Taylor, The Finite Element Method, Volume 1: The Basis, fifth ed., Butterworth-Heinemann, Massachusetts, 2000.
- [16] T. Belytschko, H. Stolarski, W. K. Liu, N. Carpenter, J. S. J. Ong, "Stress Projection for Membrane and Shear Locking in Shell Finite Elements," Comput. Methods Appl. Mech. Eng. 51(1985) 221–258.
- [17] "Abaqus Theory Manual." Dassault Systemes Simulia Corp., Providence, 2009.