


The 1st International Conference on Automotive, Manufacturing, and Mechanical Engineering

SEPTEMBER 26 - 28, 2018
BALI, INDONESIA



IC-AMME
INTERNATIONAL CONFERENCE
ON AUTOMOTIVE, MANUFACTURING,
AND MECHANICAL ENGINEERING





IC-AMME
INTERNATIONAL CONFERENCE
ON AUTOMOTIVE, MANUFACTURING,
AND MECHANICAL ENGINEERING



Preface IC-AMME

The 1st International Conference on Automotive, Manufacturing, and Mechanical Engineering (IC-AMME 2018) has been organized by Mechanical Engineering Department and Continuing Education Center, Petra Christian University, Surabaya, Indonesia. This event was held on September 26–28, 2018 in Bali, Indonesia. As an effort to contribute in distributing research outcomes especially to search for alternative energy and more efficient equipment and machines.

IC-AMME 2018 presented three international honorable keynote speakers from representative countries: 1) Prof. Béla Pukánszky, Budapest University of Technology and Economics, Budapest, Hungary; 2) Prof. Sunaryo, University of Indonesia, Jakarta, Indonesia; and 3) Prof. Walter L. Bradley, Distinguished Professor Emeritus of Mechanical Engineering, Baylor University, Texas, USA (2012), Professor Emeritus of Mechanical Engineering, Texas A&M University, Texas, USA (2000). To reach a broader network of researchers, this event selected local researchers and overseas fellows to share their best research works in this conference. Over 100 representatives from 51 institutions participated in this event, involving more than 80 abstracts submitted. After a rigorous selection process, the Scientific & Editorial Board decided to publish 42 papers in E3S Web of Conferences, an open-access proceedings in environment, energy and earth sciences, managed by EDP Sciences, Paris, and indexed on Scopus, Scimago, Conference Proceedings Citation Index-Science (CPCI-S) of Clarivate Analytics's Web of Science, DOAJ (Directory of Open Access Journals) and the like.

Of 42 selected papers, 27 papers were the result of joint researches between Indonesia and various countries such as Australia, England, Germany, Japan, Lithuania, Malaysia, Nigeria, Republic of China, the Republic of Korea, Republic of Singapore, Sweden, and United States of America. Each of the 42 papers in E3S Web of Conferences was reviewed by at least two experts using the double-blind system. The published papers have passed all necessary improvement requirements in accordance to the Web of Conferences standard, reviewer's comments, SI (*Système International d'Unités*), similarity tests by Turnitin program (with the highest threshold of 20 %), 90 % of references must be at least dated from 15 years, and reflected on Google, as well as editing procedure by professional editors from seven countries (Georgia, India, Indonesia, Latvia, Lithuania, Malaysia, and Sweden).

We would like to express our gratitude to the official committee, scientific & editorial boards, and organizing partners. Special thanks as well to our co-host partners: University of Indonesia, Binus University, Binus ASO School of Engineering, Sebelas Maret University, Tarumanegara University, and *Badan Kerja Sama Teknik Mesin Indonesia* (Indonesian Mechanical Engineering Cooperation Agency) for trusting and supporting this conference.

Finally, we would like to briefly thank all presenters and attendees for their participations to share the wonderful ideas and take creative decision to inspire further research and exchange scientific reason. We hope this time, all papers can be compiled into scientific works as first publication of the 2018 IC-AMME. Lastly, we hope that this conference encourage further research collaboration. Also, everyone should be proud of this result.



Assoc. Prof. Dr. Didik Wahjudi
Conference Chair

Editor in Chief: Roy Hendroko Setyobudi (Malang, IDN)


Board of Editor: Fandi Dwiputra Suprianto (Surabaya, IDN), Maizirwan Mel (Kuala Lumpur, MYS), Olga Anne (Klaipėda, LTU), Peeyush Soni (Kharagpur, IND), Tsitsino Turkadze (Kutaisi, GEO), Yahya Jani (Kalmar, SWD), and Zane Vincēviča-Gaile (Riga, LVA).

SCIENTIFIC & EDITORIAL BOARD IC-AMME 2018

- Akihiro Hayakawa, Tohoku University, JPN
- Anne Zulfia, University of Indonesia, IDN
- Béla Pukánszky, Budapest University of Technology and Economics, HUN
- Biswajit Sarkar, Hanyang University, KOR
- Budi Siswanto, Merdeka University of Madiun and RP Editage Services, IDN
- Daniel I. Prajogo, Monash University, AUS
- Danny Prabowo Sutanto, Lancaster University, GBR
- Devi Dwi Siska, University of Muhammadiyah Malang and RP Editage Services IDN
- Dong-Youn Shin, Pukyong National University, KOR
- Fandi Dwiputra Suprianto, Petra Christian University, IDN
- Ferry Eko Sulistiyono, Merdeka University of Madiun and RP Editage Services, IDN
- Hendry Raharjo, Chalmers University, SWD
- Ho Hwi Chie, Binus ASO School of Engineering, IDN
- I.N.G. Wardana, Brawijaya University, IDN
- Juliana Anggono, Petra Christian University, IDN
- Juris Burlakovs, Linnaeus University, SWD

- Kuncoro Diharjo, Sebelas Maret University, IND
- Maizirwan Mel, International Islamic University Malaysia. MYS
- Ma'ruf P. Nurwantara, IPB University and RP Editage Services, IDN
- Mega Dharma Putra, Jurnal Geomaritim Indonesia and RP Editage Services, IDN
- M.M. Noor, Universiti Malaysia Pahang, MYS
- Novia Risa, Universitas Gadjah Mada and RP Editage Services, IDN
- Olga Anne, Klaipeda University, LTU
- Peeyush Soni, Indian Institute of Technology Kharagpur, IND
- P. G. Adinurani, Merdeka University of Madiun and RP Editage Services, IDN
- Rangga Kala Mahaswa, Universitas Gadjah Mada and RP Editage Services, IDN
- Resmana Lim, Petra Christian University, IDN
- Roy H. Setyobudi, University of Muhammadiyah Malang and RP Editage Services IDN
- Shiyong Liao, Chongqing Communication Institute, CHN
- Sunaryo, University of Indonesia, IDN
- Takashi Suzuki, Sophia University, JPN
- Tsitsino Turkadze, Akaki Tsereteli State University, Kutaisi, GEO
- Walter Bradley, Baylor University, USA
- Yahya Jani, Linnaeus University, Kalmar, SWD
- Zahrah Nurfadhilah, Universitas Gadjah Mada and RP Editage Services, IDN
- Zane Vincēviča-Gaile, University of Latvia, LVA





All issues ▸ Volume 130 (2019)

[◀ Previous issue](#)[Table of Contents](#)[Next issue ▶](#)

Free Access to the whole issue

E3S Web of Conferences

Volume 130 (2019)

The 1st International Conference on Automotive, Manufacturing, and Mechanical Engineering (IC-AMME 2018)

Kuta, Bali, Indonesia, September 26-28, 2018

R.H. Setyobudi, F.D. Suprianto, M. Mel, O. Anne, P. Soni, T. Turkadze, Y. Jani and Z. Vincėviča-Gaile (Eds.)

Export the citation of the selected articles [Export](#)

[Select all](#)

[Open Access](#)

About the conference

Published online: 15 November 2019

PDF (1.92 MB)

[Open Access](#)

Statement of Peer review

Published online: 15 November 2019

PDF (232 KB)

☐ [Open Access](#)

Simulation-based Prediction of Structural Design Failure in Fishing Deck Machinery a Hydraulic Type with Finite Element Method 01001

Agri Suwandi, Dede Lia Zariatini, Bambang Sulaksono, Estu Prayogi and I Made Widana

Published online: 15 November 2019

DOI: <https://doi.org/10.1051/e3sconf/201913001001>

PDF (599.7 KB) | [References](#) | [NASA ADS Abstract Service](#)

☐ [Open Access](#)

Effect of Frequency on Droplet Characteristics in Ultrasonic Atomization Process 01002

Amelia Sugondo, Sutrisno, Willyanto Anggono and Olga Anne

Published online: 15 November 2019

DOI: <https://doi.org/10.1051/e3sconf/201913001002>

PDF (413.2 KB) | [References](#) | [NASA ADS Abstract Service](#)

☐ [Open Access](#)

Sound Absorption Performance of Sugar Palm Trunk Fibers 01003

Anditya Endar Prabowo, Kuncoro Diharjo, Ubaidillah and Iwan Prasetyo

Published online: 15 November 2019

DOI: <https://doi.org/10.1051/e3sconf/201913001003>

PDF (645.0 KB) | [References](#) | [NASA ADS Abstract Service](#)

☐ [Open Access](#)

Characteristics Of Aluminium ADC 12/SiC Composite with the Addition of TiB and Sr Modifier 01004

Astari Indarsari, Anne Zulfia Syahrial and Budi Wahyu Utomo

Published online: 15 November 2019

DOI: <https://doi.org/10.1051/e3sconf/201913001004>

PDF (677.3 KB) | [References](#) | [NASA ADS Abstract Service](#)

☐ [Open Access](#)

Optimizing The Addition of TiB to Improve Mechanical Properties of the ADC 12/SiC Composite Through Stir Casting Process 01005

Cindy Retno Putri, Anne Zulfia Syahrial, Salahuddin Yunus and Budi Wahyu Utomo

Published online: 15 November 2019

DOI: <https://doi.org/10.1051/e3sconf/201913001005>

PDF (585.7 KB) | [References](#) | [NASA ADS Abstract Service](#)

-
- ☐ [Open Access](#)
- Drivers and Barriers of Mobile Phone Remanufacturing Business in Indonesia: Perspectives of Retailers 01006
Didik Wahjudi, Shu-san Gan, Yopi Yusuf Tanoto, Jerry Winata and Benny Tjahjono
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001006>
PDF (379.7 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Experimental Analysis on Solid Desiccant Used in An Air Conditioning 01007
Ekadewi Anggraini Handoyo, Andriono Slamet and Muhammad Danang Birowosuto
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001007>
PDF (605.5 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Influences of Groove Angles and Filler Metals on 304L Stainless Steel to AISI 1040 Carbon Steel Dissimilar Joint by Gas Tungsten Arc Welding 01008
Eriek Wahyu Restu Widodo, Vuri Ayu Setyowati, Suheni and Ahmad Rilo Hardianto
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001008>
PDF (839.3 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- The Effect of Biodiesel Blends Made from Carica papaya L. Seeds on the Performance of Diesel Engine 01009
Fandi Dwiputra Suprianto, Willyanto Anggono, Teng Sutrisno, Daniel William Gunawan and Gabriel Jeremy Gotama
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001009>
PDF (990.1 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Container Ship Accident Analysis due to Container Stacked on Deck as an Attempt to Improve Maritime Logistic System 01010
Gafero Priapalla Rahim and Sunaryo
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001010>
PDF (474.4 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Automatic Petrol and Diesel Engine Sound Identification Based on Machine Learning Approaches 01011
Halim Frederick, Astuti Winda and Mahmud Iwan Solihin
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001011>
PDF (588.2 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Optimization of Soft Body Armor with Laminates of Carbon-aramid Fiber and Polyester Fiber Using the Taguchi Method 01012
Hari Purnomo, Wahyu Ismail Kurnia, Farham Haji Muhammad Saleh and Alex Kisanjani
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001012>
PDF (565.2 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Hybrid Turbulence Models: Recent Progresses and Further Researches 01013
Hariyo Priambudi Setyo Pratomo, Fandi Dwiputra Suprianto and Teng Sutrisno
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001013>
PDF (537.1 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Preliminary Study on Mesh Stiffness Models for Fluid-structure Interaction Problems 01014
Hariyo Priambudi Setyo Pratomo, Fandi Dwiputra Suprianto and Teng Sutrisno
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001014>
PDF (828.8 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Development of Real Time Machine Tools Component Utilization Data Acquisition for developing Dynamic Model of Maintenance Scheduling 01015
Herman Budi Harja, Tri Prakosa, Yatna Yuwana Martawirya, Indra Nurhadi and Andrian Sagisky Januartha
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001015>
PDF (456.7 KB) | [References](#) | [NASA ADS Abstract Service](#)
-


-
- ☐ [Open Access](#)
- Probabilistic Evaluation of Fatigue Crack Growth Rate for Longitudinal Tungsten Inert Gas Welded Al 6013-T4 Under Various PostWeld Heat Treatment Conditions 01016
- I Made Wicaksana Ekaputra, Gunawan Dwi Haryadi, Stefan Mardikus and Rando Tungga Dewa
- Published online: 15 November 2019
- DOI: <https://doi.org/10.1051/e3sconf/201913001016>
- PDF (515.6 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Experimental Performance Analysis of Shallow Spiral-tube Ground Heat Exchangers in Series and Parallel Configurations 01017
- Jalaluddin, Akio Miyara, Rustan Tarakka and Muhammad Anis Ilahi Ramadhani
- Published online: 15 November 2019
- DOI: <https://doi.org/10.1051/e3sconf/201913001017>
- PDF (848.2 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Structural Evaluation on Sugarcane Bagasse Treated Using Sodium and Calcium Hydroxide 01018
- Juliana Anggono, Hariyati Purwaningsih, Suwandi Sugondo, Steven Henrico, Sanjaya Sewucepto and Jay Patel
- Published online: 15 November 2019
- DOI: <https://doi.org/10.1051/e3sconf/201913001018>
- PDF (1.559 MB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- The Influence of Room and Ambient Temperatures of Exergy Loss in Air Conditioning Using Ejector as an Expansion Device with R290 as Working Fluid 01019
- Kasni Sumeru, Pratikto Pratikto, Andriyanto Setyawan and Adenkule Moshood Abioye
- Published online: 15 November 2019
- DOI: <https://doi.org/10.1051/e3sconf/201913001019>
- PDF (440.2 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Automotive Start-Stop Engine Based on Face Recognition System 01020
- Lim William, Astuti Winda, Dewanto Satrio, Tan Sofyan and Mahmud Iwan Solihin
- Published online: 15 November 2019
- DOI: <https://doi.org/10.1051/e3sconf/201913001020>
- PDF (1003 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- The Effect of Coconut Shell Powder as Functional Filler in Polypropylene during Compounding and Subsequent Molding 01021
- Matt Kirby, Benjamin Lewis, Benjamin Peterson, Juliana Anggono and Walter Bradley
- Published online: 15 November 2019
- DOI: <https://doi.org/10.1051/e3sconf/201913001021>
- PDF (623.2 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Automotive Start-Stop Engine Based on Fingerprint Recognition System 01022
- Pranoko Rivandi, Astuti Winda, Dewanto Satrio and Mahmud Iwan Solihin
- Published online: 15 November 2019
- DOI: <https://doi.org/10.1051/e3sconf/201913001022>
- PDF (459.6 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Effect of T6 on Mechanical Properties of TiB and Sr Modified ADC12/SiC Composite Produced by Stir Casting 01023
- Pritamara Wahyuningtyas, Anne Zulfia Syahrial, Wahyuaji Narottama Putra and Budi Wahyu Utomo
- Published online: 15 November 2019
- DOI: <https://doi.org/10.1051/e3sconf/201913001023>
- PDF (869.7 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Regression Equations to Determine the Stages of Electric Current in Electrical Discharge Machining (EDM) According to the Level of Desired Surface Roughness with Shortest Processing Time 01024
- Roche Alimin, Didik Wahjudi, Hariyanto Gunawan and Prayogo Putra Poernomo
- Published online: 15 November 2019
- DOI: <https://doi.org/10.1051/e3sconf/201913001024>
- PDF (597.2 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Increasing Port Performance through Port Navigation Safety Assessment using the Formal Safety Assessment Method (Case Study Port of Tanjung Priok - Indonesia) 01025
- Sahlan Ridwan and Sunaryo
- Published online: 15 November 2019
- DOI: <https://doi.org/10.1051/e3sconf/201913001025>
- PDF (354.3 KB) | [References](#) | [NASA ADS Abstract Service](#)

-
- ☐ [Open Access](#)
- A Feasibility Study of Mobile Phone Casings Remanufacturing 01026
[Shu-San Gan](#), Juliana Anggono, Didik Wahjudi, Yopi Tanoto, Randy and Novana Hutasoit
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001026>
PDF (540.7 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- 3D Simulative Investigation of Heat Transfer Enhancement Using Three Vortex Generator Types Surrounding Tube in Plate Fin Heat Exchanger 01027
Stefan Mardikus, Petrus Setyo Prabowo, Vinsensius Tiara Putra, Made Wicaksana Ekaputra and Juris Burlakovs
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001027>
PDF (770.6 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- [Investigation on the Sandwich System Hull Materials for Solar Powered Electrical Sport Boat](#) 01028
Sunaryo and Aldy Syahriddin Hanifa
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001028>
PDF (589.6 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Electrical System Design of Solar-Powered Electrical Water Recreational and Sport Vessel 01029
Sunaryo and Pradhana Shadu Imfianto
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001029>
PDF (674.8 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Experimental Investigation of Avocado Seed Oil Utilization in Diesel Engine Performance 01030
Sutrisno, Willyanto Anggono, Fandi Dwiputra Suprianto, Cokro Daniel Santosa, Michael Suryajaya and Gabriel Jeremy Gotama
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001030>
PDF (517.8 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Optimization of Boring Process Parameters in Manufacturing of Polyacetal Bushing using High Speed Steel 01031
The Jaya Suteja, Yon Haryono, Andri Harianto and Esti Rinawiyanti
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001031>
PDF (379.0 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Development of Total Hip Joint Replacement Prostheses Made by Local Material: An Introduction 01032
Tresna Priyana Soemardi, Agri Suwandi, Cholid Badri, Anwar Soefi Ibrahim, Sastra Kusuma Wijaya and Januar Parlaungan Siregar
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001032>
PDF (549.9 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Strategy to Improve Recycling Yield of Aluminium Cans 01033
Victor Yuardi Risonarta, Juliana Anggono, Yosias Michael Suhendra, Setyo Nugrowibowo and Yahya Jani
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001033>
PDF (317.9 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Using Agricultural Waste to Create More Environmentally Friendly and Affordable Products and Help Poor Coconut Farmers 01034
Walter L. Bradley and Sean Conroy
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001034>
PDF (783.3 KB) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
- Intelligent Automatic V6 and V8 Engine Sound Detection Based on Artificial Neural Network 01035
Wenny Vincent, Astuti Winda and Mahmud Iwan Solihin
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001035>
PDF (585.9 KB) | [References](#) | [NASA ADS Abstract Service](#)
-

- ☐ [Open Access](#)
Effect of Various Supercharger Boost Pressure to in-Cylinder Pressure and Heat Release Rate Characteristics of Direct Injection Diesel Engine at Various Engine Rotation 01036
Willyanto Anggono, Wataru Ikoma, Haoyu Chen, Zhiyuan Liu, Mitsuhsa Ichianagi and Takashi Suzuki
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001036>
[PDF \(791.3 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
Experimental and Numerical Investigation of Laminar Burning Velocities of Artificial Biogas Under Various Pressure and CO₂ Concentration 01037
Willyanto Anggono, Akihiro Hayakawa, Ekenechukwu C. Okafor and Gabriel Jeremy Gotama
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001037>
[PDF \(560.1 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
Kinematic Analysis of Triple Ball Tie-rod in Ackermann Steering and Tilting Mechanism for Tricycle Application 01038
Wimba Pramudita Wid, Aufar Syehan and Danardono Agus Sumarsono
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001038>
[PDF \(704.2 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
Process Planning Review for Mobile Phone Remanufacturing in Indonesia 01039
Yopi Yusuf Tanoto, Shu-San Gan, Didik Wahjudi, Niko Adrisenna Pontjono and Michael Suryajaya
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001039>
[PDF \(326.7 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
Studies on Water Sorption Behaviour of Laminated Bamboo Polymer Composite 01040
Yuniar Ratna Pratiwi, Indah Widiastuti and Budi Harjanto
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001040>
[PDF \(408.3 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
The Impact of Enterprise Resources Planning Implementation in Cross-Functional for Sharing Knowledge and Quality Information in Preparing the Financial Statements 01041
Zeplin Jiwa Husada Tarigan, Sautma Ronni Basana and Widjojo Suprpto
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001041>
[PDF \(333.3 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)
-
- ☐ [Open Access](#)
Effect of Key User Empowerment, Purchasing Strategy, Process Integration, Production System to Operational Performance 01042
Zeplin Jiwa Husada Tarigan, Hotlan Siagian, Sautma Ronni Basana and Ferry Jie
Published online: 15 November 2019
DOI: <https://doi.org/10.1051/e3sconf/201913001042>
[PDF \(426.6 KB\)](#) | [References](#) | [NASA ADS Abstract Service](#)











E3S Web of Conferences

COUNTRY France  Universities and research institutions in France	SUBJECT AREA AND CATEGORY Earth and Planetary Sciences └ Earth and Planetary Sciences (miscellaneous) Energy └ Energy (miscellaneous) Environmental Science └ Environmental Science (miscellaneous)	PUBLISHER EDP Sciences
H-INDEX 22	PUBLICATION TYPE Conferences and Proceedings	ISSN 22671242
COVERAGE 2013-2020	INFORMATION Homepage How to publish in this journal Contact	

SCOPE

E3S Web of Conferences is an Open Access publication series dedicated to archiving conference proceedings in all areas related to Environment, Energy and Earth Sciences. The journal covers the technological and scientific aspects as well as social and economic matters. Major disciplines include: soil sciences, hydrology, oceanography, climatology, geology, geography, energy engineering (production, distribution and storage), renewable energy, sustainable development, natural resources management... E3S Web of Conferences offers a wide range of services from the organization of the submission of conference proceedings to the worldwide dissemination of the conference papers. It provides an efficient archiving solution, ensuring maximum exposure and wide indexing of scientific conference proceedings. E3S Web of Conferences offers a wide range of services from the organization of the submission of conference proceedings to the worldwide dissemination of the conference papers. It provides an efficient archiving solution, ensuring maximum exposure and wide indexing of scientific conference proceedings. Proceedings are published under the scientific responsibility of the conference editors.

 Join the conversation about this journal



E3S Web of Conferences

Not yet assigned quartile

SJR 2020
0.2

powered by scimagojr.com

← Show this widget in your own website

Just copy the code below and paste within your html code:

```
<a href="https://www.scima
```

SCImago Graphica

Explore, visually communicate and make sense of data with our **new free tool**.

[Get it](#)



IC-AMME
INTERNATIONAL CONFERENCE
ON AUTOMOTIVE, MANUFACTURING,
AND MECHANICAL ENGINEERING



CONTINUING
EDUCATION
CENTRE

Certificate

awarded to

Juliana Anggono

for participation as

Presenter & Participant

at 1st annual IC-AMME 2018

International Conference on Automotive,
Manufacturing, and Mechanical Engineering

September 26 - 28, 2018

Holiday Inn Resort Baruna Bali
Bali - Indonesia



IC-AMME

Dr. Didik Wahjudi, M.Sc., M.Eng.

A Feasibility Study of Mobile Phone Casings Remanufacturing

Shu-San Gan¹, Juliana Anggono^{1}, Didik Wahjudi¹, Yopi Tanoto¹, Randy¹ and Novana Hutasoit²*

¹Mechanical Engineering Department, Petra Christian University, Surabaya, Indonesia

²Mechanical and Product Design Engineering Department, Swinburne University of Technology, Hawthorn, Australia

Abstract. Remanufacturing is a process when used product or core is brought to 'like-new' condition, might be with an upgrade in performance. This process complies with technical specifications, including engineering, quality, and testing standards. It yields a fully warranted product. The purpose of this study was to conduct initial research on the feasibility of remanufacturing primarily on the mobile phone casings to provide information and consideration for a firm that would do remanufacturing of mobile phones. A series of material characterization on several mobile phone casings manufactured by major international brands revealed that remanufacturing is not a viable route to attempt. The evaluation shows that remanufacturing used casing mobile phone require several stages of repair, which cause an increase in the cost that can, in turn, affect the prices.

Keywords: Casing material, electronic goods, material characterization, recovery process.

1 Introduction

Rapid development in mobile phone technology during the last decade has resulted in the availability of various brands and specifications of mobile phones in the market. The growing dependence on smartphones as well as the availability of brands offering higher specification devices at an affordable price has triggered a faster upgrade cycle or in other words, reducing the smartphone replacement cycle. Furthermore, the number of discarded mobile phones increases significantly, either from damaged mobile phones or merely outdated models, which will become electronic wastes or e-waste, e-waste reaches 41.8×10^9 kg in the world consisting of 1×10^9 kg of waste lamps, 3×10^9 kg of small electronic goods waste, 6.3×10^9 kg of electronic display, 7×10^9 kg of temperature control waste, 11.8×10^9 kg of large electronic equipment waste and 12.8×10^9 kg of small electronic equipment [1]. The mobile phone categorized as small electronic goods. Therefore, one way to overcome that waste problem is by performing remanufacturing.

Remanufacturing is a process when an old product or core is made like a new condition, even upgrade in better performance [2–4]. This process complies with technical specifications, including engineering, quality, and testing standards. It produces a product

* Corresponding author : julianaa@petra.ac.id

that provides a similar guarantee to the new one. Remanufacturing is one among many recovery processes that are able to reduce the amount of waste by recovering products or components back to their usage stage, which consequently extends the products’ life. Recently, remanufacturing activities are intended for products that have a very high price and have a reasonable component size to be remanufactured [4]. Remanufacturing is a promising recovery process for electronic products and mobile phones [5–7]. Other studies showed that it was profitable [8–10]. In this research, remanufacturing was focused on mobile phone casings, where a feasibility study was conducted to identify the possibility of remanufacturing mobile phone casings. Mobile phone casing refers to the phone’s frame and back casing. The physical damage of a mobile phone is mostly found in the outer casing due to the effects of abrasion, impact and other deformation acts, which are affected by the strength of mobile phone casings materials used.

2 Methodology

There are three types of materials that commonly used for mobile phone casings in Indonesia, which are an aluminum alloy, plastic, and glass. This study was conducted in two phases: (i) an interview process with a mobile phone manufacturer and several mobile phone users to understand their view on the possibility of doing mobile phone remanufacturing, (ii) material characterization using Scanning Electron Microscopy (SEM) and Energy Dispersive X-Ray Analysis (EDAX) to analyze the structure of casing materials casings including their manufacturing process. The results show that the mobile phone is not suitable for remanufacturing, based on material analysis, process difficulty, as well as cost projection.

The mobile phones which used for materials characterization were selected from three different brands representing brands from Unites States (Apple), South Korea (Samsung), and China (Redmi). Those three brands had their casings made from aluminum alloy, plastics, and glass (Table 1).

Table 1. Mobile phone selection for material characterization.

Brand	Model	Casing material
Apple	iPhone 5	Aluminum
Xiaomi	Redmi 3	Aluminum
Samsung	Galaxy S5	Plastic
Samsung	Galaxy S6	Glass

Study of the material structure and composition of the phone casings was conducted using SEM and EDAX analysis for iPhone, Redmi, and Samsung S5. Meanwhile, for phone casings made from glass (Galaxy S6), a literature study from Corning’s Gorilla glass was used as a reference. Upon completing the characterization and obtaining information from interviews with national smartphone manufacturer and users, those results were analyzed to provide some recommendations for remanufacturing.

3 Results and discussion

Evaluation with SEM and EDAX was performed on the back cover section at three different locations, i.e., at the top surface, cross-sectional area, and the bottom surface of each evaluated casing piece. The materials evaluated were aluminum alloy (iPhone 5 and Xiaomi Redmi 3) and plastic (Samsung Galaxy S5).

3.1 Plastic: Samsung Galaxy S5

Figure 1 shows SEM images at three different regions in the observed sample of Samsung Galaxy S5 casing. The areas studied were the top surface, bottom surface, and cross-sectional area. Figure 1(c) shows that this casing made from plastic material with a minimum thickness of 623.6×10^{-6} m and maximum to 636.4×10^{-6} m. There was no coating applied to this plastic casing. Chemical composition tests with EDAX confirmed that, this plastic material in which their major constituent elements are mainly carbon and oxygen, as shown in Table 2. The type of plastic is polycarbonate, which manifests high strength and toughness; therefore, do not scratch, deform, and crack easily [11]. Plastic is also lighter, compared to the metal casing and does not conduct heat well. Therefore, there is no cold feeling when holding it. Polycarbonates much cheaper to form and mold than metal or glass.




Fig. 1. SEM micrographs of material casing of Samsung Galaxy S5 (a) top surface, (b) bottom surface and (c) cross sectional area.

Table 2. Chemical composition of plastic material in Samsung Galaxy S6.

Casing section	% Weight		
	Carbon	Oxygen	Magnesium
Top	58.02	29.67	-
Bottom	63.96	28.84	-
Cross section	55.55	34.65	-

3.2 Aluminum: Apple iPhone 5 and Xiaomi Redmi 3

SEM studies observed that this Xiaomi Redmi 3 consisted of aluminum alloy casing with a coating layer adhered to it with a minimum thickness of 8.218×10^{-6} m to a maximum of 8.975×10^{-6} m (Fig. 2b) or nearly twice the coating layer thickness identified on iPhone 5 (Fig. 2a).




Fig. 2. SEM micrographs of cross-sectional of aluminum casings.

The Apple phone used aluminum alloy 7 000 series that was stated as its Apple’s Patent Pending. This type of alloys has high yield strength such that the alloys do not dent easily [12]. Table 3 explains that the amount of oxygen in iPhone 5 is significantly high due to the anodizing process for its coating, while in Redmi 3, it uses spraying for coloring.

Table 3. Chemical composition of aluminium alloy in iPhone 5 and Redmi 3.

Casing Horizontal	% Weight							
	C	O	Mg	Al	Si	S	K	Ca
iPhone 5	31.66	1.07	1.37	35.02	24.76	1.46	1.78	2.87
Redmi 3	8.55	--	2.35	68.73	1.22	1.51	--	--

3.3 Glass: Samsung Galaxy S6

Samsung Galaxy S6 used Gorilla glass 4, which introduced in November 2014. Until the present time, Corning has marketed Gorilla Glass 6 (has a compressive strength due to the chemically strengthened surface produced through new glass composition compared with Gorilla Glass 5) which was introduced on 18 July 2018 and twice better than Gorilla Glass 5 [13, 14]. Most mobile phone companies that use glass material for the casing use Corning Gorilla Glass. In this research, the studied mobile phones were within the age of two to five years. Therefore the gorilla glasses that were discussed in this section were of serie 4 and serie 5.

From the reference provided by Corning Inc [14-15], it appears that Gorilla Glass 6 has the highest durable level compared to the previous series as described in Figure 3 [13].

A pendulum and an emery paper of 180 use for drop test (Figure 3a). The glass attached to the pendulum will be dropped from a certain distance and hit the emery paper of 180. The damage resistance of Gorilla Glass 5 increases by 1.5 up to 1.8 times compared to glass 4. The glass thickness parameter is set from 0.4 to 0.8 because there are differences in thickness produced by Corning for Gorilla Glass 4 and Gorilla Glass 5. As in Figure 3(b) it can be seen that Gorilla Glass 5 is able to withstand 10 % more scratches in the pressure of 3 462.122 407 5 Pa and 65 % more in 6 231.820 333 5 Pa pressure compared to Gorilla Glass 4.




Fig. 3. Glass material characterization [14, 15].

4 Analysis

The analysis was performed to evaluate their material structures, including the presence of the coating layer as well as their composition. Their construction will dictate the required process to remanufacture the phone casings to ‘like-new’ condition. The SEM observations in section 3 show that not all phone casings provide coating as a protection layer, as summarized in Table 4.

Table 4. Coating identification on mobile phone casing.

Brand	Model	Casing material	Coating	Thickness (m)
Apple	iPhone 5	Aluminum alloy	yes	$4\,628 \times 10^{-6}$
Xiaomi	Redmi 3	Aluminum alloy	yes	$8\,218 \times 10^{-6}$ to $8\,975 \times 10^{-6}$
Samsung	Galaxy S5	Polycarbonate	no	--
Samsung	Galaxy S6	Gorilla glass 4	no	--

In the case of physical damage on the coating part, the process of recovering it would take two stages, i.e., first is removing the coating, and the next part is applying the new one. However, those stages are not simple tasks because the remanufacturer should provide labors and materials. Furthermore, the thickness of the coating should be consistent with a certain tolerance to ensure the compatibility with the external accessories casing, which increases the complexity of the process. Cost projection for those processes of cleaning and reconditioning is considerably high. As for the plastic casing, it is not feasible to recover the phone casing since replacing the damaged casing with the new casing would be much cheaper and manageable. Therefore, recovering or reconditioning plastic phone casing is not an option. As with glass casing, the literature study shows that it is not possible to recover a damaged glass phone class since the process of manufacturing the casing can not be made partially. However, considering the improvement in the latest series of gorilla glass, it seems that the probability of reusing the glass phone casing series 5 is high. It is most likely that the gorilla glass is still in good condition when the product collected for

remanufacturing. Therefore, a remanufacturing is only possible when the glass casing even in good condition, with no deep scratch or cracks.

The analysis shows that the remanufacturing of mobile phone casing is very limited. However, it does not mean that remanufacturing a mobile phone is not possible. It can be conducted when the other parts of the mobile phone are recoverable, as follows:

- (i) Plastic casing: a new one can replace the casing with low cost
- (ii) Aluminum casing: the phone casing can be remanufactured when the physical damage is minimal and can be recovered by a thin coating
- (iii) Glass casing: the phone casing can be remanufactured when it is in good condition.

5 Conclusion

In carrying out remanufacturing casing for mobile phones, it is necessary to study its materials structure, composition, and damaged condition. Mobile phone casings from plastic, mainly made from polycarbonate and are varied in their texture, color, and thickness from one brand to another depending on the design and price setting. As with mobile phones using glass materials for their casings, their casings are mainly made of Corning Gorilla glass. It is concluded that mobile phone casings are not suitable for remanufacturing due to the required remanufacturing work will be needed several stages of repair. As a result, the cost of remanufacturing may surpass the price of new casings available in the market. Therefore, it makes remanufacturing become impractical to implement. However, considering the current practices by Apple and a refurbishing company in Malaysia, it is possible to recover the mobile phone under refurbishment. Therefore, it initiates research toward improving the feasibility of refurbished mobile phone casings through material characterization.

References

1. C. Baldé, F. Wang, R. Kuehr, J. Huisman. *The Global E-Waste Monitor 2014*. Bonn: United Nations University (2015). p.8–24
<https://i.unu.edu/media/unu.edu/news/52624/UNU-1stGlobal-E-Waste-Monitor-2014-small.pdf>
2. R.T. Lund, W.M. Hauser. *Remanufacturing – An american perspective*. Proceeding of 5th International Conference on Responsive Manufacturing – Green Manufacturing, (Ningbo, China, 2010). ICRM, **2010**:1–6(2010)
<https://ieeexplore.ieee.org/document/5629156>
3. M. Charter, C. Gray. *Int. J. Prod. Dev.*, **6**,3–4:375–392(2008).
https://www.researchgate.net/publication/247834190_Remanufacturing_and_product_design
4. A. Ikeda. *Remanufacturing of automotive parts in Japanese market*. The 24th CIRP Conference on Life Cycle Engineering, (Kamakura, Japan 2017). *Procedia CIRP* **61**: 800-803(2017).
5. C. Franke, B. Basdere, M. Ciupek, S. Seliger. *Omega*, **34**,6:562–570(2006).
https://econpapers.repec.org/article/eeejomega/v_3a34_3ay_3a2006_3ai_3a6_3ap_3a562-570.htm
6. B. Tong. *Research on the cell phone remanufacturing and reselling*. [Thesis] Erasmus University Rotterdam (2006). p.18–42
<https://www.maritimeeconomics.com/research/mel-thesis-library/>

7. P. Rathore, S. Kota, A. Chakrabarti. J. Clean. Prod, **19**,15:1709–1722(2011).
<https://www.sciencedirect.com/science/article/pii/S0959652611002277>
8. J. Quariguasi-Frota-Neto, J. Bloemhof, Production and Operations Management, **21**,1:101-114(2012).
<https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1937-5956.2011.01234.x>
9. K. Xing, M. Belusko, L. Luong, K. Abhary. Int. J. Adv. Manuf. Tech, **35**,1:1–14(2007). <https://link.springer.com/article/10.1007/s00170-006-0698-9>
10. M. Kwak, H. Kim. J. Mech. Design, **135**,1:1–10(2013).
<http://mechanicaldesign.asmedigitalcollection.asme.org/article.aspx?articleID=1674697>
11. J. Ho. A discussion on material choices in mobile [Online] from
<https://www.anandtech.com/show/7984/discussion-on-material-choices-in-mobile>
(2014) [Accessed on 23 February 2019].
12. J. Purcher. Apple's Patent Pending 7000 Series Aluminum Invention used in the new iPhone 6s comes to Light [Online] from <https://www.patentlyapple.com/patently-apple/2015/12/apples-patent-pending-7000-series-aluminum-invention-used-in-the-new-iphone-6s-comes-to-light.html> (2015) [Accessed on 23 February 2019].
13. Corning Inc. *Corning Gorilla Glass 6*. [Online] from
https://www.corning.com/content/dam/corning/microsites/csm/gorillaglass/PI_Sheets/Corning_Gorilla_Glass_6_PI_Sheet.pdf (2018) [Accessed on 23 February 2019].
14. Corning Inc. *Corning Gorilla Glass 5*. [Online] from
https://www.corning.com/content/dam/corning/microsites/csm/gorillaglass/PI_Sheets/Corning%20Gorilla%20Glass%205_PI%20Sheet_Rev_C.pdf (2018) [Accessed on 21 May 2018].
15. Corning Inc. *Corning Gorilla Glass 4*. [Online] from
https://www.corning.com/content/dam/corning/microsites/csm/gorillaglass/PI_Sheets/CGG_PI_Sheet_Gorilla%20Glass%204.pdf (2015) [Accessed on 21 May 2018]