

PAPER • OPEN ACCESS

## The use of crumb rubber for replacing fine aggregate in cold mixture asphalt

To cite this article: P S Wulandari and D Tjandra 2019 *IOP Conf. Ser.: Mater. Sci. Eng.* **615** 012119

View the [article online](#) for updates and enhancements.

<https://iopscience.iop.org/issue/1757-899X/615/1>

[IOP Conference Series: Materials Science and Engineering](#)

# Table of contents

## Volume 615

2019

[Previous issue](#)[Next issue](#)

**7th International Conference on Euro Asia Civil Engineering Forum  
30 September to 2 October 2019, Stuttgart, Germany**

[View all abstracts](#)

**Accepted papers received: 5 September 2019  
Published online: 15 October 2019**

### **Preface**

011001

The following article is OPEN ACCESS

[Preface](#)

[View abstract](#) [View article](#) [PDF](#)

011002

The following article is OPEN ACCESS

[Committee List](#)

[View abstract](#) [View article](#) [PDF](#)

011003

The following article is OPEN ACCESS

[Peer review statement](#)

[View abstract](#) [View article](#) [PDF](#)

## Papers

### Climate Change & Disaster Management

012001

The following article is OPEN ACCESS

[Implementation of a disaster management system for local governments in Japan](#)

T Goso, T Kakuzaki and S Kusayanagi

[View abstract](#) [View article](#) [PDF](#)

012002

The following article is OPEN ACCESS

[A review: Adaptation of escape route for a framework of road disaster resilient](#)

A A Redzuan, A N Anuar, R Zakaria, E Aminudin, N E Alias, M A M Yuzir and M R Alzahari

[View abstract](#) [View article](#) [PDF](#)

012003

The following article is OPEN ACCESS

[Thermoelectric district supply concept including e-mobility](#)

A Mack, L Lackovic, W Lisin, C Blatt and H Garrecht

[View abstract](#) [View article](#) [PDF](#)

012004

The following article is OPEN ACCESS

[Perspectives of climate change adaptation of building areas against heat waves](#)

R Ortlepp and D Schiela

[View abstract](#) [View article](#) [PDF](#)

### Concrete Engineering

012005

The following article is OPEN ACCESS

[Effects of w/b ratio, fly ash, and chloride content on corrosion of reinforcing steel](#)

D T V Phuong, P Sanchaen, P Klomjit and S Tangtermsirikul

[View abstract](#) [View article](#) [PDF](#)

012006

The following article is OPEN ACCESS

[Mix design of low-cement concrete with particle packing concept and superplasticizer application](#)

A Antoni, E Hardi, R D Tandean and D Hardjito

[View abstract](#) [View article](#) [PDF](#)

012007

The following article is OPEN ACCESS

[Using viscosity-modifying admixture to increase the cohesion of low-cement concrete mixture](#)

A Antoni, A Andreas, E Christian and D Hardjito

[View abstract](#) [View article](#) [PDF](#)

012008

The following article is OPEN ACCESS

[New method for testing the sedimentation stability of modern concretes at construction sites](#)

A S Gecgel, C Baumert and H Garrecht

[View abstract](#) [View article](#) [PDF](#)

012009

The following article is OPEN ACCESS

[Study of mechanical properties of fly ash-based geopolymer concrete](#)

H Hardjasaputra, M Cornelia, Y Gunawan, I V Surjaputra, H A Lie, Rachmansyah and G Pranata Ng

[View abstract](#) [View article](#) [PDF](#)

012010

The following article is OPEN ACCESS

[Quantitative assessment of interfacial condition of cold joint using surface wave group velocity profile](#)

Y-C Lin, C-C Cheng, C-H Chiang and K-T Hsu

[View abstract](#) [View article](#) [PDF](#)

012011

The following article is OPEN ACCESS

[Modelling corrosion of steel reinforcement in concrete](#)

J Ožbolt, G Balabanić and F Oršanić

[View abstract](#) [View article](#) [PDF](#)

012012

The following article is OPEN ACCESS

[Numerical study of reinforced concrete slabs under extreme loading conditions: Impact and fire](#)

J Ožbolt, D Ruta and B Irhan

[View abstract](#) [View article](#) [PDF](#)

012013

The following article is OPEN ACCESS

[Interaction between damage and time-dependent deformation of mortar in concrete: 3D FE study at meso-scale](#)

S Gambarelli and J Ožbolt

[View abstract](#) [View article](#) [PDF](#)

012014

The following article is OPEN ACCESS

[Effect of nickel slag as a sand replacement in strength and workability of concrete](#)

R S Edwin, E Ngii, R Talanipa, F Masud and R Sriyani

[View abstract](#) [View article](#) [PDF](#)

012015

The following article is OPEN ACCESS

[Impact of the pumping process on the properties of lightweight concrete](#)

O Arkhipkina, B Schuler and M Stipetic

[View abstract](#) [View article](#) [PDF](#)

012016

The following article is OPEN ACCESS

[Using calcium chloride as an accelerator for Portland pozzolan cement concrete compressive strength development](#)

I M A K Salain

[View abstract](#) [View article](#) [PDF](#)

012017

The following article is OPEN ACCESS

[Eco-durability index of self-compacting concrete incorporating high volume fly ash](#)

S A Kristiawan, S Sangadji and Sunarmasto

[View abstract](#) [View article](#) [PDF](#)

012018

The following article is OPEN ACCESS

[Fiber-reinforced lightweight foamed concrete panels suitable for 3D printing applications](#)

D Falliano, A Sciarrone, D De Domenico, N Maugeri, P Longo, E Gugliandolo and G Ricciardi

[View abstract](#) [View article](#) [PDF](#)

012019

The following article is OPEN ACCESS

[Making sense of high dimensional concrete data – a statistical approach](#)

A Manoj and K S Babu Narayan

[View abstract](#) [View article](#) [PDF](#)

012020

The following article is OPEN ACCESS

[Axial tensile strengths of UHPC and UHPFRC](#)

Y Kusumawardaningsih, E Fehling, H Hardjasaputra, Y Al-Ani and A A M Aboubakr

[View abstract](#) [View article](#) [PDF](#)

012021

The following article is OPEN ACCESS

[Evaluation on feasibility of fly ash cement mortar as adhesive of post-installed rebar](#)

C P Wang, Y C Chuang and J X Lin

[View abstract](#) [View article](#) [PDF](#)

012022

The following article is OPEN ACCESS

[Self-healing of hardened cement paste affected by additional  \$\text{Ca}^{2+}\$  and  \$\text{CO}\_3^{2-}\$  ions with temperature control](#)

H Choi and M Inoue

[View abstract](#) [View article](#) [PDF](#)

012023

The following article is OPEN ACCESS

[Study on the optimum nano-natural pozzolan content in the concrete binder](#)

A M al-Swaidani and A Meziab

[View abstract](#) [View article](#) [PDF](#)

**Construction & Safety Management**

012024

The following article is OPEN ACCESS

[Comparison of the supervisory cost of using an unmanned aerial system and conventional methods in construction projects](#)

P F Kaming and G E Yonathan

[View abstract](#) [View article](#) [PDF](#)

012025

The following article is OPEN ACCESS

[A case study of urban road subsidence induced by the underground connection of the shield tunnelling method](#)

Y H Chen and H H Pan

[View abstract](#) [View article](#) [PDF](#)

012026

The following article is OPEN ACCESS

[A framework for ethical procurement of construction projects in Nigerian Federal Universities](#)

N Z Abdullahi, N Gambo and S A Mohammad

[View abstract](#) [View article](#) [PDF](#)

012027

The following article is OPEN ACCESS

[Knowledge requirement theoretical framework for construction procurement management](#)

A S Shehu, Y Ibrahim and I I Inuwa

[View abstract](#) [View article](#) [PDF](#)

012028

The following article is OPEN ACCESS

[Application of semiotics for health and safety signs comprehension on construction sites in Yola metropolis, Nigeria](#)

S A Alara, I I Inuwa and N Gambo

[View abstract](#) [View article](#) [PDF](#)

012029

The following article is OPEN ACCESS

[Review: Identification of roadmap of fourth construction industrial revolution](#)

S E N Lau, R Zakaria, E Aminudin, C Chang Saar, N I A Abidin, A F Roslan, Z Abd Hamid, M Z Mohd Zain and E Lou

[View abstract](#) [View article](#) [PDF](#)

012030

The following article is OPEN ACCESS

[Knowledge, skills and attitudes of civil engineers in Indonesia](#)

H Setiawan and F Raharjo

[View abstract](#) [View article](#) [PDF](#)

012031

The following article is OPEN ACCESS

[Exploring the knowledge of Prevention through Design \(PtD\) among Malaysian civil & structural designers](#)

C K I Che Ibrahim, S Belayutham, E A Azmi and A Hussain

[View abstract](#) [View article](#) [PDF](#)

012032

The following article is OPEN ACCESS

[Construction pollution in Brunei](#)

M M Rahman, I B H M Yusof and R A Asli

[View abstract](#) [View article](#) [PDF](#)

012033

The following article is OPEN ACCESS

[Benefits of greening existing buildings](#)

M M Rahman

[View abstract](#) [View article](#) [PDF](#)

012034

The following article is OPEN ACCESS

[Managerial flexibility role on financial investment analysis: a case study of public housing](#)

F Hermawan, A C Harsono and H Suliantoro

[View abstract](#) [View article](#) [PDF](#)

012035

The following article is OPEN ACCESS

[Long-term monitoring of spillway using various NDT techniques-case studies](#)

K-T Hsu, C-C Cheng, C-H Chiang, Y-T Ke and J-S Cheng

[View abstract](#) [View article](#) [PDF](#)

012036

The following article is OPEN ACCESS

[Determining duration of performance-based contracts based on fair payoff for the government and contractors](#)

H T Tjendani, W Oetomo, IPA Wiguna and N Anwar

[View abstract](#) [View article](#) [PDF](#)

012037

The following article is OPEN ACCESS

[Relationship between the construction costs and the reliability index of quay walls](#)

R Wesstein, J G de Gijt, O M Heeres and A A Roubos

[View abstract](#) [View article](#) [PDF](#)

012038

The following article is OPEN ACCESS

[The economic benefit of toll road investment on the performance of the industry sectors in West Java Province](#)

I S Sembiring and R Anas

[View abstract](#) [View article](#) [PDF](#)

### **Geotechnical Engineering**

012039

The following article is OPEN ACCESS

[Overwater depth inspection on a submerged pile bent](#)

H Wang, C-H Hu, T V Nguyễn, H-C Tsai and C-Y Wang

[View abstract](#) [View article](#) [PDF](#)

012040

The following article is OPEN ACCESS

[A case study of slope hazardous mitigation by ground monitoring system](#)

B H Yang, J Lai and C F Cheng

[View abstract](#) [View article](#) [PDF](#)

012041

The following article is OPEN ACCESS

[The comparison of adding fly ash and Sinabung ash to limestone towards the soil improvement via CBR value](#)

I P Hastuty, Roesyanto and A F Rahman

[View abstract](#) [View article](#) [PDF](#)

012042

The following article is OPEN ACCESS

[Effect of confining pressures on the shear modulus of sand treated with enzymatically induced calcite precipitation](#)

M Simatupang, A S Sukri, Nasrul, Sulha and T S Putri

[View abstract](#) [View article](#) [PDF](#)

012043

The following article is OPEN ACCESS

[Geotechnical behaviour of soft soil in East Java, Indonesia](#)

Y Zaika, A Rachmansyah and Harimurti

[View abstract](#) [View article](#) [PDF](#)

012044

The following article is OPEN ACCESS

[Influence of material spatial variability on slope stability in soft rock](#)

S C Hsu, T P Hsieh and P H Tsai

[View abstract](#) [View article](#) [PDF](#)

012045

The following article is OPEN ACCESS

[Microbially induce calcite precipitation as bio grouting by bacillus subtilis on its shear strength parameter effects on organic soil \(peat\) from Siak Regency Riau Province Indonesia](#)

F Syarif, M F Hardianto and G M Davino

[View abstract](#) [View article](#) [PDF](#)

012046

The following article is OPEN ACCESS

[Slope structural health monitoring method against rainfall-induced shallow landslide](#)

K Koizumi, K Oda, M Komatsu, S Ito and H Tsutsumi

[View abstract](#) [View article](#) [PDF](#)

012047

The following article is OPEN ACCESS

[Pressurized clay injection method using kaolinite for controlling groundwater of a saturated sand layer](#)

M Komatsu, K Takahashi and K Takimoto

[View abstract](#) [View article](#) [PDF](#)

012048

The following article is OPEN ACCESS

[Consideration of costs and factors of safety for landslide mitigation of the housing infrastructure in Sawahlunto](#)

B Istijono, A Hakam, D Hardiyansyah and M M Hape

[View abstract](#) [View article](#) [PDF](#)

012049

The following article is OPEN ACCESS

[The shear strength alteration on clay soil considering the plasticity index and the percentage of fine aggregates in tropical climate regions](#)

D Tjandra and P S Wulandari

[View abstract](#) [View article](#) [PDF](#)

012050

The following article is OPEN ACCESS

[The potential of using performance information in the assessment of existing quay walls](#)

N den Adel, J G de Gijt, H J Wolters and T Schweckendiek

[View abstract](#) [View article](#) [PDF](#)

012051

The following article is OPEN ACCESS

[Reliability sensitivity analysis with subset simulation: application to a carbon dioxide storage problem](#)

S Xiao, S Oladyshkin and W Nowak

[View abstract](#) [View article](#) [PDF](#)

012052

The following article is OPEN ACCESS

[Some learning cases in the Port of Rotterdam](#)

J G de Gijt, H E Brassinga and A A Roubos

[View abstract](#) [View article](#) [PDF](#)

012053

The following article is OPEN ACCESS

[Revitalization of hot spring resorts in Japan through PPP-based geothermal power project](#)

F Aono, T Goso, S Kato and K Nishida

[View abstract](#) [View article](#) [PDF](#)

012054

The following article is OPEN ACCESS

[Determining the track condition using soil properties - part 1](#)

V Schuk, S Rapp, U Martin and B Wang

[View abstract](#) [View article](#) [PDF](#)

012055

The following article is OPEN ACCESS

[Determining the track condition using soil properties - part 2](#)

V Schuk, S Rapp, U Martin and B Wang

[View abstract](#) [View article](#) [PDF](#)

012056

The following article is OPEN ACCESS

[Investigation of the gradation effect on ballast mechanical behaviors by means of discrete element modeling - part 1](#)

B Wang, U Martin, S Rapp and V Schuk

[View abstract](#) [View article](#) [PDF](#)

012057

The following article is OPEN ACCESS

[Investigation of the gradation effect on ballast mechanical behaviors by means of discrete element modeling - part 2](#)

B Wang, U Martin, S Rapp and V Schuk

[View abstract](#) [View article](#) [PDF](#)

012058

The following article is OPEN ACCESS

[Effect of adding nano-calcined clay and nano-lime on the geotechnical properties of expansive clayey soil](#)

A M al-Swaidani, I Hammoud, I al-Ghuraibi and A Meziab

[View abstract](#) [View article](#) [PDF](#)

## **Hydraulics, Hydrology & Water Engineering**

012059

The following article is OPEN ACCESS

[Constructing uncertainty budget for a two-dimensional hydraulic model](#)

N Ozbey and U S Gül

[View abstract](#) [View article](#) [PDF](#)

012060

The following article is OPEN ACCESS

[Effect of noises removal and spatial resolutions of Digital Surface Model \(DSM\) in flood inundation model](#)

A Yunika, M Kok, J G de Gijt, J Huizinga and S Ginting

[View abstract](#) [View article](#) [PDF](#)

012061

The following article is OPEN ACCESS

[An evaluation of the flood diversion project due to extreme rainfall event in Taipei City](#)

S Wu, J Jang, T Wu, J Lin and B Li

[View abstract](#) [View article](#) [PDF](#)

### **Performance based design**

012062

The following article is OPEN ACCESS

[Robust composite joints](#)

G Skarmoutsos, N Keller and U Kuhlmann

[View abstract](#) [View article](#) [PDF](#)

012063

The following article is OPEN ACCESS

[A new assessment approach for post-installed anchors used in seismic applications](#)

E J Stehle and A Sharma

[View abstract](#) [View article](#) [PDF](#)

012064

The following article is OPEN ACCESS

[Behavioural and functional based design of high-rise public housing project in Jakarta, Indonesia](#)

A K Djukardi and F Srinaga

[View abstract](#) [View article](#) [PDF](#)

012065

The following article is OPEN ACCESS

[Experimental and numerical investigations on the concrete edge failure of anchor groups of arbitrary configurations](#)

B Bokor, A Sharma and J Hofmann

[View abstract](#) [View article](#) [PDF](#)

## **Sanitation & Environmental Engineering**

012066

The following article is OPEN ACCESS

[Thermal flow simulation for an energy garden building block](#)

Z Ramadan and H Garrecht

[View abstract](#) [View article](#) [PDF](#)

012067

The following article is OPEN ACCESS

[Applications of density functional theory to heavy metal binding to magnetic-cored dendrimer](#)

H-R Kim, D W Boukhvalov and J-W Park

[View abstract](#) [View article](#) [PDF](#)

012068

The following article is OPEN ACCESS

[Environmentally friendly foundation for the sustainability development of infrastructures in swamp area](#)

A Hakam, S Srihandayani, F A Ismail, M S Asmirza and M M Hape

[View abstract](#) [View article](#) [PDF](#)

012069

The following article is OPEN ACCESS

[Decision making tool for retrofitting of existing building for energy reduction in higher learning institution](#)

N I A Abidin, R Zakaria, E Aminuddin, S M Shamsuddin, M Mustafa and J S Khan

[View abstract](#) [View article](#) [PDF](#)

## **Structural & Construction Engineering**

012070

The following article is OPEN ACCESS

[Precast segmental bamboo reinforced concrete beams with bolted connections subjected to flexural loads: an experimental investigation](#)

Y Haryanto, H-T Hu, A L Han, N G Wariyatno, G H Sudibyo, B A Hidayat and K Naqiyah

[View abstract](#) [View article](#) [PDF](#)

012071

The following article is OPEN ACCESS

[Structural system identification of plane frames based on frequency domain decomposition-natural excitation technique \(FDD-NExT\)](#)

R Frans and Y Arfiadi

[View abstract](#) [View article](#) [PDF](#)

012072

The following article is OPEN ACCESS

[Parametric study of factors influencing the thermal distribution and load-bearing capacity of bonded anchors directly exposed to fire](#)

O Al-Mansouri, R Mege, N Pinoteau, M A Lahouar, T Guillet and S Rémond

[View abstract](#) [View article](#) [PDF](#)

012073

The following article is OPEN ACCESS

[Nonlinear finite element analysis of traditional flexural strengthening using betung bamboo \(\*Dendrocalamus asper\*\) on concrete beams](#)

B A Hidayat, H-T Hu, A L Han, Y Haryanto, A Widyaningrum and G Pamudji

[View abstract](#) [View article](#) [PDF](#)

012074

The following article is OPEN ACCESS

[Dynamic behaviour of stiffened orthotropic plates subjected to Friedlander blast load](#)

S W Alisjahbana, I Alisjahbana, B S Gan, Safrilah and J C P Putra

[View abstract](#) [View article](#) [PDF](#)

012075

The following article is OPEN ACCESS

[Experimental study of circular hollow reinforced concrete column strengthened with partial Carbon Fibre Reinforced Polymer \(CFRP\) confinement](#)

R Ismail, R S M Rashid, F A A Zakwan and F Hejazi

[View abstract](#) [View article](#) [PDF](#)

012076

The following article is OPEN ACCESS

[Optimum and performance of absorber with zero damping](#)

Y Arfiadi and R Frans

[View abstract](#) [View article](#) [PDF](#)

012077

The following article is OPEN ACCESS

[Tracing developing deterioration zones in a damaged dam by using elastic wave tomography](#)

H Wang, S-H Hsieh, C-H Hu and Y-C Tsai

[View abstract](#) [View article](#) [PDF](#)

012078

The following article is OPEN ACCESS

[Velocity tomography-based condition inspection on concrete pylons of a pedestrian suspension bridge](#)

H Wang, C-H Hu, S H Hsieh, Y-C Tsai, M-H Chen and C-Y Wang

[View abstract](#) [View article](#) [PDF](#)

012079

The following article is OPEN ACCESS

[Analysis of earthquake structure on a traditional wooden house of Mandailing](#)

N N Irma, A Syahreza and A W Hari

[View abstract](#) [View article](#) [PDF](#)

012080

The following article is OPEN ACCESS

[Seismic performance analysis of multi-story RC frames strengthened with RC infill wall](#)

M Sukrawa, I G A K Putra, I A M Budiwati, I M A K Salain, G A Susila and G Pringgana

[View abstract](#) [View article](#) [PDF](#)

012081

The following article is OPEN ACCESS

[Free vibration of orthotropic Levy-type solution plates by using SEM](#)

S Kiryu, S W Alisjahbana, I Alisjahbana, A L Han and B S Gan

[View abstract](#) [View article](#) [PDF](#)

012082

The following article is OPEN ACCESS

[Combined rings and horizontal steel pipe as hysteretic dampers](#)

J Utomo, M Moestopo, A Surahman and D Kusumastuti

[View abstract](#) [View article](#) [PDF](#)

012083

The following article is OPEN ACCESS

[Strength calculation method of reinforced concrete structures of Tashkent underground tunnels with different stages of stress condition](#)

M Miralimov

[View abstract](#) [View article](#) [PDF](#)

012084

The following article is OPEN ACCESS

[Determining fragility of urban low-to-mid rise masonry infilled building](#)

S Sangadji, S A Kritiawan and S I Pratiwi

[View abstract](#) [View article](#) [PDF](#)

012085

The following article is OPEN ACCESS

[Effect of loss in concrete cover during fire on the predicted temperature distribution](#)

H Lakhani and J Hofmann

[View abstract](#) [View article](#) [PDF](#)

012086

The following article is OPEN ACCESS

[Applications of hysteretic steel dampers for controlling the seismic damage in steel frames](#)

D R Teruna

[View abstract](#) [View article](#) [PDF](#)

012087

The following article is OPEN ACCESS

[Safety reduction in anchor groups due to uneven crack distribution](#)

G Di Nunzio and G Muciaccia

[View abstract](#) [View article](#) [PDF](#)

012088

The following article is OPEN ACCESS

[Structural behaviour of Reinforced Concrete \(RC\) columns under fire](#)

H Lakhani and J Ožbolt

[View abstract](#) [View article](#) [PDF](#)

012089

The following article is OPEN ACCESS

[Tension and shear performance of anchor channels with channel bolts cast in Fibre Reinforced Concrete \(FRC\)](#)

C Mahrenholtz, M Ayoubi, S Müller and S Bachschmid

[View abstract](#) [View article](#) [PDF](#)

012090

The following article is OPEN ACCESS

[Experimental study and numerical analysis of flexural behaviour of post-fire reinforced concrete beam](#)

R Suryanita, H Maizir, Ismeddiyanto, R Andriano and R Arditama

[View abstract](#) [View article](#) [PDF](#)

012091

The following article is OPEN ACCESS

[Truss structure optimization for two design variable elements using Genetic Algorithm with stress and failure probability constraints](#)

Mahadi Kurniawan and Augusta Adha

[View abstract](#) [View article](#) [PDF](#)

012092

The following article is OPEN ACCESS

[Creep behaviour of tension loaded adhesive anchors in non-cracked low strength concrete](#)

V Mahadik and J Hofmann

[View abstract](#) [View article](#) [PDF](#)

012093

The following article is OPEN ACCESS

[Local strengthening of anchorages with post-installed \(supplementary\) reinforcement](#)

N Vita, A Sharma and J Hofmann

[View abstract](#) [View article](#) [PDF](#)

012094

The following article is OPEN ACCESS

[Flexural performance of full and partially steel fibre reinforced self-compacting concrete \(SCFRC\) ribbed slab](#)

H Ahmad, M H M Hashim, A A Bakar and F A Rahman

[View abstract](#) [View article](#) [PDF](#)

012095

The following article is OPEN ACCESS

[Testing setup to examine punching shear strength in Self-Compacting Fibre Reinforced Concrete \(SCFRC\) ribbed slabs](#)

N H M Fodzi, M H Mohd Hashim and M S Mhd Radzi

[View abstract](#) [View article](#) [PDF](#)

012096

The following article is OPEN ACCESS

[Influence of concrete damage on reinforcement corrosion](#)

M Kušter Marić, J Ožbolt, A Mandić Ivanković, A Vlašić, J Bleiziffer, M Srbić, D Skokandić, J Bošnjak and L Lacković

[View abstract](#) [View article](#) [PDF](#)

012097

The following article is OPEN ACCESS

[Application of the 3D chemo-hygro-thermo mechanical model on existing bridges exposed to chlorides and mechanical damages](#)

M Kušter Marić, J Ožbolt and G Balabanić

[View abstract](#) [View article](#) [PDF](#)

012098

The following article is OPEN ACCESS

[Structural reliability of RC elements with electric arc furnace slag as recycled aggregates](#)

M A Zanini, E De Stefani, F Faleschini and C Pellegrino

[View abstract](#) [View article](#) [PDF](#)

012099

The following article is OPEN ACCESS

[Influence of concrete humidity on the temperature development under fatigue compressive loading](#)

M Markert, V Birtel and H Garrecht

[View abstract](#) [View article](#) [PDF](#)

012100

The following article is OPEN ACCESS

[Crack intensity of the damaged RC beam repaired with epoxy injection using acoustic emission technique](#)

M N Soffian Noor, M N Noorsuhada, K Nizam, M M M Ariffaizad and A R Noorhazlinda

[View abstract](#) [View article](#) [PDF](#)

012101

The following article is OPEN ACCESS

[Performance of Distributed Optical Fiber Sensors \(DOFS\) and Digital Image Correlation \(DIC\) in the monitoring of RC structures](#)

M F Bado, G Kaklauskas and J R Casas

[View abstract](#) [View article](#) [PDF](#)

012102

The following article is OPEN ACCESS

[Experimental and numerical comparison of bio-based and conventional phase change materials for thermal storage applications](#)

L Lackovic and H Garrecht

[View abstract](#) [View article](#) [PDF](#)

012103

The following article is OPEN ACCESS

[Ecological construction method by the deployable bridge](#)

K Chanthamanivong, I Ario and Y Yokotani

[View abstract](#) [View article](#) [PDF](#)

012104

The following article is OPEN ACCESS

[Seismic hazard analysis for East Malaysia; based on a proposed ground motion prediction equation](#)

N S H Harith, F Tongkul, A Adnan and A V Shoushtari

[View abstract](#) [View article](#) [PDF](#)

012105

The following article is OPEN ACCESS

[Study on performance of lightweight concrete bricks with a ratio of sand and cement composition](#)

H Maizir, R Suryanita and R Arditama

[View abstract](#) [View article](#) [PDF](#)

012106

The following article is OPEN ACCESS

[Seismic vulnerability assessment of bridges using analytical hierarchy process](#)

M C Djemai, M Bensaibi and K Zellat

[View abstract](#) [View article](#) [PDF](#)

012107

The following article is OPEN ACCESS

[Ultra-low-power wireless anchor load monitoring system based on internet of things technology](#)

J Tong, T H Lee and Y Lin

[View abstract](#) [View article](#) [PDF](#)

## **Sustainable Construction Materials 1**

012108

The following article is OPEN ACCESS

[Feasibility of forecasting ecological performances of products in early development phases](#)

H L Hein and J Schwarte

[View abstract](#) [View article](#) [PDF](#)

012109

The following article is OPEN ACCESS

[Treatment of uncertainties in green engineering](#)

J Schwarte and H L Hein

[View abstract](#) [View article](#) [PDF](#)

012110

The following article is OPEN ACCESS

[Low heat concrete hydration thermal reduction with bioconc](#)

M Basoeki, Koespiadi and J J Ekaputri

[View abstract](#) [View article](#) [PDF](#)

012111

The following article is OPEN ACCESS

[Effectiveness of using pozzolanic material for concrete canal blocks in tropical peatland](#)

M Olivia, I R Sitompul, E Saputra, S Sutikno and K Yamamoto

[View abstract](#) [View article](#) [PDF](#)

012112

The following article is OPEN ACCESS

[Mechanical properties of crumb rubber-rice husk ash concrete as a rigid pavement material](#)

H Abdurrahman, G Wibisono, M Qoryati, I R Sitompul and M Olivia

[View abstract](#) [View article](#) [PDF](#)

012113

The following article is OPEN ACCESS

[The effect of reinforcement ratio cantula fiber \(\*Agave cantula roxb\*\) on tensile strength of textile reinforced concrete](#)

E Purwanto, S A Kristiawan, E Safitri and A N Sasmito

[View abstract](#) [View article](#) [PDF](#)

012114

The following article is OPEN ACCESS

[The effect of alkali concentration on chloride penetration in geopolymer concrete](#)

J J Ekaputri, H A Lie, C Fujiyama, M Shovitri, N H Alami and D H E Setiamarga

[View abstract](#) [View article](#) [PDF](#)

012115

The following article is OPEN ACCESS

[Unit processes identification of maintenance on rigid and flexible pavement of local road](#)

F S Handayani, F P Pramesti and A Setyawan

[View abstract](#) [View article](#) [PDF](#)

012116

The following article is OPEN ACCESS

[Effect of sodium silicate as activator on the fresh and hardened properties of cement-slag blended paste](#)

A Thymotie, T-P Chang and H-A Nguyen

[View abstract](#) [View article](#) [PDF](#)

012117

The following article is OPEN ACCESS

[Sustainable steel and composite bridges through increased lifetime by fatigue treatment](#)

L Gölz, S Breunig and U Kuhlmann

[View abstract](#) [View article](#) [PDF](#)

012118

The following article is OPEN ACCESS

[Effect of sustainable building material substitutes with regard to earthquake safety](#)

R Ortlepp

[View abstract](#) [View article](#) [PDF](#)

012119

The following article is OPEN ACCESS

[The use of crumb rubber for replacing fine aggregate in cold mixture asphalt](#)

P S Wulandari and D Tjandra

[View abstract](#) [View article](#) [PDF](#)

012120

The following article is OPEN ACCESS

[Characteristics of geopolymer hybrid concrete in peat water](#)

M F Wijaya, M Olivia, G Wibisono, E Saputra and S Wang

[View abstract](#) [View article](#) [PDF](#)

## **Transportation Engineering**

012121

The following article is OPEN ACCESS

[Recognition of track defects through measured acceleration - part 1](#)

S Bahamon-Blanco, S Rapp, C Rupp, J Liu and U Martin

[View abstract](#) [View article](#) [PDF](#)

012122

The following article is OPEN ACCESS

[Recognition of track defects through measured acceleration - part 2](#)

S Bahamon-Blanco, S Rapp, C Rupp, J Liu and U Martin

[View abstract](#) [View article](#) [PDF](#)

012123

The following article is OPEN ACCESS

[The behaviour of Prestressed Concrete Sleeper \(pcs\) sitting on railway track](#)

M I F Rozli, C M C J M H Safiuddin, M Harun, J Ahmad, N M Amin and A G Kay Dora

[View abstract](#) [View article](#) [PDF](#)

012124

The following article is OPEN ACCESS

[ICT implementation of bus public transportation towards green engineering in Indonesia](#)

A C Sutandi, Y Suriansyah and Y K Kusliansjah

[View abstract](#) [View article](#) [PDF](#)

012125

The following article is OPEN ACCESS

[Motorcyclists' awareness and understanding of traffic signs for traffic safety in Yogyakarta](#)

P Purnamasari

[View abstract](#) [View article](#) [PDF](#)

012126

The following article is OPEN ACCESS

[A study of container truck movement in Tanjung Priok port, Jakarta, Indonesia](#)

R Anas and I S Sembiring

[View abstract](#) [View article](#) [PDF](#)

012127

The following article is OPEN ACCESS

[Developing information system to improve hinterland productivity and rubber multimodal transportation in South Sumatera Indonesia](#)

E Buchari, E Sattar, I Sumantri and R Novelo

[View abstract](#) [View article](#) [PDF](#)

012128

The following article is OPEN ACCESS

[Sustainable operation and maintenance criteria for non-toll road green rating system](#)

J A Adzar, R Zakaria, E Aminudin, M H S Abd Rashid, V Munikanan, S M Shamsudin, S Z Sooria and M M Hassan

[View abstract](#) [View article](#) [PDF](#)

012129

The following article is OPEN ACCESS

[Resilient modulus values of Western Australia asphalt pavement](#)

G Wibisono and H R Nikraz

[View abstract](#) [View article](#) [PDF](#)

012130

The following article is OPEN ACCESS

[The use of deflection bowl parameters to represent the carrying capacity of pavement structures](#)

B H Setiadji and Supriyono

[View abstract](#) [View article](#) [PDF](#)

012131

The following article is OPEN ACCESS

[Adjusted saturation flow of some signalized intersection in Semarang, Indonesia](#)

A K Indriastuti, E E Y Priyono, L A Widowati and A S Zuhri

[View abstract](#) [View article](#) [PDF](#)

012132

The following article is OPEN ACCESS

[Determining stiffness modulus by means of different mechanical testing](#)

F P Pramesti, M R Poot, M F C Van de Ven and A A A Molenaar

[View abstract](#) [View article](#) [PDF](#)



## 6 minutes to better CX

Automate your digital optimization with AI-powered insights. Watch the 6-minute demo.

Contentsquare

Open

# IOP Conference Series: Materials Science and Engineering

Discontinued in Scopus as of 2021

## COUNTRY

United Kingdom



Universities and research  
institutions in United Kingdom

## SUBJECT AREA AND CATEGORY

Engineering

Engineering (miscellaneous)

Materials Science

Materials Science (miscellaneous)

## PUBLISHER

IOP

Publishing  
Ltd.

## H-INDEX

44



IJCRT Research Journal

submit paper  
for publication

Open

## PUBLICATION TYPE

Conferences and Proceedings

## ISSN

17578981, 1757899X

## COVERAGE

2009-  
2020

## INFORMATION

[Homepage](#)

[How to  
publish in  
this journal](#)

[mse@iop.org](mailto:mse@iop.org)



## Nursing Research and Practice

Hindawi's Academic Journals Cover A Wide Range of Disciplines. Submit With Us.  
Hindawi



Open

SCOPE

The open access IOP Conference Series provides a fast, versatile and cost-effective proceedings publication service for your conference. Key publishing subject areas include: physics, materials science, environmental science, bioscience, engineering, computational science and mathematics.


Join the conversation about this journal

Prepare Your Manuscript


Open

American Journal Experts

SJR




Total Documents




Total Cites

Self-Cites




Citations per document




Nursing Research and Practice


Hindawi's Academic Journals Cover A Wide Range of Disciplines. Submit With Us.  
Hindawi



% International Collaboration




Cited documents    Uncited documents



Citable documents

Non-citable documents



IOP Conference Series:  
Materials Science and...

Not yet assigned  
quartile

SJR 2020

0

powered by scimagojr.com

← Show this widget in  
your own website

Just copy the code below  
and paste within your html  
code:


```
<a href="https://www.scima
```



SCImago Graphica

Explore, visually  
communicate and make  
sense of data with our **new  
free tool**.

Get it



# Prepare Your Manuscript

Open

American Journal Experts

Metrics based on Scopus® data as of April 2021

Nursing Research and Practice

Hindawi's Academic Journals Cover A Wide Range of Disciplines. Submit With Us.  
Hindawi

V **Vikas Magdum** 5 months ago

Respected sir,  
From which volume IOP conference Series material science and Engineering is discontinued from Scopus.  
But after using following link it shown as indexed from 2007-present  
<https://www.scopus.com/sourceid/19700200831?origin=resultslist>  
Please clarify wheather it Scopus Indexed or not?

reply



**Melanie Ortiz** 5 months ago

SCImago Team

Dear Vikas,  
Thank you very much for your comment.  
All the metadata have been provided by Scopus /Elsevier in their last update sent to SCImago, including the Coverage's period data. The SJR for 2020 has been released on 17 May 2021. We suggest you consult the Scopus database directly to see the current index status as SJR is a static image of Scopus, which is changing every day.  
For further information, please contact Scopus support:  
[https://service.elsevier.com/app/answers/detail/a\\_id/14883/kw/scimago/supporthub/scopus/](https://service.elsevier.com/app/answers/detail/a_id/14883/kw/scimago/supporthub/scopus/)  
Best Regards, SCImago Team

V **Vikas Magdum** 5 months ago

Is IOP conference science: Material Science and Engineering is Web of Science Indexed?  
Upto which volume or date IOP Material Science and Engineering journal is Scopus Indexed?

reply



**Melanie Ortiz** 5 months ago

SCImago Team

Dear Vikas,  
Thank you for contacting us.  
SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus.  
Unfortunately, we cannot help you with your request referring to the index status. We suggest you consult Scopus database (see the current status of the journal) or the mentioned database for further information.  
Best Regards, SCImago Team

N **NITISH KUMAR SAINI** 5 months ago

It is again continued in Scopus. kindly recheck and verify by following link

Nursing Research and Practice

Hindawi's Academic Journals Cover A Wide Range of Disciplines. Submit With Us.  
Hindawi



in Scopus.  
But it's good that, it's web of science indexing is continue.

reply



**Melanie Ortiz** 5 months ago

SCImago Team

Dear Nitish,  
thank you very much for your comment, unfortunately we cannot help you with your request. We suggest you contact Scopus support:  
[https://service.elsevier.com/app/answers/detail/a\\_id/14883/kw/scimago/supporthub/scopus/](https://service.elsevier.com/app/answers/detail/a_id/14883/kw/scimago/supporthub/scopus/)  
Best Regards, SCImago Team

G

**Gaurang Patel** 6 months ago

The scopus coverage of this Journal shows continue on it's website but here there is no SJR value, Why?

reply



**Melanie Ortiz** 6 months ago

SCImago Team

Dear Gaurang,  
Thank you for contacting us.  
According to the latest update sent by Scopus this year, this journal was discontinued in its database as of 2021. Therefore, it seems that they did not send us any data to calculate the scientometric indicators related to 2020 for this journal.  
Best Regards, SCImago Team

H

**Hassan Obaid Abbas** 8 months ago

I would like to ask if the IOP conference series:Material science and Engineering is still or discontinued for Scopus.  
With regards

reply

A

**Ahmed A. Thabit** 6 months ago

Discontinued in Scopus as of 2021



L **Lateef Assi** 7 months ago

discontinued for Scopus



**Melanie Ortiz** 8 months ago

SCImago Team

Dear Hassan,  
Thank you very much for your comment.  
All the metadata have been provided by Scopus /Elsevier in their last update sent to SCImago, including the Coverage's period data. The SJR for 2019 was released on 11 June 2020. We suggest you consult the Scopus database directly to see the current index status as SJR is a static image of Scopus, which is changing every day.  
Best Regards, SCImago Team

F **Ferit Artkin** 9 months ago

Dear Scimango Team,

Which IOP conferences in Sci expanded indexing in Engineering in 2021? May IOP material science and Engineering congress be in Sci expanded? I am interested in Mechanical Engineering especially Optical and Mechanical Measurements like Laser Technologies and Laser manufacturing ör measurements. Thanks,

Sincerely,  
Ferit A., PhD

reply



**Melanie Ortiz** 9 months ago

SCImago Team

Dear Ferit,  
Thank you for contacting us.  
SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus. Unfortunately, we cannot help you with your request. We suggest you contact the WoS team for that information.  
Best Regards, SCImago Team

N **Nelly** 9 months ago

Dear friends!  
Please explain why in Scopus conference collections IOP Conference Series: Earth and Environmental Science, etc. have a quartile in the Citescore index, and in SJR conference materials are not assigned a quartile. Thank you for the clarification

reply



Dear Nelly,  
Thank you for contacting us. We calculate the SJR data for all the publication's types, but the Quartile's data are only calculated for Journals and Book Series.  
Best regards, SCImago Team

K **KOVENDAN** 1 year ago

Dose the IOP conference series covers in scopus database or not.

reply



**Melanie Ortiz** 1 year ago

SCImago Team

Dear Kovendan,  
Thank you very much for your comment.  
All the metadata have been provided by Scopus /Elsevier in their last update sent to SCImago, including the Coverage's period data. The SJR for 2019 was released on 11 June 2020. We suggest you consult the Scopus database directly to see the current index status as SJR is a static image of Scopus, which is changing every day.  
For further information, please contact Scopus support:  
[https://service.elsevier.com/app/answers/detail/a\\_id/14883/kw/scimago/supporthub/scopus/](https://service.elsevier.com/app/answers/detail/a_id/14883/kw/scimago/supporthub/scopus/)  
Best Regards, SCImago Team

R **Rafael** 1 year ago

No se visualiza el cuartil, cual es el motivo?

reply



**Melanie Ortiz** 1 year ago

SCImago Team

Dear Rafael,  
  
Thank you for contacting us. Please see comments below.  
  
Best Regards, SCImago Team

V **Vo Anh Tuan** 1 year ago

Dear Melanie , Elena and SCImago team

Can you please let me know Q1/ Q2:/ Q3 or Q4 Classification as the journal IOP Conference Series : Materials Science and Engineering , with the Volume published as the link below:



Warmest regards

Võ Anh Tuấn

University of Architecture of HO CHI MINH CITY, VIETNAM

Tel: 84908226165

196 Pasteur , District 3, HCMC, Vietnam

reply



**Melanie Ortiz** 1 year ago

SCImago Team

Dear Vo Anh Tuan,

Thank you for contacting us. We calculate the SJR data for all the publication's types, but the Quartile's data are only calculated for Journals and Book Series.

Best regards, SCImago Team

P **ptnabeel** 1 year ago

I was looking for a template to publish my paper in IOP conference series: Material Science and Engineering.

reply



**Melanie Ortiz** 1 year ago

SCImago Team

Dear Sir/Madam,

thank you for contacting us.

We suggest you visit the journal's homepage (See submission/author guidelines) or contact the journal's editorial staff , so they could inform you more deeply.

Best Regards, SCImago Team

H **Haydar Al-Ethari** 1 year ago

I hope this message finds you very well

I have two papers published in the IOP Conference Series: Materials Science and Engineering, Volume 881, 3rd International Conference on Sustainable Engineering Techniques (ICSET 2020) 15 April 2020, Baghdad, Iraq, but I did not find them in my id author profile in scopus and could not add them manually. Is there any problem with this publication/conference/journal? (may be out of scopus). The online publication was at 1/7/2020.

Best Regards

reply





SCImago Team

**Melanie Ortiz** 1 year ago

Dear Saran,  
thank you very much for your comment, unfortunately we cannot help you with your request. We suggest you contact Scopus support:  
[https://service.elsevier.com/app/answers/detail/a\\_id/14883/kw/scimago/supporthub/scopus/](https://service.elsevier.com/app/answers/detail/a_id/14883/kw/scimago/supporthub/scopus/)  
Best Regards, SCImago Team



SCImago Team

**Melanie Ortiz** 1 year ago

Dear Haydar,  
thank you very much for your comment, unfortunately we cannot help you with your request. We suggest you contact Scopus support:  
[https://service.elsevier.com/app/answers/detail/a\\_id/14883/kw/scimago/supporthub/scopus/](https://service.elsevier.com/app/answers/detail/a_id/14883/kw/scimago/supporthub/scopus/)  
Best Regards, SCImago Team

A **AL-Kurdhani J. M. H.** 1 year ago

Hello  
Dear Elena,  
I want to know what is the value of impact factor of 2019 for useful all MSC. or/and pH.D. students by publishing in these journals and my students need the Q1 or Q2 in SJR with Scopus Q-ranking to graduation.  
Thank you so much.  
  
Best Regards,  
  
reply



SCImago Team

**Melanie Ortiz** 1 year ago

Dear AL-Kurdhani,  
  
Thank you for contacting us. Could you please tell us which particular journal you are referring to?  
  
Best Regards, SCImago Team

V **Virat Khanna** 1 year ago

Can you please tell, how much time does IOP conference series take to publish the proceeding of the conference after the conference date.  
  
reply



Dear Virat,  
thank you for contacting us.  
Unfortunately, we cannot help you with your request, we suggest you contact the editorial staff , so they could inform you more deeply.  
Best Regards, SCImago Team

S **syafriyudin** 1 year ago

is The journal IOP Conference Series: Materials Science and Engineering in the scopus index

reply



**Melanie Ortiz** 1 year ago

SCImago Team

Dear Syafriyudin,  
Thank you very much for your comment.  
All the metadata have been provided by Scopus /Elsevier in their last update sent to SCImago, including the Coverage's period data. The SJR for 2019 was updated on June 2020, 11. We suggest you consult the Scopus database directly to see the current index status as SJR is a static image of Scopus, which is changing every day.  
Best Regards, SCImago Team

F **Fouad Fadhil Al-Qaim** 1 year ago

Dear Sir/Madam  
May I know this Journal whether Q1, Q2,Q3 or Q4? Actually, there is no any quarter reported here.  
Thank you

reply



**Melanie Ortiz** 1 year ago

SCImago Team

Dear Fouad,  
Thank you for contacting us. We calculate the SJR data for all the publication's types, but the Quartile's data are only calculated for Journals.  
Best regards, SCImago Team

R **Raj kamal** 1 year ago

IOP is whether scopus indexed

reply



SCImago Team



SCImago, including the Coverage's period data. The SJR for 2019 was updated on June 2020, 11. We suggest you consult the Scopus database directly to see the current index status as SJR is a static image of Scopus, which is changing every day.

Best Regards, SCImago Team

R **ramanathan venkatachalam** 1 year ago

What is impact factor of IOP Conf. Series: Materials Science and Engineering

reply



**Melanie Ortiz** 1 year ago

SCImago Team

Dear Ramanathan, thank you very much for your comment.

SCImago Journal and Country Rank uses Scopus data, our impact indicator is the SJR.

Check out our web to localize the journal. We suggest you consult the Journal Citation Report for other indicators (like Impact Factor) with a Web of Science data source. Best

Regards, SCImago Team

A **Abbas Al-Hdabi** 2 years ago

Dear Elena

I hope that you are very well and will be safe within Corona virus crises.

Please let me know when you issue the new journal classification i.e. Q1, q2 ... and what is your strategy for your update.

My query is a general one not regarding IOP publications.

Kind regards and stay safe

Abbas

reply



**Melanie Ortiz** 2 years ago

SCImago Team

Dear Abbas,

Thank you for contacting us. Our data come from Scopus, they annually send us an update of the data. This update is sent to us around April / May every year. Thus, the indicators for 2019 will be available in June 2020. Best Regards, SCImago Team

B **Boumediene sadoun** 2 years ago

Hello





**Melanie Ortiz** 2 years ago

Dear Boumediene, thank you very much for your comment.  
SCImago Journal and Country Rank uses Scopus data, our impact indicator is the SJR.  
Check out our web to localize the journal. We suggest you to consult the Journal Citation Report for other indicators (like Impact Factor) with a Web of Science data source. For further information about this journal, please visit the journal's website. Best Regards, SCImago Team

P **PARU** 2 years ago

IOP CONFERENCE SERIES A BOOK OR JOURNAL.

reply

SCImago Team



**Melanie Ortiz** 2 years ago

Dear Paru,  
Thank you for contacting us.  
SJR is a portal with scientometric indicators of journals indexed in Scopus. All the data have been provided By Scopus /Elsevier and SCImago doesn't have the authority over this data which are property of Scopus/Elsevier. SCImago has a signed agreement that limits our performance to the generation of scientometric indicators derived from the metadata sent in the last update. Apparently, Scopus has categorized this publication in "Conference and Proceedings" section. We suggest you to contact with Scopus support regarding this request:  
[https://service.elsevier.com/app/answers/detail/a\\_id/14883/kw/scimago/supporthub/scopus/](https://service.elsevier.com/app/answers/detail/a_id/14883/kw/scimago/supporthub/scopus/).  
Best Regards, SCImago Team



**Hebatallahman Hebatallahman** 2 years ago

please what is value can express impact factor for IOP conference series material science and engineering

reply

SCImago Team



**Melanie Ortiz** 2 years ago

Dear Hebatallahman, thank you very much for your comment.  
SCImago Journal and Country Rank uses Scopus data, our impact indicator is the SJR.  
Check out our web to localize the journal. We suggest you to consult the Journal Citation Report for other indicators (like Impact Factor) with a Web of Science data source. Best Regards, SCImago Team



reply



**Melanie Ortiz** 2 years ago

SCImago Team

Dear Andrei,  
Thank you for contacting us. We calculate the SJR data for all the publication types, but the Quartile data are only calculated for Journal type's publications. Best regards,  
SCImago Team

K

**Kassim** 2 years ago

Hello  
I want know that is Elsevier a publisher of this journal?

reply

M

**MADHU LATA BHARTI** 2 years ago

please tell me if this journal is ugc listed, if it is, what is its ugc approval number?

reply

O

**Ondrej** 2 years ago

Madhu means if the journal is approved and listed in University Grants Commission of India. It is possible to find it out here (after registration):  
<https://ugccare.unipune.ac.in/site/website/index.aspx>  
However, IOP Conference Series: Materials Science and Engineering, is not, in fact, journal, but it collects proceedings from conferences, not journal articles. Still, the good thing is that IOP CS is WOS, Scopus (SJR) indexed. Generally, IOP publishing house is fair and reliable institution.



**Melanie Ortiz** 2 years ago

SCImago Team

Dear user, thanks for your participation! Best Regards, SCImago Team



**Melanie Ortiz** 2 years ago

SCImago Team

Dear Madhu, could you please expand your comment? Best Regards, SCImago Team



Regards

reply

K **Kabiru** 2 years ago

Dear Elena,

If IOP is a conference, then papers published in it are Scopus journal articles or just conference papers?

I was told that the papers published in IOP: material science and engineering are Scopus indexed journal papers with Scopus Q-ranking.

We need this for our Ph.D. graduation requirement.

THANK YOU

reply



**Elena Corera** 2 years ago

SCImago Team

Dear Kabiru, thank you very much for your comment, unfortunately we cannot help you with your request. We suggest you consult the Scopus database directly. Remember that the SJR is a static image of a database (Scopus) which is changing every day. Best regards, SCImago Team

A **Asha Rajiv** 3 years ago

Wanted to know whether the journal is scopus indexed?

reply



**Elena Corera** 3 years ago

SCImago Team

Dear Asha,

please, check comments below.

Best regards,  
SCImago Team



**a ridwan** 3 years ago

if this conference and proceeding indexed by scopus how could i find my id author in scopus ?

reply

Nursing Research and Practice

Hindawi's Academic Journals Cover A Wide Range of Disciplines. Submit With Us.  
Hindawi





**Elena Corera** 3 years ago

SCImago Team

Dear A Ridwan,

thank you very much for your comment, unfortunately we cannot help you with your request. We suggest you contact Scopus  
[https://service.elsevier.com/app/answers/detail/a\\_id/14883/kw/scimago/supporthub/scopus/](https://service.elsevier.com/app/answers/detail/a_id/14883/kw/scimago/supporthub/scopus/)

Best Regards,  
SCImago Team

T **Thanikasalam** 3 years ago

Hi, is this Scopus indexed?

reply



**Elena Corera** 3 years ago

SCImago Team

Dear Thanikasalam,  
thank you for your request, all the journals included in SJR are indexed in Scopus. Elsevier / Scopus is our data provider.  
Best Regards,  
SCImago Team



**Dr. Ellahi** 3 years ago

Dear Mam,  
Just i want to ask you it is SCI, SCIE, OR EI or other journal? I know it is conference proceeding journal.  
Thanks.

reply



**Elena Corera** 3 years ago

SCImago Team

Dear Dr Ellahi, SCImago Journal and Country Rank uses Scopus data, our impact indicator is the SJR. Check our page to locate the journal. We suggest you consult the Journal Citation Report for other indicators (like Impact Factor) with a Web of Science data source. Best Regards, SCImago Team



N **Nikhil jain** 3 years ago

Madam icame 2018 conference papers not published yet can you tell me status

reply



**Elena Corera** 3 years ago

SCImago Team

Dear Nikhil,

articles published in 2018 are not over yet (we are in September). 2018 indicators will not be available until June 2019. We can not see what will happen in the future with this journal. SCImago receives the data from Scopus / Elsevier annually and does not have the authority to include, exclude or modify the data provided by Scopus.

Best Regards,  
SCImago Team

M **Moisés Toapanta** 3 years ago

The IOP Conference is considered a research journal or only remains in conference proceedings. What is the difference of the SJR impact between a conference journal and a scientific journal

reply



**Elena Corera** 3 years ago

SCImago Team

Dear Moisés,  
thank you very much for your comment. This journal is a conference proceedings. We only do an SJR calculation, it is the same for any type of publication  
Best Regards,  
SCImago Team

V **Vadym** 3 years ago

Dears, colleagues!

The journal IOP Conference Series: Materials Science and Engineering is it Q3 or Q4?

Best Regards

reply





**Elena Corera** 3 years ago

SCImago Team

Dear friend,

It's a conference, it does not have a quartile.

<https://www.scimagojr.com/journalsearch.php?q=19700200831&tip=sid&clean=0>

Best Regards, SRG

### Leave a comment

Name

Email

(will not be published)



I'm not a robot

reCAPTCHA  
[Privacy](#) - [Terms](#)

Submit

The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.

Developed by:



Powered by:



Follow us on @ScimagoJR

Scimago Lab, Copyright 2007-2020. Data Source: Scopus®

**Nursing Research and Practice**

Hindawi's Academic Journals Cover A Wide Range of Disciplines. Submit With Us.  
Hindawi





## Nursing Research and Practice

Hindawi's Academic Journals Cover A Wide Range of Disciplines. Submit With Us.  
Hindawi



# EACEF

The 7<sup>th</sup> International Conference of Euro Asia Civil Engineering Forum  
Stuttgart, GERMANY, 2019

EACEF

In Stuttgart, Germany 2019

Letter of acceptance


Dear Dr. Paravita Sri Wulandari

On behalf of the scientific committee, I am delighted to inform you the peer reviewed draft paper entitled **The use of crumb rubber for replacing fine aggregate in cold mixture asphalt**, ID 1118 by Paravita Sri Wulandari has been accepted for publication in the proceeding of the 7th International Conference of Euro Asia Civil Engineering Forum (EACEF) 2019 - Green Engineering for Infrastructure and Safety against Hazards.

The condition of the publication is that the presentation of your paper in the conference is mandatory. Failing to fulfill this requirement lead the publisher to cancel the inclusion of your paper in the published proceeding. Therefore, you are kindly requested to register and be at the conference for presenting your work. Please also note that registration fees, travel, living and accommodation expenses will not be supported by the conference organization.

We look forward to meeting you at the conference.

Sincerely yours,



Han Ay Lie

Chair of the Scientific Committee EACEF 2019  
Professor of Civil Engineering  
Diponegoro University  
Semarang-Indonesia  
[hanaylie@live.undip.ac.id](mailto:hanaylie@live.undip.ac.id)

Organized by:



Universität Stuttgart  
Germany



UNIVERSITAS  
KRISTEN  
PETRA

Consortium of Indonesian Universities



# The use of crumb rubber for replacing fine aggregate in cold mixture asphalt

P S Wulandari<sup>1</sup> and D Tjandra<sup>2</sup>

<sup>1,2</sup>Civil Engineering Department, Petra Christian University

E-mail: paravita@petra.ac.id

**Abstract.** In order to consider the environmental impact, this study investigated the effect of crumb rubber on the mechanical performance of cold mixture asphalt. Crumb rubber was obtained from the process of recycling waste tires, which this waste material becomes a major environmental problem due to the rapid increase in the number of motor vehicles in Indonesia. Cold mixture asphalt is an environmental friendly option on flexible pavement, which reduces energy consumption because it does not need heat during the process as in hot mixture asphalt. In this study, laboratory tests were conducted for Dense Graded Emulsion Mixture Type IV. The first stage in this study was to perform laboratory experiments on compacted mixture to determine the optimum residual bitumen content. In the next stage, a series of tests on crumb rubber mixtures were conducted in the optimum residual bitumen content condition to investigate the effect of crumb rubber as a partial replacement of fine aggregate. Fine aggregate in cold mixture asphalt was replaced with 50% of crumb rubber. Three different sizes of crumb rubber, 20 mesh (0.841 mm), 40 mesh (0.42 mm) and 60 mesh (0.25 mm), were applied in a series of laboratory experiments. Tests were done using Marshall Test equipment to obtain the mechanical performance of cold mixture asphalt. The finding indicated that finer crumb rubber produced higher stability than the larger size of crumb rubber. Even though the use of crumb rubber decreased stability of mixtures, it still met the minimum specified requirement of cold mixture asphalt. The stability of the crumb rubber cold mixtures were also comparable to hot mixture asphalt. Replacement of fine aggregate with crumb rubber on cold mixture asphalt is expected to overcome the environmental problems by reuse the waste materials to preserve the natural aggregates.

## 1. Introduction

In Indonesia, hot mix asphalt (HMA) is the most commonly used as asphalt pavement on new roads, overlays, and pavement patching. HMA needs high quality of aggregate to produce life-long pavement, such as tough and abrasion resistant aggregates. In some areas in Indonesia, to produce the specified HMA, the aggregates are often supplied from other area, which needs more cost and time. Compared to cold mixture asphalt (CMA), HMA also consumes more energy to heat the mixture. As the car tyres become a major global waste problem, it needs more attention on the use of recycled car tyres in the pavement design. The end product of recycled car tyres which is crumb rubber has various sizes depending on the diameter of the crumbs. Crumb rubber is made from selected waste tire which no longer be contaminated by steel wire or nylon.

For the environmental impact, the use of CMA, local aggregate and alternative waste material beside natural aggregate in asphalt mixture could be considered. The use of crumb rubber as waste



Content from this work may be used under the terms of the [Creative Commons Attribution 3.0 licence](https://creativecommons.org/licenses/by/3.0/). Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

material tends to increase the strength of asphalt mixture [1]. Volumetric and mechanical properties of asphalt mixtures were affected by rubber gradation and percentage [2]. The objective of this study was to investigate the effect of crumb rubber size on performance of cold asphalt mixtures.

## 2. Materials description and testing procedures

### 2.1. Materials

CMA in this study used cationic slow setting asphalt emulsion (CSS1-h) produced by Triasindomix company. Table 1 shows the properties and specifications of asphalt emulsion CSS-1h. The asphalt content of the emulsion was 63.46%. The aggregate used in this study was supplied from Banyuwangi quarry, East Java, Indonesia. Several laboratory tests were conducted to determine the properties of aggregate. Table 2 shows the physical properties and specifications of aggregates and meet the specifications. Fly ash Type C as filler material was taken from PLTU Paiton. Filler material passed through a 0.075 mm sieve (No. 200). This study incorporated crumb rubber produced by Pura Agung Company in three variations of sizes. The higher the mesh size, the smaller the crumb. In this study, crumb rubber with mesh size #20 (0.841 mm), #40 (0.42 mm), #60 (0.25 mm) were incorporated into CMA as a replacement material of fine aggregates.

**Table 1.** Properties and specifications of asphalt emulsion CSS-1h.

| Properties                                    | Units  | Method      | Results  | Specifications |
|-----------------------------------------------|--------|-------------|----------|----------------|
| <b>Test on Emulsions</b>                      |        |             |          |                |
| Viscosity, Saybolt-Furol at 25° C             | second | SNI 03-6721 | 23.275   | 20-100         |
| Storage stability, 24 hours                   | %      | SNI 03-6828 | 0.33     | 1 max.         |
| Particle charge                               | -      | SNI 03-3644 | Positive | Positive       |
| Sieve test, retained on No. 20                | %      | SNI 03-3643 | 0.00     | 0.10 max.      |
| <b>Distillation</b>                           |        |             |          |                |
| Residue                                       | %      | SNI 03-3642 | 63.46    | 57 min.        |
| <b>Test on Residue from Distillation test</b> |        |             |          |                |
| Penetration at 25° C, 100g, 5 sec             | 0.1 mm | SNI 06-2456 | 51.60    | 40-90          |
| Ductility at 25° C, 5 cm/min                  | cm     | SNI 06-2432 | 107      | 40 min.        |
| Solubility in trichloroethylene               | %      | SNI 06-2438 | 98.992   | 97.5 min.      |

### 2.2. Sample preparations and mix designs

This study was conducted on two stages. First stage performed the mix design to determine optimum bitumen content. Second stage was to investigate the effect of crumb rubber size on performance of cold asphalt mixtures.


In this study, one type of aggregate was used as coarse and fine aggregate. The aggregate gradation for mix design was selected according to Dense Graded Emulsion Mixtures (DGEM) Type IV Specification. The aggregate gradation is given in table 3 and figure 1 shows that the aggregate gradation is within the limits according to the specification limits of the Department of Public Works of Indonesia [3]. In order to improve CMA at the early ages strength of the mixtures, fly ash as filler material (2% by weight of total aggregates) was used in all mixtures.

**Table 2.** Physical properties of aggregates.

| Properties                 | Units | Method   | Results |       |       | Specifications |
|----------------------------|-------|----------|---------|-------|-------|----------------|
|                            |       |          | F1      | F2    | F3    |                |
| Specific gravity, bulk     | -     |          | 2.534   | 2.772 | 2.523 | -              |
| Specific gravity, SSD      | -     |          | 2.580   | 2.820 | 2.548 | -              |
| Specific gravity, apparent | -     |          | 2.644   | 2.908 | 2.587 | -              |
| Water absorption           | %     |          | 1.650   | 1.680 | 0.977 | 3 max.         |
| Los Angeles Abrasion       | %     | SNI 2417 | 36.04   | 38.66 | -     | 40 max.        |

**Table 3.** Aggregate gradations for DGEM type IV.

| Sieve size |       | Coarse Aggregate (F1)<br>10-15 mm | Medium Aggregate (F2)<br>5-10 mm | Fine Aggregate (F3)<br>0-5 mm | Filler (Fly Ash Type C) | Combined Aggregate | Specifications |
|------------|-------|-----------------------------------|----------------------------------|-------------------------------|-------------------------|--------------------|----------------|
| No         | mm    | 23%                               | 32%                              | 43%                           | 2%                      | 100%               | DGEM Type IV   |
| 3/4"       | 19    | 23.00                             | 32.00                            | 43.00                         | 2.00                    | 100.00             | 100            |
| 1/2"       | 12.5  | 14.16                             | 32.00                            | 43.00                         | 2.00                    | 91.16              | 90-100         |
| 4          | 4.75  | 0.39                              | 11.73                            | 42.75                         | 2.00                    | 56.88              | 45-70          |
| 8          | 2.36  | 0.35                              | 2.68                             | 35.39                         | 2.00                    | 40.43              | 25-55          |
| 50         | 0.3   | 0.00                              | 1.56                             | 11.53                         | 2.00                    | 15.09              | 5-20           |
| 200        | 0.075 | 0.00                              | 1.09                             | 4.81                          | 2.00                    | 7.90               | 2-9            |

**Figure 1.** Aggregate gradation for design mixtures.

In order to determine the optimum bitumen content (OBC), mix designs were done in various emulsion content based on calculation as in equation (1) and equation (2) from the Asphalt Institute [4]. The initial emulsion content was determined as 9% by mass of total mixture.

$$P = (0.005A + 0.1B + 0.5C) \times 0.7 \quad (1)$$

where:

$P$  = initial residual asphalt content by mass of total mixture (%)

$A$  = percentage of aggregate retained on the 2.36 mm (No. 8) sieve

$B$  = percentage of aggregate passing the 2.36 mm (No. 8) sieve and retained on the 0.075 mm (No. 200) sieve

$C$  = percentage of aggregate passing the 0.075 mm (No. 200) sieve

$$IEC = (P/X) \quad (2)$$

where:

$IEC$  = initial emulsion content by mass of total mixture (%)

$X$  = percentage of bitumen content in the emulsion


The mixing process was conducted as following procedures. Prepare the oven-dried proportioned aggregate as in table 3. The dried aggregate then was pre-wetted with 2% water at the beginning of the mixing process. Five different bitumen emulsion content were determined as 8%, 8.5%, 9%, 9.5%, and 10% by mass of total mixture. The determined emulsion content was then added to the aggregates. Compactions of the DGEMs were done by applying 75 blows to each end using Marshall Compactor. The DGEMs then cured in oven at 40°C for 24 hours. Then, Marshall Test was conducted to determine the optimum bitumen content and Marshall properties.

### 3. Results and discussion

Table 4 shows the Marshall, stability and flow test results of fifteen specimens, three specimens were prepared at each bitumen content. The OBC was chosen as the percentage of bitumen content at which the CMA properties meet the specifications of DGEM Type IV as shown in table 4. The OBC was determined considering the maximum soaked stability mixture which was at 8% by mass of total mixture [5], as shown in figure 2. The values of VMA and VFB in all mixtures also meet the general requirements as in specification of HMA, although VMA and VFB are not specified in CMA.


**Table 4.** Properties of the DGEM Type IV.

| Properties                      | Units | Bitumen content (%) |          |          |          |          | Specifications |
|---------------------------------|-------|---------------------|----------|----------|----------|----------|----------------|
|                                 |       | 8                   | 8.5      | 9        | 9.5      | 10       |                |
| Soaked Stability                | kg    | <b>1294.045</b>     | 1109.841 | 1155.202 | 1153.555 | 1070.673 | 300 min.       |
| Void in Mixture (VIM)           | %     | <b>6.810</b>        | 6.724    | 7.411    | 8.022    | 7.141    | 5 – 10         |
| Void in Mineral Aggregate (VMA) | %     | <b>22.402</b>       | 23.286   | 24.786   | 26.199   | 26.406   | -              |
| Void Filled with Bitumen (VFB)  | %     | <b>69.646</b>       | 71.213   | 70.387   | 69.448   | 73.165   | -              |
| Asphalt Film Thickness (AFT)    | μm    | <b>15.757</b>       | 16.931   | 18.118   | 19.318   | 20.532   | 8 min.         |



**Figure 2.** Relationships of stability (a) and VIM (b) with variation of bitumen content.

Crumb rubber asphalt mixtures were prepared at optimum bitumen content. In order to incorporate crumb rubber into the CMA, a 50% by weight of fine aggregate was replaced with an equal volume of each size of crumb rubber. All factors in mixtures were keeping constant.



**Figure 3.** Effect of curing time on soaked stability (a) and VIM (b) of crumb rubber asphalt mixtures.

The stability increased with an increase in curing time, as shown in figure 3 because CMA required longer curing times. Although the use of recycled crumb rubber reduced the stability of CMA, but still met the minimum requirement as in standard specification. The finer crumb rubber in the CMA mixtures produced the higher stability. The finer crumb rubber (#60) in CMA also produced the required value of Void in Mixture (VIM) as in standard specification. In this study showed that the finer crumb rubber produced less void in mixtures, which is closely related to durability of mixtures.

In general, the finer crumb rubber as fine aggregate replacement in CMA had better properties than the larger sized crumb rubber. Also, the mixtures had a good comparison to HMA specification, as HRS-A and AC-WC, as shown in table 5. Therefore, crumb rubber modified CMA can be used as flexible pavement, which does not need heat during the process and the use of recycling of waste tires, also give contribution to the protection of environment.

**Table 5.** Comparison of mixtures to HMA specifications.

| Properties             | 7 days of curing |         |         |         | Specifications |                    |                    |
|------------------------|------------------|---------|---------|---------|----------------|--------------------|--------------------|
|                        | NO CR            | #20     | #40     | #60     | DGEM Type IV   | HRS-A <sup>1</sup> | AC-WC <sup>2</sup> |
| Soaked Stability (kg)  | 1277.211         | 522.832 | 654.568 | 903.820 | 300 min.       | 450 min.           | 800 min.           |
| VIM (%)                | 6.917            | 10.906  | 11.957  | 8.220   | 5 - 10         | 4 - 6              | 3 - 5              |
| VMA (%)                | 22.484           | 25.806  | 26.681  | 23.569  | -              | 18 min.            | 15 min.            |
| VFB (%)                | 69.282           | 57.785  | 55.219  | 65.124  | -              | 68 min.            | 65 min.            |
| Flow (mm)              | 4.572            | 8.213   | 7.281   | 8.043   | -              | 3 min.             | 2 - 4              |
| Retained Stability (%) | 90.347           | 91.439  | 79.874  | 89.189  | 50 min.        | 75 min.            | 75 min.            |

Note: <sup>1</sup>Hot Rolled Sheet Wearing Course (HRS-A); <sup>2</sup>Asphalt Concrete Wearing Course (AC-WC)

#### 4. Conclusions

From this study, it can be recommended that crumb rubber can be incorporated into CMA as a replacement material of fine aggregates. It has been shown that at 50% crumb rubber replacement, the CMA with crumb rubber had stability that meet the standard specification. The finer crumb rubber in the CMA mixtures produced the higher stability. The finer crumb rubber (#60) in CMA also produced the required Void in Mixture (VIM) as in standard specification. Replacement of fine aggregate with crumb rubber on CMA is expected to overcome the environmental problems by reuse the waste materials to preserve the natural aggregates.

#### Acknowledgement

The authors gratefully acknowledge the laboratory works and data collection performed by Kevin Ronaldo Gotama and Yoel Wuisan.

#### References

- [1] Wulandari P S and Tjandra D 2017 Use of Crumb Rubber AS An Additive in Asphalt Concrete Mixture *Proc. Engineering* vol 171 pp 1384 – 1389
- [2] Pettinari M and Simone 2015 A Effect of crumb rubber gradation on a rubberized cold recycled mixture for road pavements *Materials & Design* **85** 598 – 606
- [3] Directorate Generals of Highways 1991 *Specifications of Cold Asphalt Emulsion Mixtures* (Public Works Department Jakarta)
- [4] Asphalt Institute 1989 *Asphalt Cold Mix Manual (MS – 14) Third Edition* (USA: Lexington)
- [5] Thanaya INA 2007 Review and Recommendation of Cold Asphalt Emulsion Mixtures (CAEMs) *Design Civil Engineering Dimension* **9**(1) 49 – 56