

Volume 2055



Conference collection

Proceedings of the Europe/Africa Conference Dresden 2017 – Polymer Processing Society PPS



Dresden, Germany
27-29 June 2017

Editors

Udo Wagenknecht, Petra Pötschke, Sven Wiessner and Michael Gehde

AIP | Conference Proceedings

proceedings.aip.org

Table of Contents

INTERNATIONAL CONFERENCE ON ENGINEERING, SCIENCE AND NANOTECHNOLOGY 2016 (ICESNANO 2016)

Conference date: 3–5 August 2016

Location: Solo, Indonesia

ISBN: 978-0-7354-1452-5

Editors:

Volume number: 1788

Published: Jan 3, 2017

PRELIMINARY

OpenJanuary 2017

Preface: International Conference on Engineering, Science and Nanotechnology 2016 (ICESNANO 2016)

AIP Conference Proceedings **1788**, 010001 (2017); <https://doi.org/10.1063/1.4968247>

- - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Group Photo: International Conference on Engineering, Science and Nanotechnology 2016 (ICESNANO 2016)

AIP Conference Proceedings **1788**, 010002 (2017); <https://doi.org/10.1063/1.4968248>

- - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

PLENARY AND INVITED PAPERS

OpenJanuary 2017

Heat transfer characteristics of various kinds of ground heat exchangers for ground source heat pump system

[A. Miyara](#), [K. Kariya](#), [Md. H. Ali](#), [S. B. Selamat](#) and [Jalaluddin](#)

AIP Conference Proceedings **1788**, 020001 (2017); <https://doi.org/10.1063/1.4968249>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Study toward high-performance thermally driven air-conditioning systems

[Takahiko Miyazaki](#), [Jin Miyawaki](#), [Tomonori Ohba](#), [Seong-Ho Yoon](#), [Bidyut Baran Saha](#) and [Shigeru Koyama](#)

AIP Conference Proceedings **1788**, 020002 (2017); <https://doi.org/10.1063/1.4968250>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Transport properties measurement on low GWP alternative refrigerants

[Keishi Kariya](#), [Mohammad Ariful Islam](#), [Alam Md Jahangir](#), [Hirotaka Ishida](#) and [Akio Miyara](#)

AIP Conference Proceedings **1788**, 020003 (2017); <https://doi.org/10.1063/1.4968251>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Generation of high-temperature steam from unused thermal energy by a novel adsorption heat pump

[Koichi Nakaso](#), [Shotaro Eshima](#) and [Jun Fukai](#)

AIP Conference Proceedings **1788**, 020004 (2017); <https://doi.org/10.1063/1.4968252>

- [SHOW ABSTRACT](#)

- - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Deposition of p-type wide-gap semiconductor Cu_xZn_yS

[Masaya Ichimura](#)

AIP Conference Proceedings **1788**, 020005 (2017); <https://doi.org/10.1063/1.4968253>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

CONTRIBUTED ORAL PAPERS

OpenJanuary 2017

Performance and driveline analyses of engine capacity in range extender engine hybrid vehicle

[Achmad Praptijanto](#), [Widodo Budi Santoso](#), [Arifin Nur](#), [Bambang Wahono](#) and [Yanuandri Putrasari](#)

AIP Conference Proceedings **1788**, 030001 (2017); <https://doi.org/10.1063/1.4968254>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Numerical investigation of laminar convective heat transfer for TiO₂/water nanofluids using two-phase mixture model (Eulerian approach)

[Budi Kristiawan](#), [Budi Santoso](#), [Wibawa Endra Juwana](#), [Raden Mahesa Ramadhan](#) and [Ivan Riandana](#)

AIP Conference Proceedings **1788**, 030002 (2017); <https://doi.org/10.1063/1.4968255>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Improving ion-exchange membrane properties by the role of nanoparticles

[Danu Ariono](#) and [Khoiruddin](#)

AIP Conference Proceedings **1788**, 030003 (2017); <https://doi.org/10.1063/1.4968256>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Performance of the drag type of Horizontal Axis Water Turbine (HAWT) as effect of depth to width ratio of blade

Syamsul Hadi, Rio Jevri Apdila, Arif Hidayat Purwono, Eko Prasetya Budiana and Dominicus Danardono Dwi Prija Tjahjana

AIP Conference Proceedings **1788**, 030004 (2017); <https://doi.org/10.1063/1.4968257>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Concentric tube heat exchanger installed by twisted tapes using various wings with alternate axes

Indri Yaningsih and Agung Tri Wijayanta

AIP Conference Proceedings **1788**, 030005 (2017); <https://doi.org/10.1063/1.4968258>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

A modified Newton's method used to solve a steady flow problem based on the shallow water equations

[Sudi Mungkasi](#) and [Juliani Sihotang](#)

AIP Conference Proceedings **1788**, 030006 (2017); <https://doi.org/10.1063/1.4968259>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Comparison between SVPWM two level in internal and external circle of hexagon

[Andhika Giyantara](#) and [Mochammad Rameli](#)

AIP Conference Proceedings **1788**, 030007 (2017); <https://doi.org/10.1063/1.4968260>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Experimental study on optimization of curvature blade impeller pump as turbine which functioned as power plant picohydro

Dwi Aries Himawanto, D. D. D. P. Tjahjana and Hantarum

AIP Conference Proceedings **1788**, 030008 (2017); <https://doi.org/10.1063/1.4968261>

- SHOW ABSTRACT
 -
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Knock detection system to improve petrol engine performance, using microphone sensor

Agus Sujono, Budi Santoso and Wibawa Endra Juwana

AIP Conference Proceedings **1788**, 030009 (2017); <https://doi.org/10.1063/1.4968262>

- SHOW ABSTRACT
 -
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Effect of sintering time on the performance of turmeric dye-sensitized solar cells

Basuki, R. Lullus Lambang G. Hidajat, [Suyitno](#), [Budi Kristiawan](#) and [Rendy Adhi Rachmanto](#)

AIP Conference Proceedings **1788**, 030010 (2017); <https://doi.org/10.1063/1.4968263>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Exergy analysis of a dual-evaporator refrigeration systems

Matheus M. Dwinanto, [Suhanan](#) and [Prajitno](#)

AIP Conference Proceedings **1788**, 030011 (2017); <https://doi.org/10.1063/1.4968264>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Three-dimensional flow in the vicinity of a circular cylinder mounted to a flat plate at high Reynolds number

[Galih Bangga](#), [Andri Ashfahani](#), [Erik Sugianto](#), [Devy Sa'adiyah](#), [Tiara Putri](#), [Eva Jost](#) and [Thorsten Lutz](#)

AIP Conference Proceedings **1788**, 030012 (2017); <https://doi.org/10.1063/1.4968265>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Numerical simulation of flow through pipe with magnitude of valve opening as variant at $Re\ 2 \times 10^5$

[Mahmud](#) and [Wawan Aries Widodo](#)

AIP Conference Proceedings **1788**, 030013 (2017); <https://doi.org/10.1063/1.4968266>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Comparison of wake behind finned cylinders with fin pitch variations in cross-flow

[Sudirman](#) and [Ruslim](#)

AIP Conference Proceedings **1788**, 030014 (2017); <https://doi.org/10.1063/1.4968267>

- [SHOW ABSTRACT](#)

- - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Performance analysis of the electric vehicle air conditioner by replacing hydrocarbon refrigerant

[Budi Santoso](#) and [D. D. D. P. Tjahjana](#)

AIP Conference Proceedings **1788**, 030015 (2017); <https://doi.org/10.1063/1.4968268>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Computational study: The influence of omni-directional guide vane on the flow pattern characteristic around Savonius wind turbine

[Yoga Arob Wicaksono](#) and [D. D. D. P. Tjahjana](#)

AIP Conference Proceedings **1788**, 030016 (2017); <https://doi.org/10.1063/1.4968269>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)

- [SHARE](#)
- [EXPORT CITATION](#)

OpenJanuary 2017

Development of briquette fuel from cashew shells and rice husk mixture

[Eflita Yohana](#), [Arijanto](#), [Ivan Edgar Kalyana](#) and [Andy Lazuardi](#)

AIP Conference Proceedings **1788**, 030017 (2017); <https://doi.org/10.1063/1.4968270>

- [SHOW ABSTRACT](#)
 - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

The study of membrane formation via phase inversion method by cloud point and light scattering experiment

[Nasrul Arahman](#), [Teuku Maimun](#), [Mukramah](#) and [Syawaliah](#)

AIP Conference Proceedings **1788**, 030018 (2017); <https://doi.org/10.1063/1.4968271>

- [SHOW ABSTRACT](#)
 - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Ternary (liquid + liquid) equilibria of (diethyl carbonate + ethanol or 1-propanol + water) systems at 303.15 K under atmospheric pressure

[Rizqy Romadhona Ginting](#), [Asalil Mustain](#), [Ignatius Gunardi](#) and [Gede Wibawa](#)

AIP Conference Proceedings **1788**, 030019 (2017); <https://doi.org/10.1063/1.4968272>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

A numerical study of condensation heat transfer for R-134a in annular flow regime inside horizontal tube

[Teguh Hady Ariwibowo](#), [Fifi Hesty Solihah](#) and [Bambang Harjanto](#)

AIP Conference Proceedings **1788**, 030020 (2017); <https://doi.org/10.1063/1.4968273>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Mass transfer in stirred tank for phenolic extraction from coal tar

Dewi Selvia Fardhyanti, Bahy Wibowo and Muhammad Rafiqi

AIP Conference Proceedings **1788**, 030021 (2017); <https://doi.org/10.1063/1.4968274>

- SHOW ABSTRACT
 - - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

High crystalline Cu_2ZnSnS_4 semiconductor prepared from low toxicity ethanol-based precursors

Badrul Munir, Bayu Eko Prastyo, Dwi Marta Nurjaya, Ersan Yudhapratama Muslih and Sahri Karim Alfauzan

AIP Conference Proceedings **1788**, 030022 (2017); <https://doi.org/10.1063/1.4968275>

- SHOW ABSTRACT
 - - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Experimental evaluation on the use of capillary tube and thermostatic expansion valve with heat recovery hot spot water heater in air source refrigeration system

Azridjal Aziz, [Rahmat Iman Mainil](#), [Afdhal Kurniawan Mainil](#) and [Eko Saputra](#)

AIP Conference Proceedings **1788**, 030023 (2017); <https://doi.org/10.1063/1.4968276>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Effect of water temperature and air stream velocity on performance of direct evaporative air cooler for thermal comfort

Azridjal Aziz, [Rahmat Iman Mainil](#), [Afdhal Kurniawan Mainil](#) and [Hendra Listiono](#)

AIP Conference Proceedings **1788**, 030024 (2017); <https://doi.org/10.1063/1.4968277>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Effect of concave rectangular winglet vortex generator on convection coefficient of heat transfer

Syaiful, Gladys Sugiri, Maria F. Soetanto and Myung-whan Bae

AIP Conference Proceedings **1788**, 030025 (2017); <https://doi.org/10.1063/1.4968278>

- SHOW ABSTRACT
 -
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Wind energy potential assessment to estimate performance of selected wind turbine in northern coastal region of Semarang-Indonesia

B. S. Premono, D. D. D. P. Tjahjana and S. Hadi

AIP Conference Proceedings **1788**, 030026 (2017); <https://doi.org/10.1063/1.4968279>

- SHOW ABSTRACT
 -
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Numerical study of 3D brine flow across ice can to analyze heat transfer characteristics

Arrad Ghani Safitra and Prabowo

AIP Conference Proceedings **1788**, 030027 (2017); <https://doi.org/10.1063/1.4968280>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Thermal analysis of disc brakes using finite element method

Jaenudin, J. Jamari and M. Tauvqirrahman

AIP Conference Proceedings **1788**, 030028 (2017); <https://doi.org/10.1063/1.4968281>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Bifunctional catalyst of graphite-encapsulated iron compound nanoparticle for magnetic carbon nanotubes growth by chemical vapor deposition

Teguh Endah Saraswati, Oktaviana Dewi Indah Prasiwi, Abu Masykur and Miftahul Anwar

AIP Conference Proceedings **1788**, 030029 (2017); <https://doi.org/10.1063/1.4968282>

- SHOW ABSTRACT
 - - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Effect of annealing temperature of titanium dioxide thin films on structural and electrical properties

A. S. Bakri, M. Z. Sahdan, F. Adriyanto, N. A. Raship, N. D. M. Said, S. A. Abdullah and M. S. Rahim

AIP Conference Proceedings **1788**, 030030 (2017); <https://doi.org/10.1063/1.4968283>

- SHOW ABSTRACT
 - - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Effect of electrode and weld current on the physical and mechanical properties of cast iron welding

M. Chamim, [Triyono](#) and [Kuncoro Diharjo](#)

AIP Conference Proceedings **1788**, 030031 (2017); <https://doi.org/10.1063/1.4968284>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Performance prediction of serpentine type compact magnetorheological brake prototype

Ubaidillah, [A. Wibowo](#), [D. Adiputra](#), [D. D. D. P. Tjahjana](#), [M. A. A. Rahman](#) and [S. A. Mazlan](#)

AIP Conference Proceedings **1788**, 030032 (2017); <https://doi.org/10.1063/1.4968285>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Degradation activation energy determination of PEG 4000-quartz composites using dynamic mechanical analyzer (DMA) measurements

[Teuku Andi Fadly](#), [Nur Aini Fauziah](#), [Allif Rosyidy](#), [Mashuri](#) and [Suminar Pratapa](#)

AIP Conference Proceedings **1788**, 030033 (2017); <https://doi.org/10.1063/1.4968286>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Fins effectiveness and efficiency with position function of rhombus sectional area in unsteady condition

[Tito Dwi Nugroho](#) and [P. K. Purwadi](#)

AIP Conference Proceedings **1788**, 030034 (2017); <https://doi.org/10.1063/1.4968287>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

The effect of thermal cycles during aluminum casting on the intermetallic layer formation at the interface of steel crucible

Dedy Hernady, Triyono and Nurul Muhayat

AIP Conference Proceedings **1788**, 030035 (2017); <https://doi.org/10.1063/1.4968288>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Rheological properties of a reclaimed waste tire rubber through high-pressure high-temperature sintering

Ubaidillah, N. A. Yunus, S. A. A. Aziz, N. A. A. Wahab and S. A. Mazlan

AIP Conference Proceedings **1788**, 030036 (2017); <https://doi.org/10.1063/1.4968289>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Combination of ternary $Fe_3O_4/TiO_2/CuO$ nanocomposites and nanographene platelets: High performance photo and sonocatalysis

[Ardiansyah Taufik](#) and [Rosari Saleh](#)

AIP Conference Proceedings **1788**, 030037 (2017); <https://doi.org/10.1063/1.4968290>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Gear distortion analysis due to heat treatment process

[Natalino F. D. S. Guterres](#), [Rusnaldy](#) and [Achmad Widodo](#)

AIP Conference Proceedings **1788**, 030038 (2017); <https://doi.org/10.1063/1.4968291>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Microstructure and mechanical properties of micro-SiC_p particles reinforced magnesium matrix composites with semi-solid stir casting method

[E. I. Bhiftime](#) and [J. B. Belo](#)

AIP Conference Proceedings **1788**, 030039 (2017); <https://doi.org/10.1063/1.4968292>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Effect of wt.% SiC_p and TiB on the mechanical properties in SiC_p/AZ81A magnesium matrix composite by the method semi solid stir casting

[E. I. Bhiftime](#), [Natalino F. D. S. Guterres](#) and [R. Atmaja](#)

AIP Conference Proceedings **1788**, 030040 (2017); <https://doi.org/10.1063/1.4968293>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Study the effect of active carbon modified using HNO₃ for carbon electrodes in capacitive deionization system

Ernes Josias Blegur and Endarko

AIP Conference Proceedings **1788**, 030041 (2017); <https://doi.org/10.1063/1.4968294>

- SHOW ABSTRACT
 -
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Ultrasonic irradiation-driven sonocatalytic degradation of methylene blue by ternary Fe₃O₄/ZnO/NGP nanocomposites

Faurul Fitri Harno, Ardiansyah Taufik and Rosari Saleh

AIP Conference Proceedings **1788**, 030042 (2017); <https://doi.org/10.1063/1.4968295>

- SHOW ABSTRACT
 -
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Mechanical behaviour of biophotocomposite materials: An experimentally validated micromechanics model for tensile strength

[Joko Triyono](#), [Alva Edy Tontowi](#), [Widowati Siswomihardjo](#) and [Rochmadi](#)

AIP Conference Proceedings **1788**, 030043 (2017); <https://doi.org/10.1063/1.4968296>

- [SHOW ABSTRACT](#)
 - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Effect of anneal temperature on fluorine doped tin oxide (FTO) nanostructured fabricated using hydrothermal method

[M. K. Ahmad](#), [N. A. Marzuki](#), [C. F. Soon](#), [N. Nafarizal](#), [R. Sanudin](#), [A. B. Suriani](#), [A. Mohamed](#), [M. Shimomura](#), [K. Murakami](#), [M. H. Mamat](#) and [M. F. Malek](#)

AIP Conference Proceedings **1788**, 030044 (2017); <https://doi.org/10.1063/1.4968297>

- [SHOW ABSTRACT](#)
 - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

The influence of co-sintering Bi_2O_3 on $\text{Yb}_{0.2}\text{Ce}_{0.8}\text{O}_{2-\delta}$ ceramic SOFC

[B. Budiana](#) and [S. Suasmoro](#)

AIP Conference Proceedings **1788**, 030045 (2017); <https://doi.org/10.1063/1.4968298>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

The influence of the number and position of the carbon fiber lamina on the natural frequency and damping ratio of the carbon-glass hybrid composite

[Julian Tri Utomo](#), [Didik Djoko Susilo](#) and [Wijang Wisnu Raharja](#)

AIP Conference Proceedings **1788**, 030046 (2017); <https://doi.org/10.1063/1.4968299>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

The influence of surface modification on sound absorption coefficient of albizzia wood absorber

[Kuncoro Diharjo](#), [Anditya E. Prabowo](#), [Jamasri](#) and [Neng Sri Suharty](#)

AIP Conference Proceedings **1788**, 030047 (2017); <https://doi.org/10.1063/1.4968300>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

The effect of polymer concentration on flux stability of polysulfone membrane

[D. Ariono](#), [P. T. P. Aryanti](#), [S. Subagjo](#) and [I. G. Wenten](#)

AIP Conference Proceedings **1788**, 030048 (2017); <https://doi.org/10.1063/1.4968301>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Effect of acetylation treatment and soaking time to bending strength of sugar palm fiber composite

[Kuncoro Diharjo](#), [Andy Permana](#), [Robbi Arsada](#), [Gundhi Asmoro](#), [Herru Santosa Budiono](#) and [Yohanes Firdaus](#)

AIP Conference Proceedings **1788**, 030049 (2017); <https://doi.org/10.1063/1.4968302>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Enhancing on bending properties of sugar palm fiber composite using alkali treatment

[Kuncoro Diharjo](#), [Sahid Bayu Setiajit](#), [Setyo Rojikin](#), [Hammar Ilham Akbar](#), [Ilham Taufik Maulana](#), [Dimas. M. Natsir](#) and [Yohanes Waloyo](#)

AIP Conference Proceedings **1788**, 030050 (2017); <https://doi.org/10.1063/1.4968303>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

The effect of orientation difference in fused deposition modeling of ABS polymer on the processing time, dimension accuracy, and strength

[Yopi Y. Tanoto](#), [Juliana Anggono](#), [Ian H. Siahaan](#) and [Wesley Budiman](#)

AIP Conference Proceedings **1788**, 030051 (2017); <https://doi.org/10.1063/1.4968304>

- SHOW ABSTRACT
 - - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Experimental study of flexural capacity on bamboo ori strip notched v reinforced concrete beams

Agus Setiya Budi, A. P. Rahmadi and Endang Rismunarsi

AIP Conference Proceedings **1788**, 030052 (2017); <https://doi.org/10.1063/1.4968305>

- SHOW ABSTRACT
 - - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

The engineering of soft ferromagnetic plane by AISI 304 hardening process

Naila Mubarok, Hamdan Akbar Notonegoro, Kemas Ahmad Zaini Thosin and Azwar Manaf

AIP Conference Proceedings **1788**, 030053 (2017); <https://doi.org/10.1063/1.4968306>

- SHOW ABSTRACT
 - - PDF

- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

OpenJanuary 2017

A simple temperature evaluation in high-pressure magnetron sputtering plasma using optical emission spectroscopy (OES) technique

[Soo Ren How](#), [Nafarizal Nayan](#) and [Jais Lias](#)

AIP Conference Proceedings **1788**, 030054 (2017); <https://doi.org/10.1063/1.4968307>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

The use of sugarcane bagasse in PP matrix composites: A comparative study of bagasse treatment using calcium hydroxide and sodium hydroxide on composite strength

[Juliana Anggono](#), [Suwandi Sugondo](#), [Sanjaya Sewucipto](#), [Hariyati Purwaningsih](#) and [Steven Henrico](#)

AIP Conference Proceedings **1788**, 030055 (2017); <https://doi.org/10.1063/1.4968308>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)

- [SHARE](#)
- [EXPORT CITATION](#)

OpenJanuary 2017

Application of sandwich honeycomb carbon/glass fiber-honeycomb composite in the floor component of electric car

[I. C. Sukmaji](#), [W. R. Wijang](#), [S. Andri](#), [K. Bambang](#) and [T. Teguh](#)

AIP Conference Proceedings **1788**, 030056 (2017); <https://doi.org/10.1063/1.4968309>

- [SHOW ABSTRACT](#)
 - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

The effect of heating temperature in static thermal tensioning (STT) welding on mechanical properties and fatigue crack propagation rate of FCAW in steel A 36

[N. Subeki](#), [Jamasri](#), [M. N. Ilman](#) and [P. T. Iswanto](#)

AIP Conference Proceedings **1788**, 030057 (2017); <https://doi.org/10.1063/1.4968310>

- [SHOW ABSTRACT](#)
 - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

The effect of core thickness variation of sandwich composite cantala rHDPE on mechanical strength of bending test

Andri Setiadi, Wijang Wisnu Raharjo and Teguh Triyono

AIP Conference Proceedings **1788**, 030058 (2017); <https://doi.org/10.1063/1.4968311>

- SHOW ABSTRACT
 - - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Effect of codoping cobalt and aluminum on enhancing the piezoelectricity properties of fiber-based zinc oxide

Dedi Subagiyo, M. Thoyib, Suyitno, Syamsul Hadi, Anif Jamaluddin and R. L. L. G. Hidayat

AIP Conference Proceedings **1788**, 030059 (2017); <https://doi.org/10.1063/1.4968312>

- SHOW ABSTRACT
 - - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Effects of alkali and steaming on mechanical properties of snake fruit (Salacca) fiber

[Seno Darmanto](#), [Heru S. B. Rochardjo](#), [Jamasri](#) and [Ragil Widyorini](#)

AIP Conference Proceedings **1788**, 030060 (2017); <https://doi.org/10.1063/1.4968313>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Adhesion strength study of sintered silver for power electronic devices application

[M. T. Asmah](#)

AIP Conference Proceedings **1788**, 030061 (2017); <https://doi.org/10.1063/1.4968314>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Fabrication and characterization dye sensitized solar cell (DSSC) based on TiO₂/SnO₂ composite

Musyaro'ah, Ichsanul Huda, Wahyu Indayani, Bodi Gunawan, G. Yudhoyono and Endarko
AIP Conference Proceedings **1788**, 030062 (2017); <https://doi.org/10.1063/1.4968315>

- SHOW ABSTRACT
 -
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Estimation of calcaneal loading during standing from human footprint depths using 3D scanner

Dwi Basuki Wibowo, Gunawan Dwi Haryadi, Achmad Widodo and Sri Puji Rahayu

AIP Conference Proceedings **1788**, 030063 (2017); <https://doi.org/10.1063/1.4968316>

- SHOW ABSTRACT
 -
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Failure analysis and evaluation of a six cylinders crankshaft for marine diesel generator

Khaeroman, Gunawan Dwi Haryadi, R. Ismail and Seon Jin Kim

AIP Conference Proceedings **1788**, 030064 (2017); <https://doi.org/10.1063/1.4968317>

- SHOW ABSTRACT
 -

- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

OpenJanuary 2017

Simulation model of harmonics reduction technique using shunt active filter by cascade multilevel inverter method

[Angga Muhamad Andreh](#), [Subiyanto](#) and [Said Sunardiyo](#)

AIP Conference Proceedings **1788**, 030065 (2017); <https://doi.org/10.1063/1.4968318>

- [SHOW ABSTRACT](#)

- - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Hot-corrosion of AISI 1020 steel in a molten NaCl/Na₂SO₄ eutectic at 700°C

[Mohammad Badaruddin](#), [Ahmad Yudi Eka Risano](#), [Herry Wardono](#) and [Dwi Asmi](#)

AIP Conference Proceedings **1788**, 030066 (2017); <https://doi.org/10.1063/1.4968319>

- [SHOW ABSTRACT](#)

- - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

The effect the effectiveness of the liquid suction heat exchanger to performance of cold storage with refrigerant R22, R404A and R290/R600a

[Prayudi](#), [Roswati Nurhasanah](#) and [Retno Aita Diantari](#)

AIP Conference Proceedings **1788**, 030067 (2017); <https://doi.org/10.1063/1.4968320>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

CFD analysis of artificial slippage and surface texturing in lubricated sliding contact considering cavitation

[Ariawan Wahyu Pratomo](#), [Reza Risky Romadhon](#), [Muchammad](#), [Mohammad Tauviqirrahman](#), [J. Jamari](#) and [Athanasius P. Bayuseno](#)

AIP Conference Proceedings **1788**, 030068 (2017); <https://doi.org/10.1063/1.4968321>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Synthesis of carbon nanodots from waste paper with hydrothermal method

Andi Fadllan, [Putut Marwoto](#), [M. P. Aji](#), [Susanto](#) and [R. S. Iswari](#)

AIP Conference Proceedings **1788**, 030069 (2017); <https://doi.org/10.1063/1.4968322>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Numerical study of the totally asymmetric simple exclusion process that consists of only a single site for modeling the dynamics of Coulomb blockade in 2D quantum dot

[Wipsar Sunu Brams Dwandaru](#)

AIP Conference Proceedings **1788**, 030070 (2017); <https://doi.org/10.1063/1.4968323>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Design of a hip prosthetic tribometer based on salat gait cycle

T. Towijaya, R. Ismail and J. Jamari

AIP Conference Proceedings **1788**, 030071 (2017); <https://doi.org/10.1063/1.4968324>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Evaluation of PD/PID controller for insulin control on blood glucose regulation in a Type-I diabetes

Farhanahani Mahmud, Nadir Hussien Isse, Nur Atikah Mohd Daud and Marlia Morsin

AIP Conference Proceedings **1788**, 030072 (2017); <https://doi.org/10.1063/1.4968325>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Pt nanoparticle on $La_{0.02}Na_{0.98}TaO_3$ catalyst for hydrogen evolution from glycerol aqueous solution

[Husni Husin](#), [Adisalamun](#), [Yuliana Sy](#), [Teku Muhammad Asnawi](#) and [Fikri Hasfita](#)

AIP Conference Proceedings **1788**, 030073 (2017); <https://doi.org/10.1063/1.4968326>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Redesigning the continuous vacuum sealer packaging machine to improve the processing speed

[J. B. Belo](#), [S. A. Widyanto](#) and [J. Jamari](#)

AIP Conference Proceedings **1788**, 030074 (2017); <https://doi.org/10.1063/1.4968327>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Camouflage design and head measurement characteristic of Indonesian armoured vehicle helmet

[Yukhi Mustaqim Kusuma Sya'bana](#) and [K. H. Sanjaya](#)

AIP Conference Proceedings **1788**, 030075 (2017); <https://doi.org/10.1063/1.4968328>

- [SHOW ABSTRACT](#)
 - - [PDF](#)

- [PDF](#)
- [E-READER](#)
- [ADD TO FAVORITES](#)
- [SHARE](#)
- [EXPORT CITATION](#)

OpenJanuary 2017

The effect of linear spring number at side load of McPherson suspension in electric city car

[Sigit Setijo Budi](#), [Agus Suprihadi](#), [Agus Makhrojan](#), [Rifky Ismail](#) and [J. Jamari](#)

AIP Conference Proceedings **1788**, 030076 (2017); <https://doi.org/10.1063/1.4968329>

- [SHOW ABSTRACT](#)

- - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

The effect of load and thickness variation on stress analysis of monocoque frame of electric city car using FEM

[Agus Makhrojan](#), [Agus Suprihadi](#), [Sigit Setijo Budi](#), [J. Jamari](#) and [Rifky Ismail](#)

AIP Conference Proceedings **1788**, 030077 (2017); <https://doi.org/10.1063/1.4968330>

- [SHOW ABSTRACT](#)

- - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)

- [EXPORT CITATION](#)

OpenJanuary 2017

Liquid-liquid equilibrium measurement of ternary system containing β -caryophyllene in the water and 2-propanol mixture

[Rizky Tetrisyanda](#), [Kuswandi](#) and [Gede Wibawa](#)

AIP Conference Proceedings **1788**, 030078 (2017); <https://doi.org/10.1063/1.4968331>

- [SHOW ABSTRACT](#)
 - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Lethality of Rendang packaged in multilayer retortable pouch with sterilization process

[A. S. Praharasti](#), [A. Kusumaningrum](#), [A. Frediansyah](#), [A. Nurhikmat](#), [Y. Khasanah](#) and [Suprapedi](#)

AIP Conference Proceedings **1788**, 030079 (2017); <https://doi.org/10.1063/1.4968332>

- [SHOW ABSTRACT](#)
 - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

The effect of different graphene surface area on photocatalytic activity of LaFeO₃ nanoparticles

Nur Afifah and Rosari Saleh

AIP Conference Proceedings **1788**, 030080 (2017); <https://doi.org/10.1063/1.4968333>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

Open January 2017

Fault diagnosis of roller bearing using parameter evaluation technique and multi-class support vector machine

Didik Djoko Susilo, Achmad Widodo, Toni Prahasto and Muhammad Nizam

AIP Conference Proceedings **1788**, 030081 (2017); <https://doi.org/10.1063/1.4968334>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

Open January 2017

Preparation of activated carbon from mangrove propagule waste by H_3PO_4 activation for Pb^{2+} adsorption

Widi Astuti, Rizki Agus Hermawan, Hariono Mukti and Nurul Retno Sugiyono

AIP Conference Proceedings **1788**, 030082 (2017); <https://doi.org/10.1063/1.4968335>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Sediment characteristic on hydropower plant Bakaru, South Sulawesi

Firman, A. M. Shiddiq Yunus and M. Yusuf Yunus

AIP Conference Proceedings **1788**, 030083 (2017); <https://doi.org/10.1063/1.4968336>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Finite element analysis of electric bicycle frame geometries

[Sukmaji Indro Cahyono](#), [Miftahul Anwar](#), [Kuncoro Diharjo](#), [Teguh Triyono](#), [Abdul Hapid](#) and [Sunarto Kaleg](#)

AIP Conference Proceedings **1788**, 030084 (2017); <https://doi.org/10.1063/1.4968337>

- SHOW ABSTRACT
 - - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Constrained H_∞ /LTR control design for a mobile inverted pendulum

[Andri Ashfahanil](#), [Galih Bangga](#), [Slamet Budiprayitno](#), [Agus Yulianto](#) and [Devi Ratnasari](#)

AIP Conference Proceedings **1788**, 030085 (2017); <https://doi.org/10.1063/1.4968338>

- SHOW ABSTRACT
 - - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Kinetics study of Jatropha oil esterification with ethanol in the presence of tin (II) chloride catalyst for biodiesel production

[Ratna Dewi Kusumaningtyas](#), [Naomi Ratrianti](#), [Indah Purnamasari](#) and [Arief Budiman](#)

AIP Conference Proceedings **1788**, 030086 (2017); <https://doi.org/10.1063/1.4968339>

- SHOW ABSTRACT
 - - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

A hardware acceleration based on high-level synthesis approach for glucose-insulin analysis

Nur Atikah Mohd Daud, Farhanahani Mahmud and Muhamad Hairol Jabbar

AIP Conference Proceedings **1788**, 030087 (2017); <https://doi.org/10.1063/1.4968340>

- SHOW ABSTRACT
 - - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

The development of IoT based BBT charting and monitoring using ThingSpeak

Muhammad Syukri Mohd Yazed and Farhanahani Mahmud

AIP Conference Proceedings **1788**, 030088 (2017); <https://doi.org/10.1063/1.4968341>

- SHOW ABSTRACT
 - - PDF
 - E-READER
 - ADD TO FAVORITES

- [SHARE](#)
- [EXPORT CITATION](#)

OpenJanuary 2017

IT priority troubleshooting using analytical hierarchy process method (case study at the Indonesian Railways Co)

[Aryo Baskoro Utomo](#) and [Silvia Wahyu Palupi](#)

AIP Conference Proceedings **1788**, 030089 (2017); <https://doi.org/10.1063/1.4968342>

- [SHOW ABSTRACT](#)
 - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Removal performance of NO_3^- ion from groundwater by electro dialysis

[Nasrul Arahman](#), [Sri Mulyati](#), [Mirna Rahmah Lubis](#), [Ryosuke Takagi](#) and [Hideto Matsuyama](#)

AIP Conference Proceedings **1788**, 030090 (2017); <https://doi.org/10.1063/1.4968343>

- [SHOW ABSTRACT](#)
 - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Growth and characterization of nanostructured CuO films via CBD approach for oxygen gas sensing

M. F. Nurfazliana, M. Z. Sahdan and H. Saim

AIP Conference Proceedings **1788**, 030091 (2017); <https://doi.org/10.1063/1.4968344>

- SHOW ABSTRACT
 - - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Simple fabricating PCB-based inter digital capacitor for glucose biosensor

Anif Jamaluddin, Usman Taufik, Yofentina Iriani, Sri Budiawanti and Suyitno

AIP Conference Proceedings **1788**, 030092 (2017); <https://doi.org/10.1063/1.4968345>

- SHOW ABSTRACT
 - - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Effect of core manufacture process for electric motor efficiency

[M. Nizam](#), [M. Anwar](#), [T. W. Hery](#), [Q. M. Asep](#) and [M. P. Novianta](#)

AIP Conference Proceedings **1788**, 030093 (2017); <https://doi.org/10.1063/1.4968346>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Numerical study of multiple-channel diffusers on the rear bus body

[Sabdono Abdi Sucipto](#) and [Wawan Aries Widodo](#)

AIP Conference Proceedings **1788**, 030094 (2017); <https://doi.org/10.1063/1.4968347>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Size dependence effect of carbon-based anode material on intercalation characteristics of Li-ion battery

[Miftahul Anwar](#), [Dwi Rahmat Jupri](#) and [Teguh Endah Saraswati](#)

AIP Conference Proceedings **1788**, 030095 (2017); <https://doi.org/10.1063/1.4968348>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Shelf-life prediction of canned “nasi uduk” using accelerated shelf-life test (ASLT) - Arrhenius model

[Muhamad Kurniadi](#), [Nur Salam](#), [Annisa Kusumaningrum](#), [Asri Nursiwi](#), [Mukhamad Angwar](#), [Agus Susanto](#), [Asep Nurhikmat](#), [Triwiyono](#) and [Andri Frediansyah](#)

AIP Conference Proceedings **1788**, 030096 (2017); <https://doi.org/10.1063/1.4968349>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Phase transformation of TiO_2 powder prepared by $TiCl_4$ hydrolysis-electrolysis

[Adrian Nur](#), [Agus Purwanto](#), [Arif Jumari](#), [Endah R. Dyartanti](#), [Richard Leonardo A. N.](#) and [Barry Januari Gultom](#)

AIP Conference Proceedings **1788**, 030097 (2017); <https://doi.org/10.1063/1.4968350>

- SHOW ABSTRACT
 - - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Nutritional and sensory characteristics of sari tempe formulated from import soybean (glycine max)

Muhamad Kurniadi, Martina Andriani, Intan Indriana Sari, Mukhamad Angwar, Rifa Nurhayati, Yuniar Khasanah and Tri Wiyono

AIP Conference Proceedings **1788**, 030098 (2017); <https://doi.org/10.1063/1.4968351>

- SHOW ABSTRACT
 - - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

The effect of milling time and sintering temperature on formation of nanoparticles barium strontium titanate

Erlina Yustanti, Mas Ayu Elita Hafizah and Azwar Manaf

AIP Conference Proceedings **1788**, 030099 (2017); <https://doi.org/10.1063/1.4968352>

- SHOW ABSTRACT
 - - PDF
 - E-READER
 - ADD TO FAVORITES

- [SHARE](#)
- [EXPORT CITATION](#)

OpenJanuary 2017

VLPs of HCV local isolates for HCV immunoassay diagnostic approach in Indonesia

[Afiono Agung Prasetyo](#)

AIP Conference Proceedings **1788**, 030100 (2017); <https://doi.org/10.1063/1.4968353>

- [SHOW ABSTRACT](#)
 - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Structural studies of ZnO nanostructures by varying the deposition parameters

[S. H. A. Yunus](#), [M. Z. Sahdan](#), [M. Ichimura](#), [A. Supee](#) and [S. Rahim](#)

AIP Conference Proceedings **1788**, 030101 (2017); <https://doi.org/10.1063/1.4968354>

- [SHOW ABSTRACT](#)
 - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Synthesis of LiFePO_4/C composites based on natural iron stone using a sol gel method

Riyan Angela, Humaatul Islam, Vamellia Sari, Chaironi Latif, Mochamad Zainuri and Suminar Pratapa

AIP Conference Proceedings **1788**, 030102 (2017); <https://doi.org/10.1063/1.4968355>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Adomian decomposition method used to solve the gravity wave equations

Sudi Mungkasi and Maria Febronia Sedho Dheno

AIP Conference Proceedings **1788**, 030103 (2017); <https://doi.org/10.1063/1.4968356>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Dye-Sensitized Solar Cells (DSSCs) reengineering using TiO₂ with natural dye (anthocyanin)

[Rohmat Subodro](#), [Budi Kristiawan](#), [Ari Handono Ramelan](#), [Sayekti Wahyuningsih](#), [Hanik Munawaroh](#), [Qonita Awliya Hanif](#) and [Liya Nikmatul Maula Zulfa Saputri](#)

AIP Conference Proceedings **1788**, 030104 (2017); <https://doi.org/10.1063/1.4968357>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

FPGA in-the-loop simulations of cardiac excitation model under voltage clamp conditions

[Norliza Othman](#), [Nur Atiqah Adon](#) and [Farhanahani Mahmud](#)

AIP Conference Proceedings **1788**, 030105 (2017); <https://doi.org/10.1063/1.4968358>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

The subsurface three-dimensional modeling of volcano arc of Flores island based on gravity data analysis

[Yopiter Lukas Alexander Titi](#) and [Eko Minarto](#)

AIP Conference Proceedings **1788**, 030106 (2017); <https://doi.org/10.1063/1.4968359>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Performance analysis of carbon electrode synthesized with poly (vinyl alcohol) and citric acid as cross-linking agent for desalination of NaCl solution in capacitive deionization

[Boby Willem Nulik](#) and [Endarko](#)

AIP Conference Proceedings **1788**, 030107 (2017); <https://doi.org/10.1063/1.4968360>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Manufacturing temperature and turbidity sensor based on ATmega 8535 microcontroller

[Nike Ika Nuzula](#), [Wazirotus Sakinah](#) and [Endarko](#)

AIP Conference Proceedings **1788**, 030108 (2017); <https://doi.org/10.1063/1.4968361>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Application of static retort thermal processing technology for dried beef Rendang production: Evaluation of its post-processing on microbiological and physicochemical properties

[Andri Frediansyah](#), [Anggita Sari Praharasti](#), [Annisa Kusumaningrum](#), [Asep Nurhikmat](#), [Agus Susanto](#), [Yuniar Khasanah](#) and [Rifa Nurhayati](#)

AIP Conference Proceedings **1788**, 030109 (2017); <https://doi.org/10.1063/1.4968362>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Soft ferromagnetic properties of Ni₄₄Fe₆Mn₃₂Al₁₈ doped Co partially

[Hamdan Akbar Notonegoro](#), [Budhy Kurniawan](#), [Candra Kurniawan](#) and [Azwar Manaf](#)

AIP Conference Proceedings **1788**, 030110 (2017); <https://doi.org/10.1063/1.4968363>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Michaelis kinetic analysis of extracellular cellulase and amylase excreted by Lactobacillus plantarum during cassava fermentation

[Andri Frediansyah](#) and [Muhamad Kurniadi](#)

AIP Conference Proceedings **1788**, 030111 (2017); <https://doi.org/10.1063/1.4968364>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Optimization of oxygen on Nb-doped TiO₂ using DC and RF magnetron sputtering using composite and metal target

[S. A. Abdullah](#), [M. Z. Sahdan](#), [N. Nafarizal](#), [F. Adriyanto](#), [H. Saim](#), [S. N. M. Tawil](#) and [A. S. Bakri](#)

AIP Conference Proceedings **1788**, 030112 (2017); <https://doi.org/10.1063/1.4968365>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Comparative study between chemical and atmospheric pressure plasma jet cleaning on glass substrate

[Rizan Rizon Elfa](#), [Mohd Khairul Ahmad](#), [Soon Chin Fhong](#), [Mohd Zainizan Sahdan](#) and [Nafarizal Nayan](#)

AIP Conference Proceedings **1788**, 030113 (2017); <https://doi.org/10.1063/1.4968366>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

The influence of white and blue silica gels as adsorbents in adsorptive-distillation of ethanol-water mixture

Megawati, [Reni Ainun Jannah](#) and [Indi Rahayuningtiyas](#)

AIP Conference Proceedings **1788**, 030114 (2017); <https://doi.org/10.1063/1.4968367>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

One-pot microwave-assisted colloidal synthesis of Ag₂O/ZnO/nanographene platelets composites: Photocatalytic studies

Suhendro P. Prakoso, [H. Tju](#), [V. Paramarta](#), [A. Taufik](#) and [R. Saleh](#)

AIP Conference Proceedings **1788**, 030115 (2017); <https://doi.org/10.1063/1.4968368>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Electromyography (EMG) signal recognition using combined discrete wavelet transform based adaptive neuro-fuzzy inference systems (ANFIS)

[Moh Arozi](#), [Farika T. Putri](#), [Mochammad Ariyanto](#), [Khusnul Ari M.](#), [Munadi](#) and [Joga D. Setiawan](#)

AIP Conference Proceedings **1788**, 030116 (2017); <https://doi.org/10.1063/1.4968369>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Controlled defect on multilayer graphene surface by oxygen plasma

[Marriatyi Morsin](#), [Suhaila Isaak](#), [Marlia Morsin](#) and [Yusmeeraz Yusof](#)

AIP Conference Proceedings **1788**, 030117 (2017); <https://doi.org/10.1063/1.4968370>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

A hybrid filter to mitigate harmonics caused by nonlinear load and resonance caused by power factor correction capacitor

[N. F. Adan](#) and [D. M. Soomro](#)

AIP Conference Proceedings **1788**, 030118 (2017); <https://doi.org/10.1063/1.4968371>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Surfactant-assisted synthesis of $Ba_{0.7}Sr_{0.3}TiO_3$ nanoparticles by mechanical alloying and ultrasonic irradiation

[Erlina Yustanti](#), [Mas Ayu Elita Hafizah](#) and [Azwar Manaf](#)

AIP Conference Proceedings **1788**, 030119 (2017); <https://doi.org/10.1063/1.4968372>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Effect of precursor's concentration on structure and morphology of ZnO nanorods synthesized through hydrothermal method on gold surface

[M. K. Mustafa](#), [Y. Iqbal](#), [U. Majeed](#) and [M. Z. Sahdan](#)

AIP Conference Proceedings **1788**, 030120 (2017); <https://doi.org/10.1063/1.4968373>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Effect of annealing temperature on the properties of copper oxide films prepared by dip coating technique

[N. A. Raship](#), [M. Z. Sahdan](#), [F. Adriyanto](#), [M. F. Nurfazliana](#) and [A. S. Bakri](#)

AIP Conference Proceedings **1788**, 030121 (2017); <https://doi.org/10.1063/1.4968374>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Phase analysis of ZrO₂-SiO₂ systems synthesized through Ball milling mechanical activations

Rizka Nurlaila, [Musyarofah](#), [Nibras Fuadi Muwwaqor](#), [Triwikantoro](#), [Anton Kuswoyo](#) and [Suminar Pratapa](#)

AIP Conference Proceedings **1788**, 030122 (2017); <https://doi.org/10.1063/1.4968375>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Performance enhancement of dye-sensitized solar cells (DSSCs) using a natural sensitizer

Zainal Arifin, [Sudjito Soeparman](#), [Denny Widhiyanuriyawan](#), [Bayu Sutanto](#) and [Suyitno](#)

AIP Conference Proceedings **1788**, 030123 (2017); <https://doi.org/10.1063/1.4968376>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Green synthesis of silver nanoparticles in biopolymer stabilizer and their application as antibacterial efficacy

Miftah Faried, Kamyar Shameli, Ubaidillah, Mikio Miyake, Hirofumi Hara and Nurul Bahiyah Ahmad Khairudin

AIP Conference Proceedings **1788**, 030124 (2017); <https://doi.org/10.1063/1.4968377>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Sono- and photocatalytic activities of SnO₂ nanoparticles for degradation of cationic and anionic dyes

Valentinus Paramarta, Ardiansyah Taufik, Lusitra Munisa and Rosari Saleh

AIP Conference Proceedings **1788**, 030125 (2017); <https://doi.org/10.1063/1.4968378>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

The influence of two-type graphene material on photocatalytic activity of ZrO₂ nanoparticles under UV light irradiation

Yogi Kristianto, Ardiansyah Taufik, Lusitra Munisa and Rosari Saleh

AIP Conference Proceedings **1788**, 030126 (2017); <https://doi.org/10.1063/1.4968379>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Comparison result between simulation and experiment of coupled series triple quantum dots and its characteristics with SIMON 2.0

Surya Ramadhan, Akhmad Alfaruq, Resa Pramudita and Muhammad Amin Sulthoni

AIP Conference Proceedings **1788**, 030127 (2017); <https://doi.org/10.1063/1.4968380>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

The influence of various concentrations of N-doped TiO₂ as photoanode to increase the efficiency of dye-sensitized solar cell

Bodi Gunawan, Musyaro'ah, Ichsanul Huda, Wahyu Indayani, Seni Ramadhanti S. and Endarko
AIP Conference Proceedings **1788**, 030128 (2017); <https://doi.org/10.1063/1.4968381>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Analysis of the crystal structure and electrical properties of Li-doped (K, Na)NbO₃ prepared by solid state reaction

Dian Agustinawati, Nur Lailiyah Isnaini and S. Suasmoro

AIP Conference Proceedings **1788**, 030129 (2017); <https://doi.org/10.1063/1.4968382>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Effects of Al doping on structural, morphology, electrical and optical properties of TiO₂ thin film

[N. D. M. Said](#), [M. Z. Sahdan](#), [A. Ahmad](#), [I. Senain](#), [A. S. Bakri](#), [S. A. Abdullah](#) and [M. S. Rahim](#)

AIP Conference Proceedings **1788**, 030130 (2017); <https://doi.org/10.1063/1.4968383>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Photocatalytic, sonocatalytic, and photosonocatalytic of Fe₃O₄/CuO/ZnO nanocomposites with addition of 2 different types of carbon

[Hendry Tju](#), [Ardiansyah Taufik](#) and [Rosari Saleh](#)

AIP Conference Proceedings **1788**, 030131 (2017); <https://doi.org/10.1063/1.4968384>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Experimental study of the effect of addition of gold nanoparticles on CdSe quantum dots sensitized solar cells

Wahyu Indayani, Ichsanul Huda, Herliansyah, Fasya Khuzaimah, Musyaro'ah, Bodi Gunawan and Endarko

AIP Conference Proceedings **1788**, 030132 (2017); <https://doi.org/10.1063/1.4968385>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Comparison between absolute densities of metastable state and ground state of atoms in CZTS sputtering plasmas

Nafarizal Nayan and Koichi Sasaki

AIP Conference Proceedings **1788**, 030133 (2017); <https://doi.org/10.1063/1.4968386>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Effect of gas on the structural and electrical properties of titanium dioxide film

M. S. Rahim, M. Z. Sahdan, A. S. Bakri, N. D. M. Said, S. H. A. Yunus and J. Lias

AIP Conference Proceedings **1788**, 030134 (2017); <https://doi.org/10.1063/1.4968387>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

OpenJanuary 2017

Feasibility study of high-temperature resistivity measurement apparatus with four-point probe method: Designing, manufacturing, and validating process

Syamsul Hadi, Aditya Yuli Indrawan, Agus Kurniawan and Suyitno

AIP Conference Proceedings **1788**, 030135 (2017); <https://doi.org/10.1063/1.4968388>

- SHOW ABSTRACT
 - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

CONTRIBUTED POSTER PAPERS

OpenJanuary 2017

Current progress on zeolite membrane reactor for CO₂ hydrogenation

[I. G. B. N. Makertiharta](#), [P. T. Dharmawijaya](#) and [I. G. Wenten](#)

AIP Conference Proceedings **1788**, 040001 (2017); <https://doi.org/10.1063/1.4968389>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Conceptual framework on the application of biomechanical measurement methods in driving behavior study

[Kadek Heri Sanjaya](#) and [Yukhi Mustaqim Kusuma Sya'bana](#)

AIP Conference Proceedings **1788**, 040002 (2017); <https://doi.org/10.1063/1.4968390>

- [SHOW ABSTRACT](#)
 - - [PDF](#)
 - [E-READER](#)
 - [ADD TO FAVORITES](#)
 - [SHARE](#)
 - [EXPORT CITATION](#)

OpenJanuary 2017

Supported ionic liquid membrane in membrane reactor

[I. G. B. N. Makertihartha](#), [M. Zunita](#), [P. T. Dharmawijaya](#) and [I. G. Wenten](#)

- SHOW ABSTRACT
 - - PDF
 - E-READER
 - ADD TO FAVORITES
 - SHARE
 - EXPORT CITATION

Source details

[Feedback](#) > [Compare sources](#) >

AIP Conference Proceedings
Scopus coverage years: from 1973 to 1978, from 1983 to 1984, 1993, from 2000 to 2001, from 2003 to Present
Publisher: American Institute of Physics
ISSN: 0094-243X E-ISSN: 1551-7616
Subject area: [Physics and Astronomy General Physics and Astronomy](#)
Source type: Conference Proceeding

[View all documents](#) > [Set document alert](#) [Save to source list](#)

CiteScore 2021 [0.8](#)
SJR 2021 [0.189](#)
SNIP 2021 [0.262](#)

[CiteScore](#) [CiteScore rank & trend](#) [Scopus content coverage](#)

Improved CiteScore methodology ✕
CiteScore 2021 counts the citations received in 2018-2021 to articles, reviews, conference papers, book chapters and data papers published in 2018-2021, and divides this by the number of publications published in 2018-2021. [Learn more](#) >

CiteScore 2021 [34,444 Citations 2018 - 2021](#)
0.8 - [43,453 Documents 2018 - 2021](#)
Calculated on 05 May, 2022

CiteScoreTracker 2022 [21,669 Citations to date](#)
0.7 - [33,086 Documents to date](#)
Last updated on 06 June, 2022 - Updated monthly

CiteScore rank 2021 [0.8](#) 0.7 0.9 1.0 1.1 1.2 1.3 1.4 1.5 1.6 1.7 1.8 1.9 2.0 2.1 2.2 2.3 2.4 2.5 2.6 2.7 2.8 2.9 3.0 3.1 3.2 3.3 3.4 3.5 3.6 3.7 3.8 3.9 4.0 4.1 4.2 4.3 4.4 4.5 4.6 4.7 4.8 4.9 5.0 5.1 5.2 5.3 5.4 5.5 5.6 5.7 5.8 5.9 6.0 6.1 6.2 6.3 6.4 6.5 6.6 6.7 6.8 6.9 7.0 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 8.0 8.1 8.2 8.3 8.4 8.5 8.6 8.7 8.8 8.9 9.0 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 10.0

Category	Rank	Percentile
Physics and Astronomy		
General Physics and Astronomy	#194/240	19th

[View CiteScore methodology](#) > [CiteScore FAQ](#) > [Add CiteScore to your site](#) [0.8](#)

Would you help us improve Scopus?
It will take just a few minutes.
[Maybe later](#) [Share your thoughts](#)



Certificate of Appreciation

to

Dr. Juliana Anggono

for having involved as

PRESENTER

in

International Conference on Engineering, Science and Nanotechnology 2016


Solo, Indonesia

August 3rd(Wed)-5th(Fri), 2016

Organisers



**icesnano
2016**


Dr. Budi Kristiawan
Conference Chair

The Use of Sugarcane Bagasse in PP Matrix Composites: A Comparative Study of Bagasse Treatment Using Calcium Hydroxide and Sodium Hydroxide on Composite Strength

Juliana Anggono,^{1,a)} Suwandi Sugondo,^{1,b)} Sanjaya Sewucipto,^{1,c)} Hariyati Purwaningsih,^{2,d)} and Steven Henrico^{1,e)}

¹*Mechanical Engineering Department, Petra Christian University, Jalan Siwalankerto 121-131, Surabaya 60236, Indonesia*

²*Materials and Metallurgical Engineering Department, Sepuluh Nopember Institute of Technology, Jalan Teknik Industri, Kampus ITS Sukolilo, Surabaya 60111, Indonesia*

a)Corresponding author: julianaa@petra.ac.id

b) aeusug@indo.net.id

c) ssewucipto@gmail.com

d) hariyati@mat-eng.its.ac.id

e) huangsemin@gmail.com

Abstract. Sugarcane fibers have been studied as reinforcement fibers to develop biocomposites of sugarcane fibers-polypropylene (PP). In this study, two different alkaline solutions were used to modify the sugarcane bagasse fibers, i.e. 10% v/v NaOH and 14% v/v Ca(OH)₂ solution for 4 hours. Sugarcane fibers filled to polypropylene (PP) matrix was 3 cm, 5 cm and as their original length. They were added in the various weight percentage ratios between sugarcane fibers to PP of 20/80, 25/75, and 30/70. Fourier-Transform Infrared (FTIR) spectroscopy was used to study the chemical structure of bagasse fibers after treatment. Composite strength was measured by tensile test which was performed in accordance with ASTM D638-03. The fracture surface of tensile tested composite specimens contained fibers from both treatment was evaluated using Scanning Electron Microscope (SEM). Results from the tensile test show that performing NaOH treatment for 4 hours could increase the tensile strength of the composites to 24.92 MPa when original length sugarcane fibers was used in the 25/75 weight ratio. Meanwhile the highest strength of 11.30 MPa was obtained when 5 cm fibers treated with Ca(OH)₂ were added in a weight % ratio of bagasse fibers/PP at 25/75. The strength of composites decreases when bagasse fibers were added to 30 wt.%. The SEM evaluation shows the mixture between sugarcane fibers and PP was not quite homogeneous. In addition to that is a greater number of fibers were found with the transversal orientation or perpendicular to the direction of tensile stress.

INTRODUCTION

In the past decade, lightweight materials made from natural fibers composites with thermoplastics and thermosets have been embraced by automakers and suppliers to achieve weight reduction in order to improve fuel economy of automobiles and reduction of greenhouse gas emission. In the United States (US), there is a legislation and regulations in the form of Corporate Average Fuel Economy (CAFE) standards to improve the average fuel economy of cars and light trucks (trucks, vans, and sport utility vehicles) produced for sale in the US. In 2025, CAFE standards is targeted to be 54.5 mpg (miles/gallon), an increase of 54% from current nominal standards (35.5 mpg) in 2016. [1, 2] Therefore

auto manufacturers selling in the United States must meet the CAFE standards enforced by the National Highway Traffic Safety Administration (NHTSA).

One of the pathways for automotive industry to achieve CAFE standards for 2025 is to renew their focus on lightweight materials to achieve weight reduction. This can be achieved in structural and nonstructural components such as door panels, seatbacks, headliners, package trays, dash boards, front-end, and interior parts. The usage of lightweight, low cost natural fibers such as kenaf, jute, sisal, hemp, and flax are providing automobile makers benefits of reduction in CO₂, less dependence of oil sources, recyclability, and they are renewable and sustainable resources.

The automotive industries around the globe are continuously optimizing cost versus quality in order to remain competitive in the market. Moreover, increased social awareness of environmental problems is forcing automobile manufacturers to look for renewable resources for raw materials and recyclability or biodegradability of the product at the end of its useful life. This enhances the use of agro-based biofibers as biodegradable content in automotive applications. [3] Bio-fibers reinforced plastic composites are used in various applications in nearly all the major car manufacturers in Germany (Mercedes, Daimler Chrysler, Audi Group, Volkswagen, BMW, Ford and Opel). Polypropylene and natural fibers are used to produce for interior trim components such as dashboards and door panels for Daimler Chrysler. Door trim panels made of polyurethane reinforced with mixed flax/sisal was used in Audi A2 midrange car in 2000. [4] The end of life vehicle (ELV) directive in Europe states that by 2015, vehicles must be constructed of 95% recyclable materials, with 85% recoverable through reuse or mechanical recycling and 10% through energy recovery or thermal recycling. [5]

Though natural-fiber-reinforced plastic parts offer many advantages over synthetic or man-made fibers such as low cost, low density, competitive specific mechanical properties, CO₂ subtraction, sustainability, recyclability, and biodegradability; however several major technical considerations must be addressed before the engineering, scientific and commercial communities can widely accept to have proven to meet the structural and durability demands of automobile interior and exterior parts. Challenges include the homogenization of fiber's properties, adhesion between fibers and matrix, the understanding of degree of polymerization and crystallinity, as well as moisture repellence, and flame retardant.

In this research, sugarcane bagasse fibers were studied which combined with polypropylene matrix. Sugarcane is an important crop for production of sugar and the world's largest crop grown in about 23.8 million hectares in more than 90 countries with a worldwide harvest of about 1.69 billion tonnes in 2010. [6] Indonesia is rank 9th as major producers of sugar cane after Brazil, India, China (mainlands), Thailand, Pakistan, Mexico, Colombia, Philippines with a production of 28.7 million tonnes in 2012. [6] Bagasse is an agro-industrial by-product in Indonesia obtained from sugarcane stem after being crushed in a sugar mill a lignocellulosic materials consisting of 45-55% cellulose, 20-25% hemicellulose, and 18-24% lignin. [7] Polypropylene (PP) is utilized due to its low density, high softening point, high rigidity, hardness, and impact strength. [8] The major disadvantage of natural fiber reinforced composites is compounding difficulties between natural fibers and matrix due to the inherent polar and hydrophilic nature of lignocellulosic fibers and the non-polar characteristics of most thermoplastics. This result can lead to non-uniform dispersion of fibers within the matrix which impairs the composite mechanical properties. Therefore different chemical treatment may be employed on the fibers to modify the morphology of the fibers surface and to improve the mechanical properties of the fibers, thus resulting in the properties improvement of the composite. This work used alkali treatment to modify the surface of bagasse fibers or the whole fibers throughout. Two different alkaline solutions, NaOH and Ca(OH)₂ were used. The results from Ca(OH)₂ treatment has been reported elsewhere [9] and a comparative study on composite strength affected from those two different solutions on bagasse fibers was performed in this current study.

EXPERIMENTAL

Materials Details

Sugarcane bagasse used in this study was obtained from a sugarcane juice seller after being crushed to extract the juice. They were neutralized by soaking in 70% ethanol for an hour with a volume ratio of ethanol (litre) to the weight of fibers (kg) was 2.5: 1. The aim of neutralization was to prevent bagasse to ferment furthermore. Neutralized sugarcane bagasse was then dried in an open air for 6 hours and continued with oven dried at 200°C for 30 seconds. After drying, the bagasse were soaked in two different alkaline solutions, i.e. 10 v/v% NaOH solution and 14 v/v% for 4 hours at 70°C. The quantity of alkaline solution used for soaking followed a ratio of 15 ml of alkaline solution

to 1 g of bagasse fibers. Treated bagasse was rinsed with distilled water few times and they were ensured clean when the pH level of rinsed water reached 7 as indicated by pH meter. The drying in an open air for 6 hours followed by oven drying for 30 seconds was performed on rinsed bagasse. The dried bagasse was then prepared in different length of 3 cm, 5 cm, and some were kept as their original length.

PP as the matrix was available in the form of long fibers. They were supplied by PT. Classic Prima Carpet Industries. To ease the mixing and in order to achieve homogeneous mixture between bagasse and PP, the PP fibers were cut into 1 cm length.

Composite Samples Preparation and Characterization

Bagasse and PP fibers were weighed to prepare composite samples with various wt. % ratio of bagasse to PP of 20/80, 25/75, and 30/70. Each composition was prepared in 60 gram total weight per mixture for a mixing process performed in a centrifugal blower mixing equipment. Each mixture was placed on the steel plate ready to be formed into composite sheet by hot pressing using a pressure of 9,8 kPa at heating temperature of 175°C for 3 minutes.

Mechanical property of the final composites was evaluated using tensile test and the samples were prepared with dimensions in accordance to ASTM D638M-03 type I. The test was performed using Instron 600 DX. To understand the effect of alkali treatment on the composite strength, microstructure study using SEM or Scanning Electron Microscope (FEI type Inspect S50) was implemented on surface of fibers in isolation and on the fracture surface of the tensile tested samples. Fourier-Transform Infrared (FTIR) spectroscopy (Thermo Scientific Nicolet model) was used to investigate the chemical structure changes due to alkali treatment. Samples thickness was also measured using micrometer Links Brand with an accuracy of 0.01 mm to study the effect of hot pressing on the thickness obtained.

RESULTS AND DISCUSSION

Structural Evaluation of Bagasse Fibers

In order to understand the changes in the chemical structure of bagasse fibers after alkali treatment using solutions of $\text{Ca}(\text{OH})_2$ and NaOH , infrared spectra (Fig. 1) of the untreated and treated fibers were acquired. Figure 1a shows the FT-IR spectra of untreated sugarcane bagasse and treated bagasse with $\text{Ca}(\text{OH})_2$ and NaOH . The main features of these spectra are attributed to the existence of lignin, hemicellulose, and cellulose; they are natural components of lignocellulose fibers. There are some similarities between infrared spectra of treated bagasse to the untreated ones but considerable changes occurred in the range from 2000-700 cm^{-1} , which show that the alkali treatment promoted drastic modification in the chemical structure. The absorptions of O-H stretching (H-bonded) usually occur in 3100–3600 cm^{-1} range. The band observed at 3386 cm^{-1} seems to be characteristic of O-H groups present in lignin and carbohydrates. [10] The absorbance at 2894 cm^{-1} could be attributed to C-H aliphatic axial deformation of CH_2 and CH_3 groups from cellulose, lignin and hemicellulose. It is present in both untreated and treated fibers. The band at 1730 cm^{-1} is referred to the the C=O stretching of the acetyl groups present in hemicellulose. [11, 12] That band was absent in fibers after alkali treatment using both solutions which explains a hemicellulose fraction removed in each treatment. [9] The relative absorbance of the primary and secondary peaks of OH groups at 1051 cm^{-1} and 1165 cm^{-1} of bagasse fibers treated with NaOH is higher than the ones treated using $\text{Ca}(\text{OH})_2$ (Fig.1b). This can be understood from the fact that NaOH is a stronger alkali compared to $\text{Ca}(\text{OH})_2$ and consequently a higher severity which resulted in a more exposed structure. There is an indication of carbonate peaks in the range of 1500-1400 and 872 cm^{-1} which was only found in the fibers treated with $\text{Ca}(\text{OH})_2$ solution (Fig.1b). [9] This finding is further supported by Fig. 2c presenting scanning electron micrograph taken on the fiber surface after treatment. The spectra 1250 cm^{-1} which is a lignin spectrum was no longer found in sugar cane fibers that have been given alkali treatment. [9] Lignin is an amorphous phenolic macromolecule and has the least water sorption of the natural fiber components. [13] The removal of lignin during treatment was favorable to improve interfacial bonding between fibers and matrix.

Alkali treatment has several effects on cellulose fiber modification. As reported in the literature that the treatment can produce fiber fibrillation [14-16] which leads to the reduction in fiber diameter, an increase in aspect ratio and effective surface area accessible for wetting by a matrix material. SEM was used to investigate the morphology of the

bagasse fibers before and after alkali treatment using $\text{Ca}(\text{OH})_2$ and NaOH . The micrographs in Fig. 2 show the surface of bagasse fiber before and after 4 hours alkali treatment in $\text{Ca}(\text{OH})_2$ (Fig.2b) and in NaOH (Fig.2c). The differences of surface morphology between the untreated and treated fibers are very large. The unmodified fibers are found with a smooth surface with layers of pectin, lignin, and impurities. [16] The alkali treatment done in both solutions caused a definitive change on the morphological structure of the bagasse. Both treatments produced defibrillation of fibers as seen in Fig. 2b and 2c; therefore it caused a decrease in fiber length and diameter. Besides the defibrillation, it was observed that bagasse fibers treated with $\text{Ca}(\text{OH})_2$ were unclear with rough surface (Fig. 2b) compared to the surface of fibers treated with NaOH (Fig.2c). This result is in agreement with the FTIR spectra that the alkali treatment using NaOH was more effective compared with $\text{Ca}(\text{OH})_2$ in removing hemicellulose. It was also identified the presence of white tiny particles on the surface of $\text{Ca}(\text{OH})_2$ treated fibers. These particles have been recognized through FTIR analysis related to carbonates deposit. This deposit originated from the $\text{Ca}(\text{OH})_2$ solution used which contained CaCO_3 which has also been identified during EDX analysis. [9]



FIGURE 1. FTIR Spectra of a) in 500-4000 cm^{-1} region and b) in 850-1350 cm^{-1} region with A) untreated bagasse fibers, B) treated bagasse fibers using $\text{Ca}(\text{OH})_2$ solution and C) treated bagasse fibers using NaOH solution




FIGURE 2. SEM micrographs of a) untreated bagasse fibers, b) Ca(OH)₂ treated bagasse fibers, and c) NaOH treated bagasse fibers.

Thickness and Strength Characterization of Composites

Figures 3 and 4 show the results from the thickness measurement on composite samples with the bagasse fibers treated in Ca(OH)₂ and NaOH solution respectively. The measurement was done on tensile test samples using micrometer before test was performed. Thickness data were collected to understand the effect of pressure used during hot pressing on different conditions (treatment and length) of bagasse fibers mixed with PP. Figure 3 shows the relationship of composite thickness with fibers length and % wt. ratio of bagasse fibers/PP (treatment using Ca(OH)₂). The increase in ratio or in number of bagasse fibers as well as fiber length added to PP increases the thickness of the composites. That phenomenon was understood that the bagasse fibers which were stiffer than PP formed like a preform in the mixture. However, that phenomenon did not happen in all fiber conditions as shown in Fig. 4. The thickness range measured in composites contained 3 cm length of bagasse fibers for various wt.% ratios of bagasse/PP of 20/80, 25/75, and 30/70 are 2.17-2.95 mm, 2.27-3.0 mm, and 2.33-2.55 mm respectively. The thickness increases with the increase of fibers length but with lower increment compared to the effect from the increase of the amount of bagasse fibers added to PP. Similar influence was noticed in the composites contained fibers which were treated using NaOH (Fig. 4). The thickness increases with the increase of fiber length and the wt.% ratios of bagasse/PP excepting the thickness measured in the composites with a ratio of 20/80 using 3 cm fibers and the composites contained 30 wt.% of bagasse fibers with 5 cm length. This phenomenon might result from the inconsistent weight of bagasse/PP mixture during the hot pressing process compared to the other data obtained. Comparing the thickness of composites which contained fibers with different treatments, it was obvious that the composites which used NaOH treated fibers have smaller thickness range compared to the composites contained Ca(OH)₂ treated fibers in all fiber length and ratios of bagasse/PP. For example in composites contained 30 wt.% of bagasse treated with NaOH, the thickness of composites was measured < 2.65 mm while the thickness measured in the composites contained the same quantity of bagasse but treated using Ca(OH)₂, the thickness was recorded >2.78 mm.




FIGURE 3. Composite thickness against bagasse fiber length and wt. % ratio of bagasse fiber/PP (treated with Ca(OH)₂)




FIGURE 4. Composite thickness against bagasse fiber length and wt. % ratio of bagasse fiber/PP (treated with NaOH)

Tensile strength of the composites was also affected by the alkali solution used during the treatment, i.e. Ca(OH)₂ and NaOH solution. The strength data range obtained for composites using fibers which were treated with Ca(OH)₂ for 4 hours were 4.84-11.3 MPa. The increase of bagasse fibers added to PP improves the strength of the composites as was found in composites which the fibers were treated either with NaOH or Ca(OH)₂ though this finding was not consistent for composites with 30 wt.% of Ca(OH)₂ treated fibers of 5 cm and original length fibers. The strength dropped when the bagasse fibers added up to 30 wt. % to PP. The strength data obtained with the increment of fiber length in 20 wt.% Ca(OH)₂ treated fibers used were 4.84 MPa (3 cm fibers), 8.51 MPa (5cm fibers), 10.10 MPa (original length fibers). Increasing the amount of bagasse fibers to 30 wt.%, the strength of composites was reduced into 7.36 MPa (5 cm fibers), 8.35 MPa (original length fibers) excepting for 3 cm fibers used with a strength of 6.78 MPa which needs to further investigated. The strength of composites using untreated bagasse fibers of original length was as also evaluated and their strength values obtained were 11.38 MPa, 7.38 MPa, and 7.22 MPa for a wt. % ratio of bagasse/PP 20/80, 25/75, and 30/70 respectively. Comparing the strength of the composites with untreated and Ca(OH)₂ treated fibers, it was very obvious that the composites strength was not improved with Ca(OH)₂ treatment. This low strength was contributed by the poor adhesion of bagasse fibers/PP. Treatment the bagasse fibers with NaOH increases the composite strength. The increase in strength was also affected by the increase in the wt.% ratio of bagasse/PP as shown in Fig. 6. The increase in fiber length used did not influence the strength consistently as the other factor such as the homogeneous mixture of bagasse fibers and PP was intervened in the result. The composites strength obtained with the increment of fiber length after NaOH treatment in 20 wt.% bagasse fibers used were 16.83 MPa (3 cm fibers), 8.31 MPa (5 cm fibers), 11.25 MPa (original length fibers). Increasing the amount of bagasse fibers to 25 wt.%, the strength of composites increases into 13.16 MPa (5 cm fibers), 12.94 MPa (original length fibers) excepting for 3 cm fibers used which gave a strength of 10 MPa. This finding was not clear yet in which other aspect such as the homogeneity of the bagasse/PP mixture had its influence and needs to be further studied. Adding bagasse fibers to 30 wt.% to PP increases the composites strength further into 20.59 MPa (3 cm fibers), 15.92 MPa (5cm fibers), 14.92 MPa (original length fibers).




FIGURE 5. Tensile strength of composite samples using different fiber length and % wt. ratio of bagasse fiber/PP (treated with Ca(OH)₂)




FIGURE 6. Tensile strength of composite samples using different fiber length and % wt. ratio of bagasse fiber/PP (treated with NaOH)

Structural Characterization of Fracture Surface of Composites

Figure 7a,b shows an evaluation of the fracture surfaces of 20/80 wt.% bagasse/PP composites reinforced with 5 cm bagasse fibers experienced an alkali treatment using Ca(OH)₂. The micrograph in Fig. 7a shows that PP has wetted the fiber as it shows by the surface profile of the void's inner wall left by the fiber. The void observed was quite large in which possibly a bundle of fibers was pulled out from the matrix. Although wetting by the matrix occurred on the fibers surface, the adhesion between fiber and matrix was weak as it gives low strength (8.51 MPa) to the composite produced. This result has been well explained by the FTIR spectra and SEM evaluation on the fiber after alkali treatment using Ca(OH)₂ that the treatment was ineffective in removing all substances which can hinder the adhesion, i.e. lignin and hemicellulose. The presence of CaCO₃ deposit (Fig. 2b) on fiber surface gave another additional problem to develop good adhesion or interfacial strength. Clustering fiber bundles (Fig. 7b) was also observed in the structure.

The SEM observation on fiber surface after NaOH treatment shows the removal of the lignin and hemicellulose by the NaOH solution (Fig. 2c). The structural study done with SEM (Fig. 7c and 7d) was confirmed by FTIR spectra on this fiber (Fig. 1). Figure 7c shows the cross section of fracture surface of tensile test composite sample. The cross section area shows very few sugarcane bagasse fibers which it seems less than their understood composition, i.e. 25/75 wt.% ratio bagasse/PP. The bagasse fibers orientations in that composite were shown in the transversal orientation. Structural of this type contributes the tensile strength of composites to 10 MPa which is an increase of 18% compared to the strength of composites with bagasse fiber treated using Ca(OH)₂. Sodium hydroxide treatment results in better mechanical bonding compared to the composite obtained with the treatment with Ca(OH)₂. Composites with 4 hours NaOH treated sugar cane fibers increase tensile strength up to 20,59 MPa.




FIGURE 7. SEM micrographs of fracture surface of tensile test samples of a), b) composites with 20/80 wt% bagasse fibers/PP with fiber length of 5 cm and treated with $\text{Ca}(\text{OH})_2$ and c), d) composites with 25/75 wt% bagasse fibers/PP with fiber length of 3 cm and treated with NaOH

CONCLUSIONS

Sodium hydroxide treatment on bagasse fibers was found more effective than alkali treatment using $\text{Ca}(\text{OH})_2$ solution. FTIR spectra and SEM study on fibers surface revealed a significant change on their surface structure. Lignin and hemicellulose were removed from the fibers surface and fibrillation of cellulose fibers was obvious with treatment in $\text{Ca}(\text{OH})_2$ solution. Tensile strength of the composites produced from $\text{Ca}(\text{OH})_2$ treated fibers reinforced PP was found lower in all fiber length compared to composites using NaOH treated fibers.

ACKNOWLEDGMENTS

The authors would like to acknowledge the research funding granted by Ministry of Research, Technology and Higher Education of Republic of Indonesia under grant no. 002/SP2H/P/K7/KM/2016. We also wish to thank P.T. Classic Prima Carpet Industries in Surabaya for providing the polypropylene fibers.

REFERENCES

1. S. Pilla and Y.C. Lu, *Biocomposites in Automotive Applications* (SAE International, Warrendale, 2015), pp. 1–2.
2. U.S. Environmental Protection Agency, Office of Transportation and Air Quality, “EPA and NHTSA Set Standards to Reduce Greenhouse Gases and Improve Fuel Economy for Model Years 2017-2025 Cars and Light Trucks,” (pdf file, 2012).
3. Bledzki, A. K., Faruk, O., & Sperber, V. E. (2006). Cars from bio-fibres. *Macromol. Mater. Eng.*, 291, 449–457.
4. Automotive Industries, DaimlerChrysler “Goes Natural” for large body panel, p. 9. (2000).
5. Peijs, T. *Composites for recyclability. Materials Today.* (2003).
6. <http://faostat.fao.org/site/339/default.aspx> (retrieved on 24 July 2016).
7. N. Reddy and Y. Yang, “Innovative Biofibers from Renewable Resources,” (Springer-Verlag, Heidelberg, 2015), pp. 29-30.
8. H. Karian (ed.), “Handbook of Polypropylene and Polypropylene Composites, (Marcel Dekker, Inc., New York, 2003), p. 10.
9. J. Anggono, S. Sugondo, S. Henrico, and Hariyati Purwaningsih. *Applied Mechanics and Materials* **815**, 106-110 (2015).
10. R.C.N.R. Corrales, F. M. T. Mendes, C. C. Perrone, C. S. Anna, W. de Souza, Y. Abud, E. P. S. Bon and V. F.-Leitão., *Biotechnol Biofuels* **5**, 36 (2012).
11. Jerico Biagiotti, Debora Puglia, Luigi Torre, and José M. Kenny and José M. Kenny, *Polym Composite* **25(5)**, 470-479 (2004).
12. W. Liu, A.K. Mohanty, L.T. Drzal, P. Askel, and M. Misra, *J. Mater. Sci.* **39**, 1051-1054 (2004).
13. G.J.M. Rocha, V.M. Nascimento, A.R. Gonçalves, V.F.N. Silva, and C. Martín, *Industrial Crops and Products* **64**, 52-58 (2015).
14. P. Ganan, S. Garbizu, R. Llano-Ponte, and I. Mondragon, *Polym. Compos.* **26(2)**, 121-127 (2005).
15. D. Ray, B.K. Sarker, N.R. Bose, *Compos. Part A Appl. Sci. Manuf.* **33(2)**, 233-241 (2002).
16. A.C. de Albuquerque, K. Joseph, L. H. de Carvalho, and J.R. M. d'Almeida, *Compos. Sci. Technol.* **60(6)**, 833-844 (2000).
17. M.M. Rahman and A.M. Khan, *Compos Sci and Technol* **67**, 2369 (2007).