



Selected Peer-Reviewed Articles from the International Conference on Architecture and Built Environment 2016 (ICABE 2016), Kuala Lumpur, Malaysia, 5–6 October, 2016

Buy Article:
\$107.14 + tax
(Refund Policy)

[ADD TO CART](#)

[BUY NOW](#)

Authors: Osman, Mariana Mohammed; Abdullah, Muhammad Faris; Abdullah, Alias

Source: Advanced Science Letters, Volume 23, Number 7, July 2017, pp. 6029-6030(2)

Publisher: American Scientific Publishers

DOI: <https://doi.org/10.1166/asl.2017.9197>

[...](#) **Abstract** [References](#) [Citations](#) [Supplementary Data](#) [Suggestions](#)

No Abstract

Document Type: Research Article

Affiliations: Department of Urban and Regional Planning Kulliyah of Architecture and Environmental Design
International Islamic University Malaysia (IIUM) Malaysia

Publication date: July 1, 2017

[More about this publication?](#)

Adv. Sci. Lett. 23, 8017–8020 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)

Volume 23, Number 7 (July 2017) **pp.6029-7032**

A SPECIAL SECTION

Selected Peer-Reviewed Articles from the International Conference on Architecture and Built Environment 2016 (ICABE 2016), Kuala Lumpur, Malaysia, 5–6 October, 2016

Guest Editors: *Mariana Mohammed Osman, Muhammad Faris Abdullah, and Alias Abdullah*

Adv. Sci. Lett. 23, 6029–6030 (2017)

[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)

RESEARCH ARTICLES

Demand for Low-Cost Housing Among Local People in Perak

Mariana Mohamed Osman, Najihan Khalid, and Syafiee Syuid

Adv. Sci. Lett. 23, 6031–6034 (2017)

[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)

The Challenges of Quantity Surveyor in Sustainable Construction Projects

Roziha Che Haron, Putri Haryati Ibrahim, and Azya Binti Mat Rawi

Adv. Sci. Lett. 23, 6035–6039 (2017)

[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)

Illegal Occupation of State Land in Perak: A Review of the State's Legalisation Program (PATUH)

Mariana Mohamed Osman, Hanisah Ab Wahab, Muhammad Faris Abdullah, and Mohd Zain Mohamed

Adv. Sci. Lett. 23, 6040–6043 (2017)

[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)

Linking Motivation, Satisfaction and Academic Performance of Construction Management Programmes: A Case Study of Malaysia

Kim Hai Tey, Shun Jinn Lim, Poh Choo Song, and Abdullateef Olanrewaju

Adv. Sci. Lett. 23, 6044–6048 (2017)

[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)

Housing Affordability Index for Districts in Perak

Mariana Mohamed Osman, Siti Wahidah Muhamad Yusop, Syafiee Shuid, and Muhammad Faris Abdullah

Adv. Sci. Lett. 23, 6049–6052 (2017)

[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)

Critical Factors Affecting Productivity for Table Form System in the Malaysian Construction Industry

Lee Wah-Peng, Ng See-Seng, Toh Tien-Choon, Lim Cheng-Sim, and Yap Boon-Hui Jeffrey

Adv. Sci. Lett. 23, 6053–6056 (2017)

[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)

Assessment of Gated Community and Guarded Neighbourhood from Public Perspective

Muhammad Faris Abdullah, Nurul Ain Mohd Daniar, Mariana Mohamed Osman, and Syahriah Bachok

Adv. Sci. Lett. 23, 6057–6059 (2017)

[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)

Sustainability Assessment of Community-Based Poverty Reduction Projects (CPRP) in Nigeria

Muhammad Zayyanu, Foziah Johar, Utange J. Zungwenen, and Usman A. Siddiq

Adv. Sci. Lett. 23, 6060–6063 (2017)

[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)

Distribution of Special Education Programs in Mainstream Schools in Selangor

Mariana Mohamed Osman, Ainul Ashiqin Ahmad Shuhaimi, and Noor Suzilawati Rabe

Adv. Sci. Lett. 23, 6064–6067 (2017)

[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)

Design Factors Contributing to Active Urban Squares in Malaysia

Khalilah Zakariya, Nor Zalina Harun, and Mazlina Mansor

Adv. Sci. Lett. 23, 6068–6072 (2017)

[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)

Solid Waste Management Practice and Environmental Awareness Level of Postgraduate and Undergraduate Students: Case Study of UTM

Kamil Hashim, Noor Suzilawati Rabe, Mariana Mohamed Osman, and Rustam Khairi Zahari

Adv. Sci. Lett. 23, 6073–6077 (2017)

[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)

Vacant Land Utilization Agreement Model Based on Community Aspiration to Strengthen Food Security: A Case Study in Sleman District, Yogyakarta Special Region, Indonesia

Suparwoko

Adv. Sci. Lett. 23, 6078–6082 (2017)

[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)

Parents' Perception on Children Safe Distance: A Case Study of Kuala Lumpur and Selangor

Noor Suzilawati Rabe, Mariana Mohamed Osman, Syahriah Bachok, Muhammad Faris Abdullah, Syafiee Shuid, and Zakiah Ponrahono

Adv. Sci. Lett. 23, 6083–6086 (2017)

[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)

Communities' Local Knowledge of Flood Disaster Management in Pakistan

Muhammad Gohram Khan, Foziah Johar, and Jiman Chado

Adv. Sci. Lett. 23, 6087–6090 (2017)

[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)

Awareness and Involvement of Downstream Residents Toward the Mitigation Plan of Dam Failure: A Case Study of Klang Gate Dam

Ilyani Ibrahim, Ahmad Aiman Ghazali, Samsuddin Jaafar, and Lukman Hakim Mahmood

Adv. Sci. Lett. 23, 6091–6094 (2017)

[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)

Memory, Hope, and Sense—Design as Generator (DAG) Premises for Empowering Community

Martin L. Katoppo, Sugeng Triyadi, and M. Jehansyah Siregar

Adv. Sci. Lett. 23, 6095–6101 (2017)

[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)

Assessment on Public Perception Towards the Development of 1Malaysia Youth Cities

Noor Suzilawati Rabe, Mariana Mohamed Osman, and Muhammad Faris Abdullah

Adv. Sci. Lett. 23, 6102–6105 (2017)

[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)

- Protecting Children from Labour: Muslim Scholar's Viewpoint and Legal Provisions in Selected Muslim Countries**
Azizah Mohd, Nik Ahmad Kamal Nik Mahmud, Ashgar Ali Ali Mohamed, Yusuf Jellili Amuda, and Marhanum Che Mohd Salleh
Adv. Sci. Lett. 23, 6106–6109 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)
- Gap Detection of Bus Stops Using GIS/GPS**
Syahriah Bachok, Mohd Izul Fikri Adumi, and Mariana M. Osman
Adv. Sci. Lett. 23, 6110–6113 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)
- Influence of Coal-Fired Power Plant Combustions Toward Neighbourhood Residents**
Shamzani Affendy Mohd Din, Nik Nurul-Hidayah Nik Yahya, Rashidi Othman, and Alias Abdullah
Adv. Sci. Lett. 23, 6114–6117 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)
- Housing Affordability in the State of Selangor, Malaysia**
Mariana Mohamed Osman, Najihan Khalid, and Siti Wahidah Muhamad Yusop
Adv. Sci. Lett. 23, 6118–6122 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)
- Inhalable and Respirable Dust Metal Concentration in Existing and Construction Stage of Airport Infrastructure**
Shamzani Affendy Mohd Din, Nik Nurul-Hidayah Nik Yahya, and Rashidi Othman
Adv. Sci. Lett. 23, 6123–6126 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)
- Design Factors Contributing to the Success of Business Premises at Urban Public Plaza Area**
Nor Zalina Harun, Khalilah Zakariya, and Mazlina Mansor
Adv. Sci. Lett. 23, 6127–6129 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)
- The Potential of Energy Refurbishment Through the Integration of Daylight Harvesting for Office Buildings in Universiti Sains Islam Malaysia**
Fadli Arabi, Elina Mohd Husini, Wan Norisma Wan Ismail, and Noor Haslina Ja'afar
Adv. Sci. Lett. 23, 6130–6134 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)
- An Assessment of Public Transport Features in Urban and Rural Settlements in Malaysia**
Zakiah Ponrahono, Syahriah Bachok, Mariana Mohamed Osman, Mansor Ibrahim, and Samsuddin Jaafar
Adv. Sci. Lett. 23, 6135–6139 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)
- Estimation of Energy Savings Due to the Integration of Daylight with Artificial Lighting in Classrooms**
Najib Taher Al-Ashwal and Ahmad Sanusi Hassan
Adv. Sci. Lett. 23, 6140–6143 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)
- Thermal Surface Analysis on Colonial Style's Apartment Facades in Putrajaya, Malaysia**
Ahmad Sanusi Hassan and Yasser Arab
Adv. Sci. Lett. 23, 6144–6147 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)
- Comparative Study of Thermal Surface Analysis on High-Rise Apartment Facades with Colonial and Neo-Minimalist Style Design in Penang, Malaysia**
Yasser Arab, Ahmad Sanusi Hassan, and Bushra Qanaa
Adv. Sci. Lett. 23, 6148–6152 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)
- The Mechanism Design of Homogeneous Carbon Permit Auction a National Model**
Norimah Rambeli @ Ramli, Emilda Hashim, Norasibah Abdul Jalil, and Zainizam Zakariya
Adv. Sci. Lett. 23, 6153–6156 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)
- Spatial Temporal Estimation and Analysis of Carbon Sequestration**
Nor Aizam Adnan, Noorazwani Mohd Razi, Zaharah Mohd Yusoff, and Zulkiflee Abd Latif
Adv. Sci. Lett. 23, 6157–6162 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)
- Multivariate Linear Regression Model for Estimating Average Daylight Illuminance**
Elaheh Jalilzadehazhari and Krushna Mahaparta
Adv. Sci. Lett. 23, 6163–6167 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)
- Frame Effects on Outdoor-Indoor Transmission Class of Fixed and Open Glass Windows**
Christina Mediatika, Luciana Kristanto, Juliana Anggono, Fefen Suhedi, and Hariyati Purwaningsih
Adv. Sci. Lett. 23, 6168–6172 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)
- Remarkable 3-in-1 Pakis-Stem Green Roofs for Saving Thermal Flat Rooftop**
Danny Santoso Mintorogo, Wanda K. Widigdo, and Anik Juniwati
Adv. Sci. Lett. 23, 6173–6178 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)
- Sustainable Heritage: Analytical Study on the Viability of Adaptive Reuse with Social Approach, Case Study of Asia Heritage Row, Kuala Lumpur**
Fadzidah Abdullah, Brunilda Basha, and Ali Raza Soomro
Adv. Sci. Lett. 23, 6179–6183 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)
- Motifs, Placements and Influences of Woodcarving in Muar Traditional Malay Houses**
Hanita Yusof, Fawazul Khair Ibrahim, and Raja Nafida Raja Shahminan
Adv. Sci. Lett. 23, 6184–6188 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)
- Traditional Malay Black Ink: An Analysis of Its Recipes and Characteristics**
Rajabi Razak, Mandana Barkeshli, and Raihan Othman
Adv. Sci. Lett. 23, 6189–6193 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)
- Citizen Participation in Urban Governance: Experiences from Traditional City of Bida, Nigeria**
Jiman Chado, Foziah Bte Johar, and Muhammad Gohram Khan
Adv. Sci. Lett. 23, 6194–6197 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)
- Terminologies That Characterize the Visual and Physical Properties of Wood Carving as Cultural Heritage**
Zumahiran Kamarudin, Khalilah Zakariya, and Siti Najwa Nazuki
Adv. Sci. Lett. 23, 6198–6202 (2017)
[\[Abstract\]](#) [\[Full Text - PDF\]](#) [\[Purchase Article\]](#)

Aims and Scope
Editorial Board
Instructions for Authors
Contact Information
Subscription Information
Copyright Transfer Agreement
Indexed/Abstracted
Cover Library
Contents

Advanced Science Letters

ISSN: 1936-6612 (Print); EISSN: 1936-7317 (Online)
 Copyright © 2000-2023 American Scientific Publishers. All Rights Reserved.

EDITORIAL BOARD

EDITOR-IN-CHIEF

Professor Ahmad Umar

Department of Chemistry, College of Science and Arts
 Promising Centre for Sensors and Electronic Devices (PCSED)
 Najran University, P.O. Box: 1988, Najran 11001, Kingdom of Saudi Arabia
 Phone: +966-534-574-597
 Fax: +966-7-5442-135
 Email: advsci.asp@gmail.com

ASIAN EDITOR

Dr. Katsuhiko Ariga, PhD

Advanced Materials Laboratory
 National Institute for Materials Science
 1-1 Namiki, Tsukuba, Ibaraki 305-0044, JAPAN

ASSOCIATE EDITORS

Diederik Aerts (Quantum theory, Cognition, Evolution theory)
 Brussels Free University, Belgium.

Yakir Aharonov (Physics, Quantum Physics)
 School of Physics and Astronomy, Israel.

Peter C. Aichelburg (Gravitation)
 University of Vienna, Austria.

Jim Al-Khalili (Foundations of Physics, Nuclear Reaction Theory)
 University of Surrey, UK.

Jake Blanchard (Engineering Physics, Nuclear Engineering)
 University of Wisconsin–Madison, USA.

Simon Baron-Cohen (Cognitive Neuroscience)
 University of Cambridge, UK.

Franz X. Bogner (Cognitive Achievement)
 University of Bayreuth, Germany.

John Borneman (Anthropology)
 Princeton University, USA.

John Casti (Complexity Science)
 Internationales Institut für Angewandte Systemanalyse, Austria.

Masud Chaichian (High Energy Physics, String Theory)
 University of Helsinki, Finland.

Sergey V. Chervon (Gravitation, Cosmology, Astrophysics)
 Ulyanovsk State Pedagogical University, Russia

Kevin Davey (Philosophy of Science)
 University of Chicago, Chicago, USA.

Tania Dey (Colloids/Polymers/Nanohybrids)
 Canada.

Roland Eils (Bioinformatics)
 Deutsches Krebsforschungszentrum Heidelberg, Germany.

Thomas Görnitz (Quantum theory, Cosmology)
 University of Frankfurt, Germany.

Bert Gordijn (Nanoethics, Neuroethics, Bioethics)
 Radboud University Nijmegen, The Netherlands.

Ji-Huan He (Textile Engineering, Functional Materials)
 Soochow University, Suzhou, China.

Nongyue He (Biosensors/Biomaterials)
 China.

Irving P. Herman (Materials and Solid State Physics)
 Columbia University, USA.

Dipankar Home (Foundations of Quantum Mechanics)
 Bose Institute, Kolkata, India.

Jucundus Jacobeit (Climate, Global Change Ecology)
 University of Augsburg, Germany.

Yuriy A. Knirel (Bioorganic Chemistry)
 N. D. Zelinsky Institute of Organic Chemistry, Russia.

Arthur Konnerth (Neurophysiology, Molecular Mechanisms)
 University of Munich, Germany.

G. A. Kourouklis (Physics Solid State Physics)
 Aristotle University Thessaloniki, Greece.



Peter Krammer (Genetics)
Deutsches Krebsforschungszentrum Heidelberg, Germany.

Andrew F. Laine (Biomedical Engineering)
Columbia University, USA.

Minbo Lan (Organic Functional Materials)
China.

Martha Lux-Steiner (Physics, Materials Science)
Hahn-Meitner-Institut Berlin, Germany.

Klaus Mainzer (Complex Systems, Computational Mind, Philosophy of Science)
University of Augsburg, Germany.

JoAnn E. Manson (Medicine, Cardiovascular Disease)
Harvard University, USA.

Mark P. Mattson (Neuroscience)
National Institute on Aging, Baltimore, USA.

Lucio Mayer (Astrophysics, Cosmology)
ETH Zürich, Switzerland.

Karl Menten (Radioastronomy)
Max-Planck-Institut für Radioastronomie, Germany.

Yoshiko Miura (Biomaterials/Biosensors)
Japan.

Fred M. Mueller (Solid State Physics)
Los Alamos National Laboratory, USA.

Garth Nicolson (Illness Research, Cancer Cell Biology)
The Institute for Molecular Medicine, Huntington Beach, USA.

Nina Papavasiliou (DNA Mutators, Microbial Virulence, Antiviral Defence, Adaptive Immunity, Surface Receptor Variation)
The Rockefeller University, New York, USA.

Panos Photinos (Physics)
Southern Oregon University, USA.

Zhiyong Qian (Biomedical Engineering, Biomaterials, Drug Delivery)
Sichuan University, CHINA.

Reinhard Schlickeiser (Astrophysics, Plasma Theory and Space Science)
Ruhr-Universität Bochum, Germany.

Surinder Singh (Sensors/Nanotechnology)
USA.

Suprakash Sinha Ray (Composites/Polymer Science)
South Africa.

Koen Steemers (Architecture, Environmental Building Performance)
University of Cambridge, UK.

Shinsuke Tanabe (Environmental Chemistry and Ecotoxicology)
Ehime University, Japan.

James R. Thompson (Solid State Physics)
The University of Tennessee, USA.

Uwe Ulbrich (Climat, Meteorology)
Freie Universität Berlin, Germany.

Ahmad Umar (Advanced Materials)
Najran University, Saudi Arabia.

Frans de Waal (Animal Behavior and Cognition)
Emory University, USA.

EDITORIAL BOARD

Filippo Aureli, Liverpool John Moores University, UK

Marcel Ausloos, Université de Liège, Belgium

Martin Bojowald, Pennsylvania State University, USA

Sougato Bose, University College, London, UK

Jacopo Buongiorno, MIT, USA

Paul Cordopatis, University of Patras, Greece

Maria Luisa Dalla Chiara, University of Firenze, Italy

Dionysios Demetriou Dionysiou, University of Cincinnati, USA

Simon Eidelman, Budker Institute of Nuclear Physics, Russia

Norbert Frischauf, QASAR Technologies, Vienna, Austria

Toshi Futamase, Tohoku University, Japan

Leonid Gavrilov, University of Chicago, USA

Vincent G. Harris, Northeastern University, USA

Mae-Wan Ho, Open University, UK

Keith Hutchison, University of Melbourne, Australia

David Jishiashvili, Georgian Technical University, Georgia

George Khushf, University of South Carolina, USA

Sergei Kulik, M.V.Lomonosov Moscow State University, Russia

Harald Kunstmann, Institute for Meteorology and Climate Research, Forschungszentrum Karlsruhe, Germany

Alexander Lebedev, Laboratory of Semiconductor Devices Physics, Russia

James Lindesay, Howard University, USA


Michael Lipkind, Kimron Veterinary Institute, Israel

Nigel Mason, Open University, UK

John Joe McFadden, University of Surrey, UK

B. S. Murty, Indian Institute of Technology Madras, Chennai, India

Shahab A. A. Nami, Aligarh Muslim University, India
Heiko Paeth, Geographisches Institut der Universität Würzburg, Germany
Matteo Paris, Università di Milano, Italia
David Posoda, University of Vigo, Spain
Paddy H. Regan, University of Surrey, UK
Leonidas Resvanis, University of Athens, Greece
Wolfgang Rhode, University of Dortmund, Germany
Derek C. Richardson, University of Maryland, USA
Carlos Romero, Universidade Federal da Paraíba, Brazil
Andrea Sella, University College London, London, UK
P. Shankar, Indira Gandhi Centre for Atomic Research, Kalpakkam, India
Surya Singh, Imperial College London, UK
Leonidas Sotiropoulos, University of Patras, Greece
Roger Strand, University of Bergen, Norway
Karl Svozil, Technische Universität Wien, Austria
Kit Tan, University of Copenhagen, Denmark
Roland Triay, Centre de Physique Théorique, CNRS, Marseille, France
Rami Vainio, University of Helsinki, Finland
Victor Voronov, Bogoliubov Laboratory of Theoretical Physics, Dubna, Russia
Andrew Whitaker, Queen's University Belfast, Northern Ireland
Lijian Xu, Hunan University of Technology, China
Alexander Yefremov, Peoples Friendship University of Russia, Russia
Avraam Zelliidis, University of Patras, Greece
Alexander V. Zolotaryuk, Ukrainian Academy of Sciences, Ukraine



Remarkable 3-in-1 Pakis-Stem Green Roofs for Saving Thermal Flat Rooftop

Buy Article:

\$107.14 + tax

(Refund Policy)

ADD TO CART

BUY NOW

Authors: Mintorogo, Danny Santoso; Widigdo, Wanda K; Juniwati, Anik

Source: Advanced Science Letters, Volume 23, Number 7, July 2017, pp. 6173-6178(6)

Publisher: American Scientific Publishers

DOI: <https://doi.org/10.1166/asl.2017.9230>



...

Abstract



References



Citations



Supplementary Data



Suggestions

The green councils in the world are often promoting green buildings in terms of energy savings by mitigating the thermal load on buildings especially thermal rooftop into the room. Green roofs can be the most effective to lower roof thermal in tropical regions but complicated and costly to build a perfect green roof even for a simple extensive green rooftop. This research looks for a remarkable growing medium for constructing green roof. Pakis-stem blocks can perform a 3 in 1 function: as a light-weight growing medium for green rooftops, an easytoform urban farming in private buildings or residences, and an eco-friendly external roof insulation. After a deep measurement on the rooftop surface and room thermal behaviour, the pakis-stem green rooftop can reduce 16.4 °C of surface dry-bulk temperature and approximately 7 °C ambient room dry-bulk temperature lower compared to conventional rooftops at noon. Furthermore, the surface temperature and ambient room air temperature difference between Pakis vegetative green rooftops and miana scrub green rooftop is approximately 7 °C and 3 °C respectively.

Keywords: The Lightest Green Roof Growing Medium Urban Farming Eco-Friendly External Rooftop Insulation

Document Type: Research Article

Affiliations: Department of Architecture, Petra Christian University, Jalan Siwalankerto 121-131, Surabaya 60235, East-Java, Indonesia

Publication date: July 1, 2017

[More about this publication?](#)

We recommend

Challenges of Implementing Green Roofs on High Rise Apartments in the Klang Valley Urban Area in Malaysia

Vitex s factory becomes one of the most green paint producing installations
Pigment & Resin Technology, 2011

Wan Zuriea Wan Ismail et al., *Advanced Science Letters*, 2016

Reducing Heat Ingress into the Indoor Environment Using Industrial Slag Bricks in Chennai, Tamilnadu, India

Swetha Madhusudanan et al., *Journal of Computational and Theoretical Nanoscience*, 2017

Synthetic Phloroglucinol Surface Protected Se Nanoparticles for Potential Biomedical Applications
G. Fracasso et al., *Advanced Science Letters*, 2011

Green Technology: Comparison of Thermal Comfort Levels for Two Traditional Bugis Houses in Malaysia
Aminatuzuhariah Megat Abdullah et al., *Advanced Science Letters*, 2013

Investigation of the Thermal Stability of 2-D Patterns of Au Nanoparticles

Ting-Yu Shih et al., *Journal of Nanoscience and Nanotechnology*, 2007

Factors driving Indian consumer's purchase intention of roof top solar

Ashwini Kumar Aggarwal et al., *International Journal of Energy Sector Management*, 2019

Flame Control Coatings commercializes new products

Pigment & Resin Technology, 2009

Experimental investigations on the performance of solar powered cabin air ventilator

Sudhir Chitrapady Vishweshwara et al., *World Journal of Engineering*, 2015

Quality of life with encorafenib plus cetuximab with or without binimetinib treatment in patients with BRAF V600E-mutant metastatic colorectal cancer: patient-reported outcomes from BEACON CRC;
koptez et al

Brought to you by Pfizer Medical Affairs

Powered by **TREND MD**



Remarkable 3-in-1 Pakis-Stem Green Roofs for Saving Thermal Flat Rooftop

Danny Santoso Mintorogo¹, Wanda K. Widigdo¹, Anik Juniwati¹

¹Department of Architecture, Petra Christian University, Jalan Siwalankerto 121-131, Surabaya 60235, East-Java, Indonesia

The green councils in the world are often promoting green buildings in terms of energy savings by mitigating the thermal load on buildings, especially thermal rooftop, into the room. Green roofs can be the most effective to lower roof thermal in tropical regions, but complicated and costly to build a perfect green roof even for a simple extensive green rooftop. This research looks for a remarkable growing medium for constructing green roof. Pakis-stem blocks can perform a 3-in-1 function: as a light-weight growing medium for green rooftops, an easy-to-form urban farming in private buildings or residences, and an eco-friendly external roof insulation. After a deep measurement on the rooftop surface and room thermal behaviour, the pakis-stem green rooftop can reduce 16.4°C of surface dry-bulk temperature and approximately 7°C ambient room dry-bulk temperature lower compared to conventional rooftops at noon. Furthermore, the surface temperature and ambient room air temperature difference between Pakis vegetative green rooftops and miana scrub green rooftop is approximately 7°C and 3°C respectively.

Keywords: The Lightest Green Roof Growing Medium, Urban Farming, Eco-friendly External Rooftop Insulation.

1. INTRODUCTION

The urban city is growing rapidly, constructing lots of new landed houses, middle high-rise offices, and tall commercial buildings, resulting in more hard surfaces (pedestrians' sidewalk, parking lots, concrete rooftops) than green open spaces (gardens, urban forests, children playground yards, and city parks) which leads to Urban Heat Islands (UHI). Urban Heat Islands in a city tends to be warmer (around 1-3°C) at a calm nighttime than the surrounding sub-urban and rural areas¹. On a sunny day, rooftop and pavement surfaces exposed to solar radiation tend to have surface temperature 27° to 50°C¹ hotter than the ambient air temperature (around min. 22.6° to max. 33.7°C) in the city of Surabaya, Indonesia².

One way to mitigate UHI is planting larger and lushier trees and using reflective surfaces (cool roofs), as well as planning green roofs or vegetable roofs and porous pavements. The intensity of solar radiation, which mostly causes the heat in any countries, is deposited in those materials.

The solar radiation in Surabaya, Indonesia, is very high due to the sun latitude on 7°17-21' Southern hemisphere and longitudinal 112° 47' East. Table 1 indicates the monthly average horizontal global solar radiation, that has around 400 Wm⁻² in dry seasons and 300 Wm⁻² in rainy seasons in the year of 2008³.

Table.1. Surabaya's Monthly Average Horizontal Global Solar Radiation (Wm⁻²) in 2008

Dry seasons		Rainy seasons	
May	369	January	327
June	360	February	255
July	382	March	297
August	414	April	357
September	415	November	304
October	440	December	271
Average	397	Average	302

*Email Address: dannysm@petra.ac.id

The research objectives are: First, looking for an easy-to-remove or attachable growing medium for the type of extensive green roofs; Second, finding the new light-weight growing medium that will fit on the existing rooftop structures; Third, promoting extensive-green-rooftop urban farming, which will create a better outdoor ambient thermal environment and mitigate the UHI effect⁴. High solar radiation intensity impacts on concrete rooftop, especially on the flat bare roofs which are not covered by any external insulations, let alone unused outdoor rooftop spaces. It becomes a huge source of thermal roof, affecting the cooling load and the UHI. To solve this problem, a new organic material called Pakis-stem, which comes from Pakis trees (figure 1 left), is cut into blocks (figure 1 right), which then are used to create remarkable 3-in-1 result. First, it becomes the lightest and easiest growing medium for extensive green roofs; Second, it promotes urban farming (resulting in sustainable economic: People can plant organic vegetables on their rooftops, even on commercial buildings⁷); third, it acts as an external eco-friendly insulation to mitigate the flat rooftop thermal.

The eco-friendly material: Pakis-stem (the lightest growing medium of green roofs)



Fig. 1. A Pakis tree (left), the cut Pakis-stem blocks (right)
Table 2. Pakis Dimensions and Weights

Pakis Size	Dimension (l x w x t) cm	Sum in 1m ² (Blocks)	Areas (m ²)	Weight (Kg/m ²)	
				Dry	Wet
Small	12 x 25 x 3	33	0.03	5.1	7.3
Large	32 x 15 x 3	20	0.05	5.2	7.4

The research does not use conventional soil for growing medium. Instead, it uses pakis stem blocks as organic material to achieve easy, neat, and eco-friendly growing substance.

Pakis-stems come in two different sizes and types; porous and semi-solid (denser stalks). The dimensions, weights and sum of blocks in one square meter Pakis stem sold in the flower market have two different sizes, as shown in table 2. One square meter of small Pakis stem

consists of roughly 33 blocks, and dry Pakis blocks weigh almost 5 kilograms per square meter, whilst wet pakis blocks (immerse in water) weigh nearly 7.3 kilograms. There is a 10-gram difference in weight between the large pakis size and the small one, both in dry and wet condition⁵.

To build a conventional green roof, either extensive or intensive, one will need to construct complicated component layers. All those components cause extra weights to the roof structure, either for new or old buildings⁶, creating expensive building cost. That is why not every flat rooftop building assembles green roofs (figure 2).




Fig.2. A Conventional Extensive Green Roof

Compared to the conventional extensive green rooftops, special encouraging Pakis-stem block rooftops are less complicated to build on the top of existing roof structures. Pakis-stem green rooftop layers can be installed on old and new structure buildings without altering too much construction (figure 3).





Fig. 3. Pakis-Stem Blocks Extensive Green Roof

Urban farming (agricultural green rooftop)

Plants used for the extensive green roofs are mostly grass, flowers, sedum, sempervivum and saxifraga, all of those which belong to succulent species. Succulent plants are not suitable for longer rainy seasons, as it will hold too much water on the growing medium. If green roofs are considered to contribute to a sustainable urban environment/city, agricultural or crop growing green roofs can be considered more to construct⁷. In Hong Kong, several pilot studies on sustainable rooftop farming had been done, for example, vegetables, herbs,
(Source: Sam C.M. Hui)

Fig. 4. Urban farming for green roofs in a primary school



in Hong Kong (pilot study)

watermelon, and green beans have been planted successfully on a primary school (figure 4).

2. LITERATURE REVIEW

Many professionals have constructed typical intensive or extensive green roofs by means of soil as a growing medium. The purpose of constructing a green roof is mostly to measure the reduction of the rooftop surface and the ambient air temperature, as well as the surrounding reflected long-wave radiation due to the rooftop lawn⁸.

Wong N.H, in his research on comparing intensive and extensive system of green roofs, showed that the surface temperature of the intensive green roof (without any green plants) on bare soil could reach 57°C. Meanwhile, the surface temperature of the extensive system can reach approximately 60°C, and over 70°C on the metal roof system⁹.

Another research had been done on extensive green roof with three different plants, which are Sedum Spurium (LS), Sedum Kamtchaticum (PK), and Sexangulare (LA). The result was that a combination of lava rocks and Sedum Spurium (LS) is the best roof insulation in reducing the rooftop thermal¹⁰.

A field-measurement research study on thermal evaluation of green roof presented in the first North American Green Roof Infrastructure Conference in Chicago pointed out that green roof layers could mitigate the rooftop surface temperature fluctuations to around 45°C lower compared to the reference rooftop (conventional flat bare rooftop). In addition, the green roof membrane can reduce the temperature fluctuation to approximately 6°C a year¹¹.

3. RESEARCH METHODOLOGY

Measurement instrument

Two sets of measurement instrument from ONSET – American company were used for measuring ambient air temperatures and flat rooftop surface temperatures. HOBO data logger U12 can measure ambient air temperature (-20° to 70°C) (fig. 5A) and external TMCx-HD water/soil temperature sensor probe can measure surface temperature (air/surface: -40° to 100°C) (water: -40° to 50°C) (fig. 5B).



Fig. 5. HOBO data logger U12 (A), thermal probe (B)

Vegetable plants

Two types of vegetables were observed to find out the

most suitable and sustainable shading domain (the level of density of the leaves). The vegetables were green *selada keriting* (lettuce) (fig. 6 A) and *sawi hijau* (mustard greens) (fig. 6 B).



Fig. 6. Baby *selada keritinghijau* (A), *sawi hijau* (B)

Tested Models

Two types of built-model were used. One model represented the conventional flat concrete rooftop, and the other represented a green roof covered with pakis stem blocks as a growing medium on which those vegetable seeds are planted (measuring for a week) (fig. 7). Then, the detachable polybags of miana plants were substituted with pakis-stem blocks, and were measured for another week. (fig. 8).




Fig. 7. The two tested models: (A) represented the conventional flat roof model, (B) represented the green model for measuring with Pakis-stem blocks *slada keriting* and miana plants (C).




Fig. 8. The tested Green roof model with removable miana scrubs in polybags.

Pre-tested for thermal balancing of the test models

Two types of built-model were pre-tested to find the thermal balance on both models. Pre-measuring of the two models took place for two weeks. The thermal results both the surface temperatures and the room model ambient air temperatures were almost equal (Tabel 3).

Tabel 3. Pre-tested surface and room model temperatures

Types	Reference model	Pakis green roof model
	Average temperature (°C)	Average temperature (°C)
Rooftop surface	31.6	31.2
Room model	30.4	30.4

Research procedures

The two test models were tested for two months, starting from June to July. In each month, the thermal data was separated into two categories: on hot days (full-day sun for gathering maximum rooftop and room model ambient dry-bulk temperature behavior). Furthermore, the data of surface and room model temperatures in one month was calculated to find the average.

The Pakis-stem model was built in these steps. First, the Pakis-stem blocks were laid down on a flat concrete rooftop of the tested area, which was on the rooftop (7th floor) of Petra Christian university. Two kinds of seeds (*selada keriting* and *sawi hijau*) were planted on the pakis stem blocks, then were sprayed lightly with water by using water sprinklers (to make sure the seeds did not fall down into the Pakis-stem blocks). After around 3 weeks, *selada keriting* and *sawi hijau*, along with the Pakis blocks were moved to the green rooftop model to start the thermal



measurement (fig. 9). After a week measuring on pakis-stem blocks with *selada keriting*, the miana scrub was also measured for a week on green rooftop model.

Fig. 9. Seeding on the top of pakis blocks (A), Spraying water gently (B), Sprouts appearing after 3 weeks (C).

4. EXPERIMENT RESULTS

Vegetated Rooftop

After planting and moving those two types of vegetables to the Pakis-stem green roof model in the third week, only *selada keriting hijau* had a prolific growth (fig. 10 A & B, *selada keriting* is planted on the green model). A month after, *sawi hijau* still did not grow well compared to *selada keriting hijau*. *Sawi hijau* may have to be planted another time (fig. 10 A, behind *selada keriting*). Both vegetables on Pakis green rooftop model were sprayed



plain water twice a day except in rainy days. After 1.5 months, the vegetables were watered only once a day or every two days due to the thickness of the Pakis growing medium (3 layers are around 9-10 cm).

Fig. 10. Vegetables on green roof model (A), *Selada keriting* after two months (B),

Thermal characteristics on tested models

The data of surface temperatures and ambient air temperatures, as well as the average, of the room reference model and pakis green model were categorized under hot, cloudy and rainy condition. The data includes the tested results on both models (reference model and Pakis green model) in June and July 2016,

Table 4.1 shows the measurements average data on both ordinary flat roof model (Reference Model) and Pakis green roof model with planted *vegetables green selada keriting* in June and July 2016. Flat roof surface temperature and room model temperature had the same values in June and July. There was 0.5°C temperature differences between surface and ambient room temperature on the green model in June, and 0.7°C temperature differences in July (table 4).

Tabel 4. Average surface and ambient air room temperatures on reference and Pakis green models (June & July 2016)

Types	Reference model average temperature (oC)		Green pakis model average temperature (oC)	
	(June)	(July)	(June)	(July)
Surface	28.4	28.9	27.2	27
Room	28.4	28.9	27.7	27.7

Figure 11 shows the comparison of the surface temperatures on common flat bare rooftop, Pakis-stem blocks green rooftop, and Miana flower plant green rooftop. Not being covered with a growing medium and plant involvement on hard rooftop surface, the maximum temperature of the hard surface can get to around 45°C at noon, to two hours after noon. The daytime (6 am – 6 pm) daily variation of maximum surface temperatures was around 21°C, and the night time (6 pm – 6 am) daily surface temperature variation was around 4°C. With the installed vegetation, the maximum surface temperature of Pakis-stem blocks and lettuce was around 30°C. Meanwhile, with installed Miana scrubs, the maximum surface temperature was about 35°C. *Selada keriting* green roof had the lowest thermal performances compared to the Miana scrub green rooftop and conventional roof on daytime. The dry-bulk surface temperature difference of the Pakis-stem green roof to Miana scrub rooftop, and to the conventional rooftop were 12°C and 16.4°C respectively. Nevertheless, the nighttime (6 pm to 6 am) surface thermal performances of the Pakis green rooftop were around 2°C higher compared to the thermal surface reference model, and 3°C higher compared to the Miana scrub green rooftop at 6 am (fig. 11).




Fig. 11. Average surface temperatures on reference, pakis-stem and miana scrub green rooftop on hot days in June 2016

The thermal surface of Pakis green rooftop could lower the temperatures due to the Pakis-stem blocks and vegetables on the top of it, which acted as an external roof insulation (protecting rooftop from the heat of solar radiation) during daytime. On the contrary, the stored heat on the rooftop trapped in Pakis green roof and Miana scrub polybag green roof was hard to lose heat, or slow to release to the cool night sky because something blocked the surface of the green rooftop. That is why the thermal surface performances on conventional rooftop were better during the nighttime. The conventional flat rooftop was free to lose the stored heat once the outdoor ambient air temperature was lower than the stored heat.




Fig. 12. Average room model temperatures on reference, pakis and miana scrub green rooftop on hot days in June 2016

After having surface temperatures measured from all systems (conventional, Pakis, and Miana scrub green roofs), the room ambient air temperatures of both models can be calculated. The ambient air temperature on the conventional rooftop model was the highest compared to the Pakis-stem *selada keriting* and Miana scrub rooftop. The Pakis-stem blocks *selada keriting* green roof had the lowest ambient air temperatures during daytime. It can be noticed from figure 12 that the room thermal of Pakis-stem vegetative green roof was about 7°C lower than the conventional flat bare rooftop, but it was still 3°C lower compared to the same green rooftop (Miana scrub) during the daytime.

4. CONCLUSIONS

Along with the conventional roof as the reference model, two different combinations of growing medium and vegetation in a built-up green roof models were tested simultaneously. The varying parameters of the tests were the growing media; Pakis-stem blocks and soil in polybags. Two vegetation types were planted; *selada keriting* as urban farming vegetation and Miana scrub as green roof flower.

Selada keriting on Pakis-stem blocks vegetative green rooftop turned out to have the lowest thermal performances compared to the Miana scrub green rooftop and the conventional rooftop. The daily temperature differences between the two rooftops (the conventional and Miana scrub rooftop) and the inside ambient air temperature were the lowest. The thermal surface fluctuation differences of the Pakis-stem *selada keriting* green roof to the Miana scrub green roof and to the conventional flat roof at noon time were 7°C and 16.4°C. The Ambient room air temperature differences were 3°C to miana scrub rooftop and 7°C to common flat rooftop at noon. Those room thermal differences are huge for energy saving. Pakis-stem blocks, as a growing medium, as a sustainable urban farming domain, and as an external eco-friendly insulation for a green rooftop, demonstrate to be very effective, easy to construct, and is low maintenance.

REFERENCES

- [1] E. Wong, K. Hogan, J. Rosenburg, A. Denny. Reducing urban heat islands: compendium of strategies, Urban heat islands basics. The Climate Protection Partnership Division in the U.S. (2000).
- [2] The Central Bureau of Meteorological Station at Juanda Surabaya: Average maximum and minimum air temperature, (2013)
- [3] D.S. Mintorogo, Surabaya's horizontal and tilted global solar irradiation in 2009, Research report, Petra Christian University (2010).
- [4] N.H. Wong, Y. Chen, C.L. Ong, A. Sia. Investigating of thermal benefits of rooftop garden in the tropical environment. Journal of Built Environment, 38(2)(2003) 261-270.
- [5] D.S. Mintorogo, Application of pakis-stem as insulation to control heat gain on concrete flat roof, Thesis doctor of philosophy (architecture). Universiti Teknologi Malaysia (2014).
- [6] E.J. Grant, A decision-making framework for vegetated roofing system selection, Thesis doctor of philosophy (architecture and design research). Faculty of the Virginia Polytechnic Institute and State University (2007).
- [7] Sam C.M. Hui. Technical guidelines for green roofs systems in Hong Kong, CIBSE Hong Kong Branch. (2011) 39.
- [8] Liang H.H. & Huang K.T. Study on rooftop outdoor thermal environment and slab insulation performance of grass planted roof, Journal of Physical Sciences 6(1)(2011) 65-73.
- [9] N.H. Wong, Y. Chen. A comparison of two rooftop systems in the tropical climate, Proceeding of 2nd International Conference on Harmony in Culture and Nature, Jogjakarta, (2006) B14 1-8.
- [10] Celik S., Morgan S., Retzlaff W.A. Energy conservation analysis of various green roof systems. A research report, (2008).
- [11] Liu K., Baskaran B. Thermal performance of green roofs through field evaluation. Proceeding for North American green roof infrastructure conference, award and trade show, IL. Chicago (2003) 1-10.

Received: August 19, 2016. Accepted: August 23, 2016