



Home > Archives > **Vol 13, No 4**

## Vol 13, No 4

December 2024

DOI: <http://doi.org/10.11591/ijai.v13.i4>

### Table of Contents

<a href="#">Application of artificial intelligence in music generation: a systematic review</a> Frank Manuel Gutiérrez Paitan, María Acuña Meléndez, Christian Ovalle	<a href="#">PDF</a> 3715-3726
<a href="#">Methodology applied to computer audit with artificial intelligence: a systematic review</a> Sheyla Reymundez Suarez, Bryan Martínez Huamani, María Acuña Meléndez, Christian Ovalle	<a href="#">PDF</a> 3727-3738
<a href="#">A review of machine learning methods to build predictive models for male reproductive health</a> Ariawan Adimoelja, Wayan Firdaus Mahmudy, Diva Kurnianingtyas	<a href="#">PDF</a> 3739-3749
<a href="#">Application of classification algorithms for smishing detection on mobile devices: literature review</a> Dylan Faredh Calero Sinche, María Acuña Meléndez, Christian Ovalle	<a href="#">PDF</a> 3750-3760
<a href="#">Systematic review of artificial intelligence with near-infrared in blueberries</a> Liset Cayhualla Amaro, Sebastian Rau Reyes, María Acuña Meléndez, Christian Ovalle	<a href="#">PDF</a> 3761-3771
<a href="#">Impact of federated learning and explainable artificial intelligence for medical image diagnosis</a> Sivakumar Muthuramalingam, Padmapriya Thiagarajan	<a href="#">PDF</a> 3772-3785
<a href="#">Artificial intelligence for deepfake detection: systematic review and impact analysis</a> Venkateswarlu Sunkari, Ayyagari Sri Nagesh	<a href="#">PDF</a> 3786-3792
<a href="#">Improving performance of air quality monitoring: a qualitative data analysis</a> Danny Manongga, Untung Rahardja, Irwan Sembiring, Qurotul Aini, Po Abas Sunarya	<a href="#">PDF</a> 3793-3807
<a href="#">Implications of artificial intelligence chatbot models in higher education</a> Hissan Khandakar, Syed Ali Fazal, Kazi Fattah Afnan, Khandakar Kamrul Hasan	<a href="#">PDF</a> 3808-3813
<a href="#">Real-time anomaly detection in electric motor operation noise</a> Van-Khanh Nguyen, Bao-Toan Thai, Vy-Khang Tran, Hai Pham, Chi-Ngon Nguyen	<a href="#">PDF</a> 3814-3826
<a href="#">A novel energy efficient data gathering algorithm for wireless sensor networks using artificial intelligence</a> Swapna Chavva, Vijayashree R. Budyal	<a href="#">PDF</a> 3827-3836
<a href="#">Multi platforms fake accounts detection based on federated learning</a> Marina Azer, Hala H. Zayed, Mahmoud E. A. Gadallah, Mohamed Taha	<a href="#">PDF</a> 3837-3848
<a href="#">A multi-core makespan model for parallel scientific workflow execution in cloud computational framework</a> Farha Naaz, Sameena Banu	<a href="#">PDF</a> 3849-3857
<a href="#">Deep learning approach for forensic facial reconstruction depends on unidentified skull</a> Doaa M. Mohammed, Mostafa Elgendy, Mohamed Taha	<a href="#">PDF</a> 3858-3868
<a href="#">Implementation of global navigation satellite system software-defined radio baseband processing algorithms in system on chip</a> Chetna Devi Kh, Malode Vishwanatha Panduranga Rao	<a href="#">PDF</a> 3869-3878
<a href="#">Design of an effective multiple objects tracking framework for dynamic video scenes</a> Sunil Kumar Karanam, Narasimha Murthy Pokale Kavya	<a href="#">PDF</a> 3879-3891
<a href="#">A systematic assertive wide-band routing using location and potential aware technique</a> Karur Mohammed Saifuddin, Geetha D. Devangavi	<a href="#">PDF</a> 3892-3899

**USER**

Username

Password

Remember me

- CITATION ANALYSIS**

  - Dimensions
  - Google Scholar
  - Scholar Metrics
  - Scimagojr
  - **Scopus**
  - Web of Science
  - Scilit

- QUICK LINKS**

  - Editorial Boards
  - Reviewers
  - Author Guidelines
  - **Online Submission**
  - **Peer Review Process**
  - **Publication Fee**
  - Abstracting and Indexing
  - Publication Ethics
  - Visitor Statistics
  - Contact Us
  - **Registration for IJ-AI's Professional Reviewers**

**JOURNAL CONTENT**

Search

Search Scope

**Browse**

- By Issue
- By Author
- By Title

Ranjith Bhat, Raghu Nanjundegowda	4813-4821
<a href="#">Transfer-learning based skin cancer diagnosis using fine-tuned AlexNet by Marine Predators Algorithm</a>	<a href="#">PDF</a> 4822-4832
Maha Ibrahim Khaleel, Amir Lakizadeh	
<a href="#">Automated diagnosis of brain tumor classification and segmentation of magnetic resonance imaging images</a>	<a href="#">PDF</a> 4833-4842
Chandrakala B. Muddaraju, Shrinivasa Shrinivasa, Shobha Narasimhamurthy, Vaishali Sontakke	
<a href="#">Deep ensemble architectures with heterogeneous approach for an efficient content-based image retrieval</a>	<a href="#">PDF</a> 4843-4855
Manimegalai Asokaraj, Josephine Prem Kumar, Nanda Ashwin	
<a href="#">Enhancing intrusion detection in next-generation networks based on a multi-agent game-theoretic framework</a>	<a href="#">PDF</a> 4856-4868
Sai Krishna Lakshminarayana, Prabhugoud I. Basarkod	
<a href="#">Integrating gait and speech dynamics methodologies for enhanced stuttering detection across diverse datasets</a>	<a href="#">PDF</a> 4869-4882
Ravikiran Reddappa Reddy, Santhosh Kumar Gangadharaih	
<a href="#">A detection model of aggressive driving behavior based on hybrid deep learning</a>	<a href="#">PDF</a> 4883-4894
Noor Walid Khalid, Wisam Dawood Abdullah	
<a href="#">A novel deep anomaly detection approach for intrusion detection in futuristic network</a>	<a href="#">PDF</a> 4895-4905
Sai Krishna Lakshminarayana, Prabhugoud I. Basarkod	
<a href="#">Transliteration and translation of Hindi language using integrated domain-based Auto-encoder</a>	<a href="#">PDF</a> 4906-4914
Vathsala M K, Sanjeev C. Lingareddy	
<a href="#">Deep feature synthesis approach using selective graph attention for replay attack voice spoofing detection</a>	<a href="#">PDF</a> 4915-4926
Pranita Niraj Palsapure, Rajeswari Rajeswari, Sandeep Kumar Kempegowda	
<a href="#">Enhanced scene text recognition using deep learning based hybrid attention recognition network</a>	<a href="#">PDF</a> 4927-4938
Ratnamala S Patil, Geeta Hanji, Rakesh Huded	
<a href="#">Enhancing ultrasound-guided brachial plexus nerve localization with ResNet50 and support vector machine</a>	<a href="#">PDF</a> 4939-4947
Sobhana Mummaneni, Kushal Kumar Chintakayala, Lalith Sai Mukund Yarlagadda, Venkata Siva Naga Raju Ala, Nihitha Vemulapalli	
<a href="#">Indonesian sentiment towards global economic recession in 2023 using optimized hyperparameters of support vector machine kernels</a>	<a href="#">PDF</a> 4948-4956
Dairatul Maarif, Adinda Aulia Hafizha, Andi Kurniawan	
<a href="#">Unsupervised hindi word sense disambiguation using graph based centrality measures</a>	<a href="#">PDF</a> 4957-4964
Prajna Jha, Shreya Agarwal, Ali Abbas, Satyendr Singh, Tanveer Jahan Siddiqui	
<a href="#">Malay phoneme-based subword news headline generator for low-resource language</a>	<a href="#">PDF</a> 4965-4975
Yeong Tsann Phua, Kwang Hooi Yew, Mohd Fadzil Hassan, Matthew Teow Yok Wooi	
<a href="#">A neural machine translation system for Kreol Repiblik Moris and English</a>	<a href="#">PDF</a> 4976-4987
Sameerchand Pudaruth, Sheeba Armoogum, Nirmal Kumar Betchoo, Aneerav Sukhoo, Vandana Goria, Abdallah Peerally, Mohammad Zafar Khodabocus	
<a href="#">The integrated smart system to assist elderly at home</a>	<a href="#">PDF</a> 4988-4997
Handy Wicaksono, Petrus Santoso, Indar Sugiarto, Sean Gondowardoyo, Andrew Wijaya, Jason Halim, Nazhatul Hafizah Kamarudin	
<a href="#">Spectral splitting of speech signal using time varying recursive filters for binaural hearing aids</a>	<a href="#">PDF</a> 4998-5004
Aparna Chilakawad, Pandurangarao N. Kulkarni	
<a href="#">A new mining and decoding framework to predict expression of opinion on social media emoji's using machine learning models</a>	<a href="#">PDF</a> 5005-5012
Saravanan Madderi Sivalingam, Smitha Ponnaiyan Sarojam, Malathi Subramanian, Kalachelvi Thulasingham	



This work is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](#).

**IAES International Journal of Artificial Intelligence (IJ-AI)**

ISSN/e-ISSN 2089-4872/2252-8938

This journal is published by the [Institute of Advanced Engineering and Science \(IAES\)](#) in collaboration with [Intelektual Pustaka Media Utama \(IPMU\)](#).



[View IJAI Stats](#)

[Home](#) > [About the Journal](#) > [Editorial Team](#)

## Editorial Team

### Editor-in-Chief

[Prof. Dr. Eugene Yu-Dong Zhang](#), University of Leicester, United Kingdom

### Managing Editor

[Prof. Dr. Tole Sutikno](#), Universitas Ahmad Dahlan, Indonesia

### Associate Editors

[Prof. Dr. Cheng-Wu Chen](#), National Kaohsiung Marine University, Taiwan, Province of China  
[Prof. Dr. Kiran Sree Pokkuluri](#), Shri Vishnu Engineering College for Women, India  
[Prof. Dr. Odiel Estrada Molina](#), University of Informatics Science, Cuba  
[Prof. Francesca Guerriero](#), University of Calabria, Italy  
[Prof. Francisco Torrens](#), Universitat de Valencia, Spain  
[Prof. George A. Papakostas](#), International Hellenic University, Greece  
[Prof. Hongyang Chen](#), Zhejiang Lab, China  
[Prof. Ioannis Chatzigiannakis](#), Sapienza University of Rome, Italy  
[Prof. Panlong Yang](#), University of Science and Technology of China, China  
[Prof. Pingyi Fan](#), Tsinghua University, China  
[Assoc. Prof. Dr. Ivan Izonin](#), Lviv Polytechnic National University, Ukraine  
[Assoc. Prof. Dr. Kamil Dimililer](#), Near East University, Turkey  
[Assoc. Prof. Dr. Wudnichai Assawinchaichote](#), King Mongkut's University of Technology Thonburi, Thailand  
[Assoc. Prof. Ts. Dr. Muhammad Zaini Ahmad](#), Universiti Malaysia Perlis, Malaysia  
[Dr. Ahmed Toaha Mobashsher](#), University of Queensland, Australia  
[Dr. Aida Mustapha](#), Universiti Tun Hussein Onn Malaysia, Malaysia  
[Dr. Choong Seon Hong](#), Kyung Hee University, Korea, Republic of  
[Dr. Chunqiao Li](#), Southeast University, China  
[Dr. D. Jude Hemanth](#), Karunya University, India  
[Dr. Dhiva Al-Jumeily](#), Liverpool John Moores University, United Kingdom  
[Dr. Dian Palupi Rini](#), Universitas Sriwijaya, Indonesia  
[Dr. Farhad Soleimani Gharehchopou](#), Hacettepe University, Turkey  
[Dr. Floriano De Rango](#), University of Calabria, Italy  
[Dr. Honghai Liu](#), University of Portsmouth, United Kingdom  
[Dr. Ibrahim Kucukkok](#), Balikesir University, Turkey  
[Dr. Igor Kotenko](#), Saint-Petersburg Institute for Informatics and Automation of the Russian Academy of Sciences, Russian Federation  
[Dr. Jickho Song](#), Korea, Republic of  
[Dr. Imam Much Ibnu Subroto](#), Universitas Islam Sultan Agung, Indonesia  
[Dr. Iztok Fister Jr.](#), University of Maribor, Slovenia  
[Dr. Javier Gozalvez](#), Miguel Hernandez University of Elche, Spain  
[Dr. Jingjing Wang](#), Tsinghua University, China  
[Dr. John S. Vardakas](#), Iquadrat Informatica S.L., Spain  
[Dr. Karan Veer](#), DR BR Ambedkar National Institute of Technology, India  
[Dr. Liang Yang](#), Hunan University, China  
[Dr. Lin X.-Cai](#), Illinois Institute of Technology, United States  
[Dr. Magdi S. Mahmoud](#), King Fahd University of Petroleum and Minerals, Saudi Arabia  
[Dr. Miroslav Voznak](#), VSB-Technical University of Ostrava, Czech Republic  
[Dr. Mortaza Zolfpour Arokhlq](#), Sepidan Branch, Islamic Azad University, Iran, Islamic Republic of  
[Dr. Mufti Mahmud](#), Nottingham Trent University, United Kingdom  
[Dr. Muhammad Shahid Farid](#), University of the Punjab, Pakistan  
[Dr. Nasimuddin Nasimuddin](#), Institute for Infocomm Research, Singapore  
[Dr. Rashid Ali](#), Aligarh Muslim University, India  
[Dr. Saeed Jafarzadeh](#), California State University Bakersfield, United States  
[Dr. Saleh Mirheidari](#), Navistar Inc., United States  
[Dr. Shahabuddin Shams Shirbandi](#), University of Malaya, Malaysia  
[Dr. Shaikh Abdul Hannan Abdul Mannan](#), Vivekanand College, India  
[Dr. Sherali Zeadally](#), Lunghwa University of Science and Technology, Taiwan, Province of China  
[Dr. Syamsiah Mashohor](#), Universiti Putra Malaysia, Malaysia

### Editorial Board Members

[Prof. Addison Salazar](#), Universidad Politécnica de Valencia, Spain  
[Prof. Charalambos Skianis](#), University of the Aegean, Greece  
[Prof. Klaus David](#), University of Kassel, Germany  
[Prof. Panagiotis G. Sarigiannidis](#), University of Western Macedonia, Greece  
[Prof. Richard Lin](#), National Sun Yat-sen University, Taiwan, Province of China  
[Prof. Tin-Yu Wu](#), National Ilan University, Taiwan, Province of China  
[Dr. Abdulhamit Subasi](#), Effat University, Saudi Arabia  
[Dr. Alessio Botta](#), University of Napoli Federico II, Italy  
[Dr. Arcangelo Castiglione](#), Università degli Studi di Salerno, Italy  
[Dr. Daniel Lai](#), Victoria University, Australia  
[Dr. David Isern](#), Universitat Rovira i Virgili, Spain  
[Dr. Domenico Ciunzio](#), University of Naples Federico II, Italy  
[Dr. Emilio Jiménez Macías](#), University of La Rioja, Spain  
[Dr. Enrico Tronci](#), Sapienza University of Rome, Italy  
[Dr. Felix Albu](#), Valahia University of Targoviste, Romania  
[Dr. Gerhard Wunder](#), Freie Universität Berlin, Germany  
[Dr. Grienggrai Rajchakit](#), Maejo University, Thailand  
[Dr. Haikal El Abed](#), Technical Trainers College (TTC), Saudi Arabia  
[Dr. Haruna Chiroma](#), Federal College of Education (Technical), Malaysia  
[Dr. Jinsong Wu](#), Universidad de Chile, Chile  
[Dr. John C. Strassner](#), Samsung Electronics R and D Institute, United Kingdom  
[Dr. Kai Lin](#), Dalian University of Technology, China  
[Dr. Kashif Oureshi](#), Bahria University, Pakistan  
[Dr. Li Song](#), Shanghai Jiao Tong University, China  
[Dr. Makram Fakhry](#), University of Technology, Iraq  
[Dr. Marco Listanti](#), Sapienza Università di Roma, Italy  
[Dr. Mehmet Ali Ertürk](#), Istanbul University, Turkey  
[Dr. Mengyu Qiao](#), Xi'an Technological University, China  
[Dr. Mohd Ridzuan Ahmad](#), Universiti Teknologi Malaysia, Malaysia  
[Dr. Mohd Yusoff Mashor](#), Universiti Malaysia Perlis, Malaysia  
[Dr. Nor Liyana Mohd Shuib](#), University of Malaya, Malaysia  
[Dr. Paolo Crippa](#), Università Politecnica delle Marche, Italy  
[Dr. Pascal Lorenz](#), University of Haute Alsace, France  
[Dr. Paulo Azevedo-Marques](#), University of São Paulo, Brazil  
[Dr. Prabhat Kumar Upadhyay](#), Indian Institute of Technology Indore, India  
[Dr. Qiang Yang](#), Zhejiang University, China  
[Dr. Ruonan Zhang](#), Northwestern Polytechnical University, China  
[Dr. Sudhanshu Tyagi](#), Thapar Institute of Engineering & Technology, India  
[Dr. Sunday Olatunji](#), Imam Abdulrahman Bin Faisal University, Saudi Arabia  
[Dr. Tarek Djerafi](#), Institut National de la Recherche Scientifique, Canada  
[Dr. Wei Wei](#), Xi'an University of Technology, China  
[Dr. Xin Ming Zhang](#), University of Science and Technology of China (USTC), China  
[Dr. Zita Vale](#), Polytechnic Institute of Porto, Portugal

#### USER

Username   
 Password   
 Remember me

#### CITATION ANALYSIS

- Dimensions
- Google Scholar
- Scholar Metrics
- Scimagojr
- Scopus
- Web of Science
- Scilit

#### QUICK LINKS

- Editorial Boards
- Reviewers
- Author Guidelines
- **Online Submission**
- **Peer Review Process**
- **Publication Fee**
- Abstracting and Indexing
- Publication Ethics
- Visitor Statistics
- Contact Us
- **Apply as IJ-AI Reviewer**

#### JOURNAL CONTENT

Search   
 Search Scope

#### Browse

- By Issue
- By Author
- By Title

## Start Your Career Today

Learning cybersecurity is overwhelming when you don't know what to focus on.

## IAES International Journal of Artificial Intelligence

<p><b>COUNTRY</b></p> <p>Indonesia</p> <ul style="list-style-type: none"> <li>Universities and research institutions in Indonesia</li> <li>Media Ranking in Indonesia</li> </ul>	<p><b>SUBJECT AREA AND CATEGORY</b></p> <ul style="list-style-type: none"> <li>Computer Science               <ul style="list-style-type: none"> <li>Artificial Intelligence</li> </ul> </li> <li>Decision Sciences               <ul style="list-style-type: none"> <li>Information Systems and Management</li> </ul> </li> <li>Engineering               <ul style="list-style-type: none"> <li>Control and Systems Engineering</li> <li>Electrical and Electronic Engineering</li> </ul> </li> </ul>	<p><b>PUBLISHER</b></p> <p>Institute of Advanced Engineering and Science</p>	<p><b>SJR 2024</b></p> <p><b>0.341</b> <span style="background-color: #FFD700; padding: 2px;">Q2</span></p> <p><b>H-INDEX</b></p> <p><b>27</b></p>
<p><b>PUBLICATION TYPE</b></p> <p>Journals</p>	<p><b>ISSN</b></p> <p>20894872, 22528938</p>	<p><b>COVERAGE</b></p> <p>2018-2025</p>	

**Start Your Career Today**

[Expert Courses](#)

[Advanced CIPCybersecurity](#)

OPSWAT Academy

[Learn More](#)

**SCOPE**

Information not localized


Join the conversation about this journal

**Quartiles**

**FIND SIMILAR JOURNALS**

options


<p>1 <b>International Journal of Electrical and Computer</b> IDN</p> <p><b>73%</b> similarity</p>	<p>2 <b>Indonesian Journal of Electrical Engineering and</b> IDN</p> <p><b>67%</b> similarity</p>	<p>3 <b>Bulletin of Electrical Engineering and Informatics</b> IDN</p> <p><b>63%</b> similarity</p>	<p>4 <b>Telkonnika (Telecommunication</b> IDN</p> <p><b>58%</b> similarity</p>	<p>5 <b>Revue d'Intelligence Artificielle</b> FRA</p> <p><b>51%</b> similarity</p>
---	---	---	--	--



Metrics based on Scopus® data as of March 2025

**SCImago Graphica**

Explore, visually communicate and make sense of data with our [new data visualization tool](#).



**K** **kadija** 3 months ago

Hi,  
What is the link for the journal IAES International Journal of Artificial Intelligence, as there may be clone journals with the same name.

Thanks

← reply



**Melanie Ortiz** 3 months ago

SCImago Team

Dear Kadija,  
Thank you for contacting us.  
The information referring to the journal's website is not available on our website (you'll see "Information not localized") due to the fact that we could not verify that information with absolute reliability or that it was unfound.  
Best Regards, SCImago Team



# Source details

## IAES International Journal of Artificial Intelligence

Years currently covered by Scopus: from 2018 to 2025

Publisher: Institute of Advanced Engineering and Science

ISSN: 2089-4872 E-ISSN: 2252-8938

Subject area: Decision Sciences: Information Systems and Management Engineering: Control and Systems Engineering  
Engineering: Electrical and Electronic Engineering Computer Science: Artificial Intelligence

Source type: Journal

- [View all documents >](#)
- [Set document alert](#)
- [Save to source list](#)

CiteScore 2024  
**3.2**



SJR 2024  
**0.341**



SNIP 2024  
**0.811**



[CiteScore](#) [CiteScore rank & trend](#) [Scopus content coverage](#)

CiteScore 2024 ▼

$$3.2 = \frac{3,149 \text{ Citations } 2021 - 2024}{976 \text{ Documents } 2021 - 2024}$$

Calculated on 05 May, 2025

CiteScoreTracker 2025 ⓘ

$$2.5 = \frac{2,534 \text{ Citations to date}}{1,029 \text{ Documents to date}}$$

Last updated on 05 July, 2025 • Updated monthly

### CiteScore rank 2024 ⓘ

Category	Rank	Percentile
Decision Sciences		
Information Systems and Management	#75/190	60th
Engineering		
Control and Systems Engineering	#166/375	55th

[View CiteScore methodology >](#) [CiteScore FAQ >](#) [Add CiteScore to your site](#)

# CERTIFICATE

No. 24838/IJAI/A/10/2024

IAES International Journal of Artificial Intelligence

is hereby awarding this certificate to


Handy Wicaksono, Petrus Santoso, Indar Sugiarto, Sean Gondowardoyo,  
Andrew Wijaya, Jason Halim, Nazhatul Hafizah Kamarudin

as **Authors** for paper entitled:

The integrated smart system to assist elderly at home

for Vol 13, No 4: December 2024

October 17, 2024



ISSN 2089-4872  
<http://ijai.iaescore.com>

Prof. Dr. Eugene Yu-Dong Zhang  
Editor-in-Chief

## The integrated smart system to assist elderly at home

Handy Wicaksono<sup>1</sup>, Petrus Santoso<sup>1</sup>, Indar Sugiarto<sup>1</sup>, Sean Gondowardoyo<sup>1</sup>, Andrew Wijaya<sup>1</sup>,  
Jason Halim<sup>1</sup>, Nazhatul Hafizah Kamarudin<sup>2</sup>

<sup>1</sup>Department of Electrical Engineering, Faculty of Industrial Technology, Petra Christian University, Surabaya, Indonesia

<sup>2</sup>Center for Cyber Security, Faculty of Information Science and Technology, Universiti Kebangsaan Malaysia, Selangor, Malaysia

### Article Info

#### Article history:

Received Dec 19, 2023

Revised Jun 26, 2024

Accepted Jun 28, 2024

#### Keywords:

Elder's monitoring

Internet of things

Mobile robot

Pose detection

Wearable device

### ABSTRACT

Some elders prefer to live independently rather than in a nursing home. However, they need to be assisted because of health and safety reasons. We developed an integrated system consisting of a smart home, a mobile robot, and a wearable device, using message queuing telemetry transport (MQTT) protocol to communicate with each other. The smart home can be monitored and controlled via a mobile application. We use the telepresence robot equipped with a light detection and ranging (LIDAR) sensor to perform simultaneous localization and mapping (SLAM) and autonomous navigation. The wearable device application is used to detect older adults' heart rate, the steps taken, and the burnt calories. We also add pose detection and location estimation using a depth camera powered by an efficient deep-learning algorithm. We also developed an Android application as a dashboard that monitors and controls all system components. Our system can facilitate communication between its various components.

This is an open access article under the [CC BY-SA](https://creativecommons.org/licenses/by-sa/4.0/) license.



### Corresponding Author:

Handy Wicaksono

Department of Electrical Engineering, Faculty of Industrial Technology, Petra Christian University

St. Siwalankerto 121 – 131, Wonocolo, Surabaya, Indonesia

Email: handy@petra.ac.id

## 1. INTRODUCTION

The population of older people is increasing from time to time. For example, in Indonesia, the proportion of older adults was 5% in 2010, which is expected to increase to 11% in 2035 [1]. Data from the Central Bureau of Statistics in Indonesia also shows that life expectancy in Indonesia is estimated to increase from 72.51 in 2015 to 75.47 in 2045 [2]. In Indonesia, it is common for elderly people to live together with their families. However, this is not always the case, as the family may not have enough resources, or older adults prefer to live alone. We may use technology to support older adults in living independently. Wicaksono *et al.* [3] proposed a voice-controlled smart home to help older adults who do not want to access a complex application interface. Lakshmi *et al.* [4] proposed a smart door equipped with face recognition technology to increase the security level of a house, where they utilized a local binary pattern histogram mechanism for image matching purposes. Human pose detection might also be done inside the smart home using principal component analysis, long short term memory, and support vector machine [5]. Maswadi *et al.* [6] conducted a literature survey about the smart home for elderly monitoring, while Zhang *et al.* [7] analyzed smart home usage for elderly care in China.

Another useful technology to assist elders is robotics. Koceska *et al.* [8] developed an affordable telemedicine robot equipped with autonomous navigation ability. It is able to move its arm to perform pick and place. On the other hand, Isabet *et al.* [9] used a social telepresence robot to reduce loneliness and isolation among older adults who live at home care. Wearable devices are another valuable technology. Vega *et al.* [10] developed an elder monitoring system where the sensor in the bracelet detects the heart rate, body temperature,

and blood oxygenation. It is paired with a mobile application that displays sensor readings, stores the elder's medical records, and provides a communication medium. Yacchirema *et al.* [11] proposed a fall detection system utilizing a 3D axis accelerometer embedded in an IPv6 over low power personal area network (PAN) wearable device to capture the movement of the elders. Random forest is implemented to detect the elder's fall.

Most approaches and technology we mentioned above are not integrated. They work well separately in isolation; however, the isolated solution is insufficient to tackle complex problems such as elder monitoring. In this paper, we proposed a novel integrated system to assist elders at home, which includes these features: i) integration of the smart home, the mobile robot, and the smartwatch application; ii) the pose detection and the estimated location by the depth camera; iii) an integrated dashboard that is able to monitor and control all system components; and iv) utilization of a standard protocol used by each system component to ensure smooth communication. We continue our previous work, where we envisioned the integration of heterogeneous controllers in an internet of things (IoT) network. We also combined the mobile robot and smart home technology to assist the elders [12], where the robot is treated as one "thing" in the IoT network.

## 2. METHOD

### 2.1. The system architecture and components

Overall system architecture and devices are shown in Figure 1(a). Three system components (a smart home, a telepresence robot, and a wearable device) can communicate using the message queuing telemetry transport (MQTT) protocol [13]. A RaspberryPi 4 is utilized as a server, where the MQTT broker and MariaDB database are installed. A mobile application is developed using Android Studio. The application also implemented representational state transfer (REST) full application programming interface (API) to communicate with the server for user authentication purposes. Our smart home system is equipped with several sensors (two light sensors, a temperature sensor, and a gas sensor) and actuators (two lights, a fan, and a buzzer). They are shown in Figure 1(b) every sensor and actuator are connected to a Wemos D1 Mini.




Figure 1. Overall system and devices in the smart home: (a) architecture and (b) sensors and actuators

Our second component is a telepresence robot as shown in Figure 2(a), which provides a connection between a user and a participant (in a distant location) [14]. Initially, our robot (made by Ohmni Labs) was controlled remotely using its own interface. We then added a light detection and ranging (LIDAR) sensor so it could perform simultaneous localization and mapping (SLAM) [15] and autonomous navigation. Since we are using robot operating system (ROS) [16], we can reuse the existing SLAM package and navigation stack. Our last component is a Samsung Galaxy Watch 4 (OS: WearOS 3.5) to develop a simple application to monitor the heart rate (by reading the heart rate sensor and on-body sensor of the smartwatch), the steps taken, and the burnt calories (by implementing the passive monitoring client library). We also created an "save our souls" or "save our ship" (SOS) page in case an elder has an emergency situation. The wearable device and application pages are shown in Figures 2(b) and 2(c).




Figure 2. The robot and the mobile application for the elder: (a) the telepresence robot, (b) the smartwatch, and (c) mobile application

**2.2. The pose and location detection**

Our system can detect the pose and estimate a person's location in the room using a camera. We use you only look once (YOLO), an efficient deep-learning algorithm that is fast and suitable for real-time detection. Specifically, we use YOLOv4-Tiny [17], [18]. The model training is done in a laptop (Intel® i7-5700HQ @ 2,70 GHz, Nvidia GeForce GTX 965M 2 GB GDDR5, Memory 16 GB DDR3L), and the model inferencing is implemented in a NVidia Jetson Nano (built in a reComputer J1010). The learning stages are shown in Figure 3(a) while images captured by depth camera are shown in Figure 3(b).




Figure 3. Learning stages and the images acquisition: (a) learning stages and (b) images captured

We determine five classes of human pose: stand up (SU), sit on the chair (SC), sit on the floor (SF), lay down on the chair (LC), and lay down on the floor (LF). We consider lying down on the chair and lying down on the floor to be an abnormal pose. We then collect images for the dataset for each pose. The dataset consists of 890 images (680×480 pixels). The number of pictures for each pose can be seen in Table 1. The examples of captured images are shown in Figure 4(a). The photos are taken from a camera in the corner, on the top of a shelf shown in Figure 4(b). We divide the room into four divisions (A, B, C, D), each 1.5×1.5 m shown in Figure 4(b). This location will be sent to the robot, so it knows the estimated location of the elder.

YOLOv4-tiny model is designed based on YOLOv4 [19] (the review of YOLO development has been discussed [19]), however, it has faster object detection [17]. YOLOv4-tiny method uses CSPDarknet53-tiny as the backbone to replace CSPDarknet53 in YOLOv4. YOLOv4-tiny is trained using 29 convolutional pre-trained layers, while YOLOv4 is trained using 137 convolutional pre-trained layers. These trade-offs enable YOLOv4-tiny to detect objects faster than YOLOv4 while sacrificing a small amount of detection accuracy.

Table 1. Pose classes and amount of dataset

No	Pose	Abbreviation	Dataset
1	Stand up	SU	106
2	Sit on the chair	SC	251
3	Sit on the floor	SF	213
4	Lay down on the sofa	LS	187
5	Lay down on the floor	LF	133



Figure 4. The pose and location detection: (a) the example of captured images and their labels and (b) camera location and the room division

**2.3. The integrated dashboard and system mechanism**

Our dashboard is designed in an 8" Android tablet to show the status of all of our system components. Initially, a caregiver must log in to the system. Then he can choose the elder's name and proceed to see the overview page, the smart home page, the robot page, and the wearable device page. The overview page design is shown in Figure 5. We use MariaDB as our database server, installed in a RaspberryPi 4. In the database, we make some tables that relate to each other in many-to-many relationships. For example, we make the elder\_caregiver table, which relates a particular caregiver to a specific elder he cares for.




Figure 5. Design of the overview page

Besides the monitoring via the dashboard, we implement a mechanism that involves all system components. When our system detects an abnormal situation (the abnormal pose, the abnormal heart rate reading), it will notify the caregiver and send the estimated location of the elder to the robot, which then will navigate autonomously to that location. Once the robot is there, as it has teleconference capability, the caregiver may try to communicate with the robot. The mechanism is also written in following pseudocode.

```

IF (the abnormal pose detected in the camera OR the heart rate reading of the smartwatch is abnormal) THEN
    Send a notification to the caregiver;
    Send the estimated location to the robot;
    IF (the robot is arrived at the location) THEN
        The robot must stop; //The caregiver may communicate with the elder
    ELSE
        The robot navigates autonomously to the location;
    
```

### 3. RESULTS AND DISCUSSION

In this section, we explain the experiment results of each component: the smart home, the robot, and the wearable device. We also describe the pose detection and the location estimation results. Finally, we will explain the integrated system mechanism involving several components.

#### 3.1. The smart home experiments

The simple testing on the sensors and actuators are shown in Figure 6(a). The values of the sensors are displayed on the smart home tab of the dashboard as shown in Figure 6(b). There are numerical value displays and gauge-style displays. The values of the temperature sensor and the gas sensor are also shown in the trend form so the user can monitor the historical value of the parameters. Additionally, all the parameters are also stored in the database. In manual mode, the user can also manually control the actuators by pushing the page buttons.





Figure 6. The smart home experiments: (a) sensors and actuators testing, and (b) their appearance on the dashboard

#### 3.2. The mobile robot experiments

We start experimenting with a mobile robot by performing the SLAM operation to produce the map of our laboratory. The resulting map is shown in Figure 7(a). Once we have the map, we can conduct an autonomous navigation experiment by commanding the robot to navigate to a particular location by clicking the point in Rviz as shown in Figure 7(b).




Figure 7. The mobile robot experiments: (a) the map produced by SLAM, and (b) the robot navigates to a specified location

Once it arrives at the location, we measure how far the robot is shifted from its original goal coordinate. After several navigation experiments to a different section of our laboratory as shown in Table 2, we get the measurement results that the movement error in the X axis is 0.05 m, the error in the Y axis is 0.05 m, and the error in direction (angle) is 0.31 radian. These errors are caused by the inaccuracy of the Ohmni robot itself (it is a little bit shaky when moving), the variety of our laboratory surfaces (there are sections that have carpet on it), and the LIDAR's inaccuracy. However, in our case, these errors are still acceptable.

**Table 2. Robot movement error**

Navigation goal	Movement error		
	X(m)	Y(m)	Radian
Kitchen	0.05	0.07	0.23
Dining room	0.05	0.05	0.38
Living room	0.04	0.02	0.25
TV	0.03	0.05	0.35
Bedroom	0.05	0.06	0.27
Bathroom	0.04	0.04	0.37
Average	0.05	0.05	0.31

The user can control the robot manually by pressing the buttons in the telepresence robot tab in the dashboard as shown in Figure 8(a). The user can also select a point in the coordinates, and the robot will move to that position. The robot's camera is also shown on the dashboard. It uses web real-time communication (WebRTC) technology to stream the robot camera into the telepresence robot tab.

**3.3. The wearable device experiments**

The smartwatch measures the heart rate, the steps taken, and the burnt calories as shown in Figure 8(b). Those values can also be monitored by the wearable tab in the dashboard as shown in Figure 8(c). The heart rate is displayed in trend, so the user can monitor it from time to time. The steps and calories are shown in the histogram chart. All of these parameters are stored in the database. We also test the heart rate sensor by comparing its reading to the oximeter. From 10 experiments, we found that the average error is small: 1.13 %.




Figure 8. The wearable device experiments: (a) the telepresence robot page, (b) smartwatch application, and (c) the wearable device page

**3.4. The pose and location detection experiments**

We conducted the experiments to test the accuracy of our pose detection and location estimation algorithm. Eight persons became the subject of experiments. They must perform all five pose categories, and the system must detect their poses. From those experiments, we find this system has 92% accuracy in detecting the human pose (the complete data is shown in Table 3). These experiments are done in bright conditions. When the lighting is decreased, the accuracy will get worse. In our experiments, the persons in our training dataset mostly use black cloth, so the accuracy tends to be higher when the person uses black cloth. In the future, we should vary the fabric used by the persons for the training dataset.

For location detection, we perform testing in each location 20 times. The average accuracy is also pretty good: 93% (see Table 4 for complete results). Although the result is good, we must remember that the estimated location area is quite big: 1.5×1.5 m (as it is enough for our current application). Our system might show worse accuracy performance when the area is decreased.

Table 3. Pose detection testing results

Person	Pose detection accuracy					Total (%)
	SU (%)	SC (%)	SF (%)	LC (%)	LF (%)	
1	100	71	77	100	95	89
2	95	100	82	100	88	93
3	96	100	100	100	97	99
4	100	100	97	100	82	96
5	91	91	90	100	87	92
6	100	78	96	92	89	91
7	100	68	97	100	50	83
8	73	97	96	100	85	90
Average	94	88	92	99	84	92

Table 4. Location detection testing

Location	Correct prediction (out of 20)	Accuracy (%)
A	18	90
B	17	85
C	19	95
D	20	100
Average		93

3.5. Integrated system experiments

We aim to develop our dashboard to show all three components (the smart home, the robot, and the wearable device) on one page. This has been achieved in the overview page as shown in Figure 9(a). Communication between components can also be seen when abnormal conditions occur. If the elder's heart rate or pose is odd, the system will notify the tablet as shown in Figure 9(b). The alarms are also displayed in the telepresence tab (highlighted in yellow as shown in Figure 9(c), so the user might be aware of the unusual condition and take action. As we have explained in section 2.3, the robot will navigate autonomously to the elder's estimated location when the abnormal condition happens. Figure 10 shows the point of view of the home camera (Intel RealSense D435 camera) and the robot camera when the robot successfully reaches the location.




Figure 9. Integrated system experiments: (a) the overview page, (b) the alarm notification, and (c) the alarm on the telepresence tab




Figure 10. Point of view of the home camera and the robot camera

### 3.6. Discussions on the security feature

Smart home automation offers improved security and comfort, particularly beneficial for the elderly by providing accessible and efficient control over home appliances. In IoT applications, a smart home system endeavors to link and regulate all devices via cloud computing or internet network gateways. Hence, it is imperative to develop a robust access control system to guarantee that only authorized individuals can enter the home and utilize the smart home system. Despite a growing body of research on the security of smart home systems [20], [21], it remains in an early stage, and the protective features of these IoT devices are notably deficient. Future research initiatives could focus on establishing secure communication protocols within the smart home system to safeguard sensitive information. Additionally, integrating artificial intelligence (AI)-based systems [22]–[25] for behavioral analysis could be explored to detect anomalies that might signal potential security risks within the smart home environment. Implementing cybersecurity measures necessitates ensuring that all devices within the smart home are equipped with the latest security technologies. This includes the implementation of robust authentication and encryption protocols for transmitted data. Currently, our system only implements a very simple security mechanism.

## 4. CONCLUSION

We concluded that we have achieved our goal of developing an integrated system to assist elders at home. We have developed each component: the smart home, the mobile robot, and the smartwatch application. Users can monitor those components and perform manual and automatic control (of the smart home and the robot) via the dashboard. We also perform pose detection and location detection with 92% and 93% accuracy. We also have demonstrated the communication between components via the MQTT protocol. When the smartwatch detects an abnormal heart rate or the camera detects an abnormal pose, the robot then navigates autonomously to the elder's estimated location. In the future, we must improve our system in some areas, starting with improving pose detection and location estimation accuracy. A better pose detection algorithm might be used, the indoor positioning system might be utilized, and the security features must be improved.

## ACKNOWLEDGEMENTS

Authors are supported by DG-RSTHE, Ministry of Education and Culture of the Republic of Indonesia through Hibah Penelitian Unggulan Perguruan Tinggi 2023.




## REFERENCES

- [1] R. W. Basrowi, E. M. Rahayu, L. C. Khoe, E. Wasito, and T. Sundjaya, "The road to healthy ageing: What has indonesia achieved so far?," *Nutrients*, vol. 13, no. 10, 2021, doi: 10.3390/nu13103441.
- [2] BPS, "Indonesia population projection: result of SUPAS 2015 (in Indonesian: *Proyeksi penduduk Indonesia 2015-2045: hasil SUPAS 2015*)," *Badan Pusat Statistik*, 2018. [Online]. Available: <https://www.bps.go.id/d/publication/2018/10/19/78d24d9020026ad95c6b5965/proyeksi-penduduk-indonesia-2015-2045-hasil-supas-2015.html>
- [3] H. Wicaksono, P. Santoso, I. Sugiarto, and F. Dwipanjung, "Voice-controlled smart home prototype to assist an elder in home care," *AIP Conference Proceedings*, vol. 2693, no. 1, 2023, doi: 10.1063/5.0118743.
- [4] K. B. Lakshmi, M. Akshay, P. Akhil, and M. Lalitha, "Security enhancement with smart door unlocking using machine learning," *i-manager's Journal on Image Processing*, vol. 8, no. 1, 2021, doi: 10.26634/jip.8.1.18059.
- [5] D. Xu, X. Qi, C. Li, Z. Sheng, and H. Huang, "Wise information technology of med: Human pose recognition in elderly care," *Sensors*, vol. 21, no. 21, 2021, doi: 10.3390/s21217130.
- [6] K. Maswadi, N. B. A. Ghani, and S. B. Hamid, "Systematic literature review of smart home monitoring technologies based on IoT for the elderly," *IEEE Access*, vol. 8, pp. 92244–92261, 2020, doi: 10.1109/ACCESS.2020.2992727.




- [7] Q. Zhang, M. Li, and Y. Wu, "Smart home for elderly care: Development and challenges in China," *BMC Geriatrics*, vol. 20, no. 1, 2020, doi: 10.1186/s12877-020-01737-y.
- [8] N. Koceska, S. Koceski, P. B. Zobel, V. Trajkovik, and N. Garcia, "A telemedicine robot system for assisted and independent living," *Sensors*, vol. 19, no. 4, 2019, doi: 10.3390/s19040834.
- [9] B. Isabet, M. Pino, M. Lewis, S. Benveniste, and A. S. Rigaud, "Social telepresence robots: A narrative review of experiments involving older adults before and during the covid-19 pandemic," *International Journal of Environmental Research and Public Health*, vol. 18, no. 7, 2021, doi: 10.3390/ijerph18073597.
- [10] L. A. D. -Vega *et al.*, "An IoT system for remote health monitoring in elderly adults through a wearable device and mobile application," *Geriatrics*, vol. 4, no. 2, 2019, doi: 10.3390/geriatrics4020034.
- [11] D. Yacchirema, J. S. D. Puga, C. Palau, and M. Esteve, "Fall detection system for elderly people using IoT and ensemble machine learning algorithm," *Personal and Ubiquitous Computing*, vol. 23, no. 5–6, pp. 801–817, 2019, doi: 10.1007/s00779-018-01196-8.
- [12] H. Wicaksono, I. Sugiarto, P. Santoso, G. Ricardo, and J. Halim, "Towards autonomous robot application and human pose detection for elders monitoring," *Proceeding - 6th International Conference on Information Technology, Information Systems and Electrical Engineering: Applying Data Sciences and Artificial Intelligence Technologies for Environmental Sustainability, ICITISEE 2022*, pp. 772–776, 2022, doi: 10.1109/ICITISEE57756.2022.10057680.
- [13] A. S. -Clark and H. Truong, "MQTT-SN: MQTT for sensor networks, version 1.2, protocol specification," *International Business Machines Corporation (IBM)*, 2013, [Online]. Available: [https://www.oasis-open.org/committees/download.php/66091/MQTT-SN\\_spec\\_v1.2.pdf](https://www.oasis-open.org/committees/download.php/66091/MQTT-SN_spec_v1.2.pdf).
- [14] T. C. Tsai, Y. L. Hsu, A. I. Ma, T. King, and C. H. Wu, "Developing a telepresence robot for interpersonal communication with the elderly in a home environment," *Telemedicine and e-Health*, vol. 13, no. 4, pp. 407–424, 2007, doi: 10.1089/tmj.2006.0068.
- [15] S. Thrun, "Probabilistic robotics," *Communications of the ACM*, vol. 45, no. 3, pp. 52–57, 2002, doi: 10.1145/504729.504754.
- [16] A. N. M. Quigley *et al.*, "ROS: an open-source robot operating system," *ICRA Workshop on Open Source Software*, vol. 3, no. 3.2, pp. 1-6, 2009.
- [17] Z. Jiang, L. Zhao, S. Li, and Y. Jia, "Real-time object detection method based on improved YOLOv4-tiny," *arXiv-Computer Science*, pp. 1-11, 2020, doi: 10.48550/arXiv.2011.04244.
- [18] A. Bochkovskiy, C.-Y. Wang, and H.-Y. M. Liao, "YOLOv4: optimal speed and accuracy of object detection," *arXiv-Computer Science*, pp. 1-17, 2020, doi: 10.48550/arXiv.2004.10934.
- [19] P. Jiang, D. Ergu, F. Liu, Y. Cai, and B. Ma, "A review of yolo algorithm developments," *Procedia Computer Science*, vol. 199, pp. 1066–1073, 2021, doi: 10.1016/j.procs.2022.01.135.
- [20] N. Komninos, E. Philippou, and A. Pitsillides, "Survey in smart grid and smart home security: Issues, challenges and countermeasures," *IEEE Communications Surveys and Tutorials*, vol. 16, no. 4, pp. 1933–1954, 2014, doi: 10.1109/COMST.2014.2320093.
- [21] H. Lin and N. W. Bergmann, "IoT privacy and security challenges for smart home environments," *Information*, vol. 7, no. 3, 2016, doi: 10.3390/info7030044.
- [22] L. Xiao, X. Wan, X. Lu, Y. Zhang, and D. Wu, "IoT security techniques based on machine learning: how do IoT devices use AI to enhance security?," *IEEE Signal Processing Magazine*, vol. 35, no. 5, pp. 41–49, 2018, doi: 10.1109/MSP.2018.2825478.
- [23] I. Idrissi, M. Boukabous, M. Azizi, O. Moussaoui, and H. El Fadili, "Toward a deep learning-based intrusion detection system for iot against botnet attacks," *IAES International Journal of Artificial Intelligence*, vol. 10, no. 1, pp. 110–120, 2021, doi: 10.11591/ijai.v10.i1.pp110-120.
- [24] P. D. Tinh, B. H. Hoang, and N. D. Cuong, "A genetic based indoor positioning algorithm using Wi-Fi received signal strength and motion data," *IAES International Journal of Artificial Intelligence*, vol. 12, no. 1, pp. 328–346, 2023, doi: 10.11591/ijai.v12.i1.pp328-346.
- [25] P. D. Tinh and T. T. N. Mai, "Ensemble learning model for wifi indoor positioning systems," *IAES International Journal of Artificial Intelligence*, vol. 10, no. 1, pp. 200–206, 2021, doi: 10.11591/ijai.v10.i1.pp200-206.

## BIOGRAPHIES OF AUTHORS






**Handy Wicaksono**    received a doctoral degree from the School of Computer Science and Engineering, UNSW Australia. Previously, he received his bachelor's and master's degrees in the Department of Electrical Engineering, Institut Teknologi Sepuluh Nopember, Indonesia. He is a senior lecturer at the Department of Electrical Engineering, Petra Christian University, Indonesia. His research interests include AI applications in robotics and industrial automation, as well as active assisted living for older adults. He can be contacted at email: [handy@petra.ac.id](mailto:handy@petra.ac.id).






**Petrus Santoso**    received a Master of Science from the Telematics Department of Twente University, Netherlands. His bachelor's degree comes from the Department of Electrical Engineering of Petra Christian University, Indonesia. He is a faculty member of the Department of Electrical Engineering of Petra Christian University, Indonesia. His research is in the area of the internet of things and robotics. He can be contacted at email: [petrus@petra.ac.id](mailto:petrus@petra.ac.id).






**Indar Sugiarto**    obtained a Ph.D. degree from Technische Universität München in 2015. His research includes supercomputing, artificial intelligence, embedded systems, and robotics. He is a senior lecturer in the Department of Electrical Engineering of Petra Christian University. He is also affiliated with IEEE and ACM as an active senior member. Currently, he serves as an officer for the Indonesian Chapter of IEEE Computer Society. He can be contacted at email: indi@petra.ac.id.






**Sean Gondowardoyo**    obtained a bachelor's degree from the Department of Electrical Engineering at Petra Christian University. His thesis focused on integrating various subsystems to enable centralized control and connectivity. His areas of interest include industrial automation, the internet of things (IoT), application development, and server development. He can be contacted at email: c11190009@john.petra.ac.id.






**Andrew Wijaya**    received a bachelor's degree from the Department of Electrical Engineering at Petra Christian University. His thesis focused on machine vision for human pose recognition. He can be contacted at email: c11190010@john.petra.ac.id.



**Jason Halim**    received his bachelor's degree in Electrical Engineering from Petra Christian University in 2023, focusing his research on computer vision, object detection, and recognition using deep learning techniques. He can be contacted at email: c11190014@john.petra.ac.id.



**Nazhatul Hafizah Kamarudin**    currently holds the position of Senior Lecturer at the Centre for Cybersecurity, Faculty of Information Science and Technology, Universiti Kebangsaan Malaysia. She earned her Bachelor of Engineering in Electrical Engineering and her Master of Engineering in Wireless Security from Stevens Institute of Technology in New Jersey, United States of America. In 2019, she successfully obtained her Ph.D. in Electrical Engineering with a specialization in security and cryptography from UiTM Shah Alam, Malaysia. Her research interests encompass a diverse range, including authentication, network security, internet of things, wireless sensor networks, and cybersecurity. She can be contacted at email: nazhatulhafizah@ukm.edu.my.